

**BLUE LIZARD KIDS SPF 50 SUNSCREEN- titanium dioxide and zinc oxide lotion**  
**Crown Laboratories**

-----  
**Blue Lizard Kids SPF 50 Sunscreen**

***Active ingredients***

Titanium Dioxide 8%

Zinc Oxide 10%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn

***Warnings***

**For external use only**

**Do not use** • on damaged or broken skin

**When using this product** • keep out of eyes. Rinse with water to remove

**Stop use and ask doctor if** • rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

***Directions***

- shake well prior to use
- apply liberally 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses.

## **Keep out of reach of children**

### ***Other information***

- protect the product in this container from excessive heat and direct sun
- may stain some fabrics

### ***Inactive ingredients***

1,2-Hexanediol, Alumina, Aluminum Stearate, Aphanizomenon Flosaquae Extract, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Disodium EDTA, Ethylhexyl Palmitate, Ethylhexyl Stearate, Euphorbia Cerifera (Candelilla) Wax, Glycerin, Hexyl Laurate, Hydroxyacetophenone, Methyl Glucose Dioleate, Octyldodecyl Neopentanoate, PEG-7 Hydrogenated Castor Oil, Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Potassium Sorbate, Propanediol, Sodium Benzoate, Tocopherol (Vitamin E), Tocopheryl Acetate, Triethoxycaprylsilane, Trimethylsiloxysilicate, VP/Hexadecene Copolymer, Water

### ***Questions?***

call **800.877.8869** or visit [www.bluelizardsunscreen.com](http://www.bluelizardsunscreen.com)

## **Blue Lizard Kids 3oz Tube**

Blue Lizard

Australian Sunscreen

50

KIDS

with Antioxidant-Rich

Blue Algae

MINERAL SUNSCREEN

UVA/UVB PROTECTION

BROAD SPECTRUM SPF 50

WATER RESISTANT

(80 MINUTES)

TRUSTED BY PEDIATRICIANS

3 fl oz (89 ml)

# Blue Lizard

AUSTRALIAN SUNSCREEN®

NEW  
LOOK &  
FORMULA



**KIDS**

WITH ANTIOXIDANT-RICH  
BLUE ALGAE

**MINERAL SUNSCREEN**

UVA/UVB PROTECTION  
BROAD SPECTRUM SPF 50

WATER RESISTANT  
(80 MINUTES)

TRUSTED BY PEDIATRICIANS

3 fl oz (89 ml)



WE LOVE THE REEF™  
No Octinoxate or Oxybenzone



SMART CAP® TECHNOLOGY  
Cap changes color in UV light

## Drug Facts

Active ingredients	Purpose
Titanium Dioxide 8%	Sunscreen
Zinc Oxide 10%	Sunscreen

**Uses** • helps prevent sunburn

### Warnings

For external use only

**Do not use** • on damaged or broken skin

**When using this product** • keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if** • rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions** • shake well prior to use • apply liberally 15 minutes before sun exposure • children under 6 months of age: Ask a doctor • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

**Other information** • protect the product in this container from excessive heat and direct sun • may stain some fabrics

**Inactive ingredients** 1,2-Hexanediol, Alumina, Aluminum Stearate, Aphanizomenon Flosaqua Extract, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Disodium EDTA, Ethylhexyl Palmitate, Ethylhexyl Stearate, Euphorbia Cerifera (Candelilla) Wax, Glycerin, Hexyl Laurate, Hydroxyacetophenone, Methyl Glucose Dioleate, Octyldodecyl Neopentanoate, PEG-7 Hydrogenated Castor Oil, Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Potassium Sorbate, Propanediol, Sodium Benzoate, Tocopherol (Vitamin E), Tocopheryl Acetate, Triethoxycaprylylsilane, Trimethylsiloxysilicate, VP/Hexadecene Copolymer, Water

**Questions?** call 800.877.8869 or visit [www.bluelizardsunscreen.com](http://www.bluelizardsunscreen.com)



Distr. by: Crown Laboratories, Inc. Johnson City, TN 37604  
Cruelty Free P12634.00

## BLUE LIZARD KIDS SPF 50 SUNSCREEN

titanium dioxide and zinc oxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0316-2074
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	90.4 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	113 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
ALUMINUM OXIDE (UNII: LMI26O6933)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
METHYL GLUCOSE DIOLEATE (UNII: FA9KFJ4Z6P)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
PEG-7 HYDROGENATED CASTOR OIL (UNII: WE09129TH5)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
PROPANEDIOL (UNII: 5965N8W85T)	
WATER (UNII: 059QF0KOOR)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE (UNII: 92RU3N3Y10)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
HEXADECYL POVIDONE (4 HEXADECYL BRANCHES/REPEAT) (UNII: AG75W62QYU)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
TOCOPHEROL (UNII: ROZB2556P8)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
APHANIZOMENON FLOSAQUAE (UNII: 49VG1X560X)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
EUPHORBIA CERIFERA (CANDELILLA) WAX (UNII: WL0328HX19)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
GLYCERIN (UNII: PDC6A3C0OX)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0316-2074-30	89 mL in 1 TUBE; Type 0: Not a Combination Product	12/02/2024	
2	NDC:0316-2074-35	148 mL in 1 TUBE; Type 0: Not a Combination Product	12/02/2024	
3	NDC:0316-2074-05	5 mL in 1 PACKET; Type 0: Not a Combination Product	02/07/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

**Labeler** - Crown Laboratories (119508400)

**Establishment**

Name	Address	ID/FEI	Business Operations
Crown Laboratories		119508400	manufacture(0316-2074)

Revised: 1/2026

Crown Laboratories