MEIJER FIBER THERAPY- psyllium husk powder MEIJER DISTRIBUTION INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

$meijer_{\rm ll}$ Fiber Therapy 100% NATURAL PSYLLIUM HUSK Orange Flavor Sugar free 180 Teaspoon Doses

Drug Facts

Active ingredient: (in each TEASPOON)

Psyllium husk approximately 3.4 g

Purpose

Bulk-forming Laxative

Uses:

- for relief of occasional constipation (irregularity)
- generally produces bowel movement in 12-72 hours

Warnings:

Choking:

Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Allergy alert:

This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium.

Ask a doctor before use if you have

- a sudden change in bowel habits persisting for 2 weeks
- abdominal pain, nausea or vomiting

Stop use and ask a doctor if

- constipation lasts more than 7 days
- rectal bleeding occurs

These may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions:

Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

Adults & children 12	1 rounded TEASPOON in 8 oz of liquid at the first sign of irregularity. Can
years & older:	be taken up to 3 times daily.
Children 6-11 yrs:	½ adult dose in 8 oz of liquid, up to 3 times daily
Children under 6 yrs:	Consult a doctor

Bulk-forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine.

New Users:

Start with 1 serving per day; gradually increased to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information:

- each teaspoon contains: potassium 35 mg; sodium 5 mg
- PHENYLKETONURICS: CONTAINS PHENYLALANINE, 25 mg per teaspoon
- contains a 100% natural, therapeutic fiber
- store at room temperature. Keep the container tightly closed to protect from humidity

Inactive ingredients:

aspartame, citric acid, FD&C yellow 6, maltodextrin, natural and artificial orange flavor, silica.

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL

meijer_®

NDC 41250-508-18

Compare to Metamucil $^{\text{\tiny \$}}$ 4 in 1 Multihealth Fiber! $^{\text{\tiny TM}}$ fiber content*

FIBER Therapy

100% Natural Psyllium Husk

MultiHealth Daily Fiber Supplement Therapy for Regularity

Orange Smooth

Naturally and Artificially Flavored

- Helps you feel less hungry between meals**
- Helps maintain healthy blood sugar levels as part of your diet**
- Helps **lower choles terol** to promote heart health†
- Promotes digestive health**
- Gluten free

SUGAR FREE

not a low calorie food

180 Teaspoon[‡]

NET WT 36.8 OZ (1043 g)

FILL CONTROLLED BY WEIGHT, NOT VOLUME

PAREVE

[‡]Serving size varies See DIRECTIONS on back panel for more information.

†See back for information about soluble fiber and heart disease.

**THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

DO NOT USE IF PRINTED INNER SEAL IS BROKEN OR MISSING

*This product is not manufactured or distributed by Procter & Gamble, the distributor of Metamucil® 4 in 1 MultiHealth Fiber!TM.

SF SUGAR FREE

GF GLUTEN FREE

GLUTEN FREE if you have specific dietary needs, you should consult your doctor before consuming this product.

This product has a low glycemic index, a measure of the effect of dietary carbohydrates on blood sugar levels.

OUR QUALITY GUARANTEE

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com



Serving Size Servings Per Container	2 rounded to About			tsp (5.8g ut 114
Amount per Serving		%DV*		%DV*
Calories	45		20	
Total Carbohydrate	11 g	4%*	5 g	2%*
Dietary Fiber	6 g	21%*	3 g	11%*
Soluble Fiber	5 g	+	2 g	1
Total Sugars	0 g	†	0 g	1
Includes Added Sugars	0 g	0%"	0 g	0%*
Iran	1.4 mg	8%	0.7 mg	4%
Sodium	10 mg	<1%	5 mg	<1%
Potassium	70 mg	1%	35 mg	1%

Ingredients: Psyllium Husk, Maltodextrin, Citric Acid, Natural & Artificial Orange Flavor, Silica, Aspartame, FD&C Yellow No. 6.

Artificial Orange Flavor, Silica, Aspartame, FD&C Yellow No. A Active Text I see or optock to be a regy glass. Met his product with at least fo access in full glass of fauld. Six briskly and drisk premptly. Taking without council flavoir may cause choking. Do not blee if you have difficulty evallowing. Allerny after. The product may cause allergic reaction in people sensible to inhaled or ingested popilium. Contact your doctor BEFOR 1878 of this delary aspelment if you have recently experienced a sudden change in towel habits persisting for 2 weeks, abdominal pain, massace or vorifiers; 570° USBN this delary supplement and act doctor if constiguistion leats more than 7 days or rectal bleeding occurs. These may be sign of a services condition.

When used as a daily fiber supplement:

Fiber Supplement Information

Uses & Directions:

For maintaining healthy blood sugar revenue your diet*
Adults & children 12 yrs. and over: One rounded teaspoon in 8 ounces of louid, 3 times daily, Consult your doctor before use if you make the control your blood sugar levels. 8 aunces of liquid, 3 times dails, Consult your doubt before use if you are currently using medication to control your blood sugar break. For promoting and maintaining digestive health* "Adults & children 2 yers, and owner. One runded tesapoon in 8 ounces of liquid up to 3 times daily for fiber supplementation, for occasional constition and to help promote and maintain regularities. For children under 12 yrs: consult a dootor.

then used as a therapy for regularity

Drug Facts Active ingredient (in each teaspoon) Psyllium husk approximately 3.4 g..... Uses ■ for relief of occasional constipation (irregularity) ■ generally produces bowel movement in 12-72 hou

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus a may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pair, overhing, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

use an allergic reaction in people sensitive to inhaled or ingested psyllium

Allergy after: This product may cause an allergic reaction in people sensitive to inhaled or ingested psylfum.

Alk a doctor before use if you have

■ a sudden change in bowel habits persisting for 2 weeks ■ abdominal pain, nausea or vomiting

Stop use and ask a doctor if ■ constipation lasts more than 7 days ■ rectal bleeding occurs

These may be signs of a serious condition.

Keep out of reach of children, in case of overdose, get medical help or contact a Poison Control Center right

Directions Put one dose into an empty glass, Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking

٧a	rning, Stir briskly and drink prom	ptly. If mixture thickens, add more liquid and stir.
	Adults & children 12 years & older:	1 rounded teaspoon in 8 ounces of liquid at the first sign of irregularity. Can be taken up to 3 times daily.
	Children 6-11 yrs:	1/2 adult dose in 8 ounces of liquid, up to 3 times daily
	Children under 6 yrs:	Consult a doctor

Auth-forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription nedicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine, dew Users: Start with 1 serving per day; gradually increase to desired day intake. You may initially experience hanges in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information

- Beach teaspoon contains: potassium 35 mg; sodium 5 mg

 PHENYLKETONURICS: CONTAINS PHENYLALANINE, 25 mg per teaspoon

 store at room temperature. Keep the container tightly closed to protect from humidity

 contains a 100% natural, therapeutic fiber

Inactive ingredients aspartame, citric acid, FD&C Yellow No. 6, maltodextrin, natural and artificial orang

Questions or comments? 1-866-467-2748

"THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

JTEN FREE (may contain trace amounts than 20 ppm). If you have specific dietary ds, you should consult your doctor before This product has a low glycomic index, a measure of the effect of cletary carbohydrates



MEIJER FIBER THERAPY

psyllium husk powder

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41250-508

Route of Administration ORAL

Active Ingredient/Active Moiety

Basis of Strength Strength **Ingredient Name** PSYLLIUM HUSK (UNII: 0 SHO 53407G) (PSYLLIUM HUSK - UNII: 0 SHO 53407G) PSYLLIUM HUSK 3.4 g in 5.79 g

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)	
FD&C Yellow No. 6 (UNII: H77VEI93A8)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
SILICON DIO XIDE (UNII: ET17Z6 XBU4)	

Product Characteristics

1 Totalet Cimitate 15 de 5			
Color	BROWN (Light Yellowish)	Score	
Shape		Size	

Flavor	ORANGE (natural and artifcial)				
Contains					
Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:41250-508-18	425 g in 1 BOTTLE; Type 0: Not a Combination Product	03/14/2017			
Marketing Information					
Marketing Categor	ry Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not fir	nal part334	03/14/2017			

Labeler - MELIER DISTRIBUTION INC (006959555)

Revised: 1/2020 MEIJER DISTRIBUTION INC