

NIGHT TIME COUGH- dextromethorphan hydrobromide, doxylamine succinate liquid

Family Dollar (FAMILY WELLNESS)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each 30 mL)

Dextromethorphan HBr 30 mg

Doxylamine succinate 12.5 mg

Purpose

Cough suppressant

Antihistamine

Uses

- temporarily relieves cold symptoms
- cough due to minor throat and bronchial irritation
- runny nose and sneezing

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 4 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- take only as directed
- mL = milliliter
- adults and children 12 years and over: 30 mL every 6 hours
- children under 12 years of age: do not use

Other information

- **each 30 mL contains;** sodium 29 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

alcohol, citric acid, FD&C blue 1, FD&C red 40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENTS IN VICKS® NYQUIL® COUGH*

NightTime Cough

COUGH SUPPRESSANT

Dextromethorphan HBr - Cough Suppressant,

Doxylamine Succinate - Antihistamine

RELIEVES

- sneezing & runny nose
- cough

For ages 12 years and over

Nighttime Relief

Alcohol 10%

CHERRY

FL OZ (mL)

*This product is not manufactured or distributed by The Procter & Gamble Company. Vicks® and NyQuil® are registered trademarks of the Procter & Gamble Company.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY: MIDWOOD BRANDS, LLC

500 VOLVO PARKWAY, CHESAPEAKE, VA 23320

Product Label

<p>Drug Facts (continued)</p> <p>Directions ■ do not take more than 4 doses in any 24-hour period ■ measure only with dosing cup provided. Do not use any other dosing device. ■ keep dosing cup with product ■ take only as directed ■ mL = milliliter ■ adults and children 12 years and over: 30 mL every 6 hours ■ children under 12 years of age: do not use</p> <p>Other information ■ each 30 mL contains: sodium 29 mg ■ store between 20-25°C (68-77°F). Do not refrigerate.</p> <p>Inactive ingredients alcohol, citric acid, FD&C blue #1, FD&C red #40, flavors, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate</p> <p>Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p>	<p>COMPARE TO THE ACTIVE INGREDIENTS IN VICKS® NYQUIL® COUGH*</p> <p>FAMILY wellness™</p> <p>NDC 55319-499-12</p> <p>Nighttime Cold</p> <p>COUGH SUPPRESSANT</p> <p>Dextromethorphan HBr - Cough Suppressant Doxylamine succinate - Antihistamine</p> <p>RELIEVES</p> <ul style="list-style-type: none">• sneezing & runny nose• cough <p>For ages 12 years and over Nighttime Relief Alcohol 10%</p> <p>CHERRY FLAVOR</p> <p>12 fl oz (355 mL)</p> <p>OTC network</p> <p>100% SATISFACTION OR YOUR MONEY BACK GUARANTEED</p>	<p>Drug Facts</p> <table border="1"><thead><tr><th>Active ingredients (in each 30 mL)</th><th>Purposes</th></tr></thead><tbody><tr><td>Dextromethorphan HBr 30 mg</td><td>Cough suppressant</td></tr><tr><td>Doxylamine succinate 12.5 mg</td><td>Antihistamine</td></tr></tbody></table> <p>Uses ■ temporarily relieves cold symptoms ■ cough due to minor throat and bronchial irritation ■ runny nose and sneezing</p> <p>Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have ■ glaucoma ■ cough that occurs with too much phlegm (mucus) ■ a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema ■ trouble urinating due to enlarged prostate gland</p> <p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.</p> <p>When using this product ■ excitability may occur, especially in children ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery</p> <p>Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p>	Active ingredients (in each 30 mL)	Purposes	Dextromethorphan HBr 30 mg	Cough suppressant	Doxylamine succinate 12.5 mg	Antihistamine
Active ingredients (in each 30 mL)	Purposes							
Dextromethorphan HBr 30 mg	Cough suppressant							
Doxylamine succinate 12.5 mg	Antihistamine							

FAMILY WELLNESS Nighttime Cold

NIGHT TIME COUGH

dextromethorphan hydrobromide, doxylamine succinate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-499
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 30 mL
DOXYLAMINE SUCCINATE (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-499-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/31/2017	12/31/2025

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	12/31/2017	12/31/2025

Revised: 2/2023

Family Dollar (FAMILY WELLNESS)