

**MINERAL SPF 40, PROTECT- titanium dioxide, zinc oxide cream**  
**Acne Specialists LLC**

-----  
**Active Ingredients:**

Titanium Dioxide 8% Zinc Oxide 3.8%

**Purpose:**

Sunscreen

**Uses:**

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings:**

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a poison control center right away.

**Directions:**

Apply liberally 15 minutes before sun exposure. Reapply: After 80 minutes of swimming or sweating. Immediately after towel drying. At least every 2 hours. Children under 6 months: Ask a doctor. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses

**Inactive Ingredients:**

Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Lauryl PEG/PPG-18/18 Methicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

**Other Information:**

Protect this product from excessive heat and direct sun. PA ++++.

## Warnings:

Keep out of the reach of children.

### DRUG FACTS

**ACTIVE INGREDIENTS:**  
Titanium Dioxide 8%  
Zinc Oxide 3.8%

**PURPOSE:**  
Sunscreen  
Sunscreen

**USES:**

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**WARNINGS:**

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:**

- Apply liberally 15 minutes before sun exposure.
- Reapply:
  - After 80 minutes of swimming or sweating
  - Immediately after towel drying
  - At least every 2 hours
- Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 am-2 pm
  - Wear long-sleeved shirts, pants, hats, and sunglasses

**INACTIVE INGREDIENTS:**

Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Lauryl PEG/PPG-18/18 Methicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

**OTHER INFORMATION:**

- Protect this product from excessive heat and direct sun
- PA++++

**MANUFACTURED FOR:**

acne specialists | Oakland, CA 94611



sunscreen, 1  
broad spect  
water resistan

acnespeci  
net wt. 1.8

## MINERAL SPF 40, PROTECT

titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85292-202(NDC:58892-202)
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	38 mg in 1 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>DIMETHICONOL (2000 CST)</b> (UNII: T74O12AN6Y)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>LAURYL PEG/PPG-18/18 METHICONE</b> (UNII: ZJ5S27D9NX)
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>HYDROGEN DIMETHICONE (20 CST)</b> (UNII: 12Z59IF64N)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>DIMETHICONE CROSSPOLYMER</b> (UNII: UF7620L1W6)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85292-202-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	11/09/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/09/2022	

**Labeler** - Acne Specialists LLC (124596903)

### Establishment

Name	Address	ID/FEI	Business Operations
Custom Analytics LLC		144949372	analysis(85292-202)

### Establishment

Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing Inc.		793406000	manufacture(85292-202)

### Establishment

Name	Address	ID/FEI	Business Operations
Fallien Cosmeceuticals Ltd.		958388357	relabel(85292-202)