

**VICKS NYQUIL ALLERGY- doxylamine succinate liquid**  
**The Procter & Gamble Manufacturing Company**

-----  
**VICKS<sup>®</sup> NyQuil<sup>™</sup> Allergy**

***Drug Facts***

**Active ingredients (in each 15 mL)**

Doxylamine succinate 6.25 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Ask a doctor before use if you have**

- glaucoma
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- a breathing problem that lasts or occurs with chronic bronchitis or emphysema

**Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers.

**When using this product**

- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 4 hrs
children 6 to under 12 yrs	15 mL every 4 hrs
children 4 to under 6 yrs	ask a doctor
children under 4 yrs	do not use

### **Other information**

- **each 15 mL contains:** sodium 15 mg
- Store at no greater than 25°C (77°F)

### **Inactive ingredients**

citric acid, FD&C red no. 40, flavor, glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum

### **Questions?**

1-800-362-1683

**TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINKBAND ON BOTTLE IS BROKEN OR MISSING.**

**DIST. BY PROCTER & GAMBLE,  
CINCINNATI OH 45202**

### **PRINCIPAL DISPLAY PANEL - 354 ml Bottle Label**

VICKS<sup>®</sup> NyQuil<sup>™</sup>

ALLERGY

Doxylamine Succinate

- Antihistamine  
 Runny Nose  
 Sneezing  
 Itchy, Watery Eyes  
 Itchy Throat and Nose  
 Alcohol Free  
 12 FL OZ (354 mL)



Drug Facts (continued)	
<b>When using this product</b>	
<ul style="list-style-type: none"> <li>• excitability may occur, especially in children</li> <li>• marked drowsiness may occur</li> <li>• alcohol, sedatives, and tranquilizers may increase drowsiness</li> <li>• avoid alcoholic drinks</li> <li>• be careful when driving a motor vehicle or operating machinery</li> </ul>	
<b>If pregnant or breast-feeding</b> , ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>• take only as directed</li> <li>• only use the dose cup provided</li> <li>• do not exceed 4 doses per 24 hrs</li> </ul>	
adults & children 12 yrs & over	30 mL every 4 hrs
children 6 to under 12 yrs	15 mL every 4 hrs
children 4 to under 6 yrs	ask a doctor
children under 4 yrs	do not use
<b>Other information</b>	
<ul style="list-style-type: none"> <li>• each 15 mL contains: sodium 15 mg</li> <li>• store at no greater than 25°C (77°F)</li> </ul>	
<b>Inactive ingredients</b> citric acid, FD&C red no. 40, flavor, glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum	
<b>Questions?</b> 1-800-362-1683	



## VICKS NYQUIL ALLERGY

doxylamine succinate liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84126-346
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DOXYLAMINE SUCCINATE</b> (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg in 15 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84126-346-12	354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/01/2025	
2	NDC:84126-346-24	2 in 1 CARTON	07/01/2025	
2		354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/01/2025	

Labeler - The Procter & Gamble Manufacturing Company (004238200)