

**PHYSIK PERFORMANCE PLUS BROAD SPECTRUM SPF 42-
homosalate,octinoxate, zinc oxide lotion
Spoke Sciences, Inc.**

Active Ingredients

Homosalate 8.0%
Octinoxate 7.5%
Zinc Oxide 8.1 %

Purpose

Sunscreen

Uses

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions),decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS:

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product**, keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.

REAPPLY:

- After 80 minutes of swimming or sweating.
- Immediately after towel drying.
- At least every 2 hours.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. – 2 p.m.

- Wear long sleeves shirts, pants, hats, and sunglasses.

Other Information:

- Protect the product in this container from excessive heat and direct sun.
- May stain some fabrics.

ALUMINUM STARCH OCTENYLSUCCINATE, ASCORBYL PALMITATE, BIS-PEG-12 DIMETHICONE (70 MPa.s) (BEESWAX), CAPRYLHYDROXAMIC ACID, CAPRYLYL GLYCOL, CYCLOPENTASILOXANE, DECYL GLUCOSIDE, DIETHYLHEXYL SEBACATE, ETHYLHEXYL METHOXYCINNAMATE, ETHYLHEXYL PALMITATE, ETHYLHEXYL GLYCERIN, HYDROGENATED CASTOR OIL, METHYLPROPANEDIOL, PEG/PPG-20/15 DIMETHICONE, PEG-30 DIPOLYHYDROXYSTEARATE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER Soft (POLYSILICONE-11), PROPANEDIOL, SILICON DIOXIDE (SILICA), SODIUM CHLORIDE, .ALPHA.-TOCOPHEROL ACETATE (TOCOPHERYL ACETATE), TRIETHOXYCAPRYLYLSILANE, WATER

Description

PERFORMANCE+
BROAD SPECTRUM SPF 42 SUNSCREEN FOR SPORT
NON-GREASY
CLEAR ZINC OXIDE
WATER RESISTANT (80 MIN)
FRAGRANCE + PARABEN FREE

42 SPF Broad Spectrum Sunscreen for Sports
Water Resistant 80 minutes NET WT. 3.4fl.oz / 100mL

PERFORMANCE+
BROAD SPECTRUM SPF 42
SUNSCREEN FOR SPORT
NON-GREASY | CLEAR ZINC OXIDE
WATER RESISTANT (80 MIN)
FRAGRANCE + PARABEN FREE

PHYSIK™
3.4 fl oz / 100 ml

SUN PROTECTION MEASURES: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. to 2 p.m. • Wear long-sleeved shirts, pants, hats and sunglasses.

PERFORMANCE +

DRUG FACTS

| Active Ingredient | Purpose |
|-----------------------|-----------|
| Homosalate 8.0% | Sunscreen |
| Octinoxate 7.5% | Sunscreen |
| Zinc Oxide 8.1% | Sunscreen |

Use Helps prevent sunburn. If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- REAPPLY: • After 80 minutes of swimming or sweating.
- Immediately after towel drying. • At least every 2 hours.

Other Information

- Protect the product in this container from excessive heat and direct sun.
- May stain some fabrics.

Inactive Ingredients Aluminum Starch Octylsuccinate, Ascorbyl Palmitate, Bis-PEG-12 Dimethicone Beeswax, Caprylhydroxamic Acid, Caprylyl Glycol, Cyclopentasiloxane, Decyl Glucoside, Diethylhexyl Sebacate, Ethylhexylglycerin, Hydrogenated Castor Oil, Methylpropanediol, PEG/PPG-20/15 Dimethicone, PEG-30 Dipolyhydroxystearate, Polysilicone-11, Propanediol, Silica, Sodium Chloride, Tocopheryl Acetate, Triethoxycaprylsilane, Water (Aqua)

Spoke
SOLAR CARE

Distributed by Spoke Sciences, Inc.
Bainbridge Island, WA 98110 • 800-621-5816
PHYSIK and Spoke Sciences are registered
trademarks of Spoke Sciences, Inc.



| | | | | |
|---|------------------|---|----------------------|--------------------|
| homosalate,octinoxate, zinc oxide lotion | | | | |
| | | | | |
| Product Information | | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:85316-100 | |
| Route of Administration | TOPICAL | | | |
| | | | | |
| Active Ingredient/Active Moiety | | | | |
| Ingredient Name | | Basis of Strength | Strength | |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | | ZINC OXIDE | 8.1 g in 100 mL | |
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | | OCTINOXATE | 7.5 g in 100 mL | |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | | HOMOSALATE | 8 g in 100 mL | |
| | | | | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | Strength | |
| BIS-PEG-12 DIMETHICONE (70 MPA.S) (UNII: 2JDK5W22H4) | | | | |
| ASCORBYL PALMITATE (UNII: QN83US2B0N) | | | | |
| CYCLOPENTASILOXANE (UNII: 0THT5PCI0R) | | | | |
| DIETHYLHEXYL SEBACATE (UNII: U9LS47Q72Q) | | | | |
| PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO) | | | | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | | | | |
| CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W) | | | | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | | | | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | | | | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | | | | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | | | | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | | | | |
| PROPANEDIOL (UNII: 5965N8W85T) | | | | |
| DECYL GLUCOSIDE (UNII: Z17H97EA6Y) | | | | |
| PEG/PPG-20/15 DIMETHICONE (UNII: 06R6X77P9C) | | | | |
| METHYLPROPANEDIOL (UNII: N8F53B3R4R) | | | | |
| HYDROGENATED CASTOR OIL (UNII: Z F94AP8MEY) | | | | |
| ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294) | | | | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| ETHYLHEXYL PALMITATE (UNII: 2865993309) | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:85316-100-01 | 100 mL in 1 TUBE; Type 0: Not a Combination Product | 04/21/2025 | |
| | | | | |
| Marketing Information | | | | |

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 04/21/2025 | |

Labeler - Spoke Sciences, Inc. (118672931)

Registrant - Fragrance Manufacturing, Inc. (793406000)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------------|---------|-----------|------------------------|
| Fragrance Manufacturing, Inc. | | 793406000 | manufacture(85316-100) |

Revised: 3/2025

Spoke Sciences, Inc.