

MINERAL TINTED SPF 30- titanium dioxide, zinc oxide lotion
BOTANICAL SCIENCE, INC.

BOTANICAL SCIENCE - MINERAL TINTED SPF 30 (70712-104)

ACTIVE INGREDIENTS

TITANIUM DIOXIDE 2.5%

ZINC OXIDE 6.0%

PURPOSE

SUNSCREEN

USES

HELPS PREVENT SUNBURN.

WARNINGS

FOR EXTERNAL USE ONLY.

- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.

DIRECTIONS

APPLY GENEROUSLY 15 MINUTES BEFORE SUN EXPOSURE. REAPPLY AT LEAST EVERY 2 HOURS. IF SWIMMING OR SWEATING, USE A WATER-RESISTANT SUNSCREEN. FOR CHILDREN UNDER 6 MONTHS OF AGE: ASK A DOCTOR.

SUN PROTECTION MEASURES

SPENDING TIME IN THE SUN INCREASES YOUR RISK OF SKIN CANCER AND EARLY SKIN AGING. TO DECREASE THIS RISK, REGULARLY USE A SUNSCREEN WITH A BROAD SPECTRUM SPF VALUE OF 15 OR HIGHER AND OTHER SUN PROTECTION MEASURES INCLUDING: LIMIT TIME IN THE SUN, ESPECIALLY FROM 10AM - 2PM, WEAR LONG-SLEEVED SHIRTS, PANTS, HATS, AND SUNGLASSES.

Keep out of reach of children.

INACTIVE INGREDIENTS

AQUA, CAPRYLIC/CAPRIC TRIGLYCERIDE, CYCLOPENTASILOXANE, PROPANEDIOL, GLYCERIN, C12-15 ALKYL BENZOATE, DIMETHICONE, GLYCERYL STEARATE, PEG-100

STEARATE, CETYL ALCOHOL, SODIUM HYALURONATE, SODIUM PCA, PHYTIC ACID, CAMELLIA OLEIFERA LEAF EXTRACT, CHAMOMILLA RECUTITA FLOWER EXTRACT, CUCUMIS SATIVUS FRUIT EXTRACT, IRON OXIDES, CYCLOHEXASILOXANE, GLYCERYL CAPRYLATE, HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, SUCROSE COCOATE, CITRIC ACID, GLYCERYL ISOSTEARATE, POLYHYDROXYSTEARIC ACID, SODIUM CITRATE, CAPRYLYL METHICONE, ALUMINA, TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, CHLORPHENESIN, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ALLANTOIN, XANTHAN GUM, GLYCERYL UNDECYLENATE, PANTHENOL, POLYSORBATE 60, SORBITAN ISOSTEARATE, PHENOXYETHANOL.

B64050-cust#

MINERAL
TINTED
SPF 30
*Broad-spectrum UV protection
with hyaluronic acid*

1.7 fl. Oz. (50mL)

Drug Facts

ACTIVE INGREDIENTS

Titanium Dioxide 2.5%, Zinc Oxide 6%

Use: helps prevent sunburn.

Warnings: For external use only. Do not use on damaged or broken skin. When using, avoid contact with eyes. Rinse with water to remove. If rash occurs, ask a doctor.

Directions: Apply generously before sun exposure, at least every 2 hours. If swimming or sweating, reapply. For children > 6 months.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and eye damage. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other measures include: limit time in the sun, especially between 10am and 4pm, wear long-sleeved shirts, pants, hat.

Inactive Ingredients: Aqua, Caprylic/Capric Triglyceride, Cyclopentasiloxane, Propanediol, Glycerin, Cetyl Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Sodium Hyaluronate, Sodium PCA, Phytic Acid, Camellia Oleifera Leaf Extract, Chamomilla Recutita Flower Extract, Cucumis Sativus Fruit Extract, Iron Oxides, Cyclohexasiloxane, Hydroxyethyl Acrylate/Sodium Acryloyldimethyltaurate Copolymer, Sucrose Cocoate, Citric Acid, Glyceryl Isostearate, Polyhydroxystearic Acid, Sodium Citrate, Caprylyl Methicone, Alumina, Triethoxysilyl Ethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Cetyl PEG-9 Polydimethylsiloxyethyl Dimethicone, Xanthan Gum, Glyceryl Undecylenate, Panthenol, Polysorbate 60, Sorbitan Isostearate, Phenoxyethanol.

Other Information: Protect the product from excessive heat and direct sun.

MINERAL TINTED SPF 30

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70712-104
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	2.5 g in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)		ZINC CATION	6 g in 100 mL
Inactive Ingredients			
Ingredient Name			Strength
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)			
CHAMOMILE (UNII: FGL3685T2X)			
SUCROSE COCOATE (UNII: 3H18P0UK73)			
POLYSORBATE 60 (UNII: CAL22UVI4M)			
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)			
PHYTIC ACID (UNII: 7IGF0S7R8I)			
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)			
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
ALUMINA (UNII: LMI26O6933)			
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)			
IRON OXIDES (UNII: 1K09F3G675)			
CUCUMIS SATIVUS (CUCUMBER) FRUIT (UNII: YY7C30VXJT)			
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)			
GLYCERYL STEARATE (UNII: 230OU9XXE4)			
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)			
CYCLOHEXASILOXANE (UNII: XHK3U310BA)			
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)			
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)			
ALLANTOIN (UNII: 344S277G0Z)			
PANTHENOL (UNII: WW9CM0O67Z)			
SODIUM HYALURONATE (UNII: YSE9PPT4TH)			
SODIUM PCA (UNII: 469OTG57A2)			
CAMELLIA OLEIFERA LEAF (UNII: 5077EL0C60)			
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)			
CETYL ALCOHOL (UNII: 936JST6JCN)			
WATER (UNII: 059QF0KO0R)			
PEG-100 STEARATE (UNII: YD01N1999R)			
XANTHAN GUM (UNII: TTV12P4NEE)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
GLYCERIN (UNII: PDC6A3C0OX)			
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%) (UNII: 86FQE96TZ4)			
CITRIC ACID (UNII: 2968PHW8QP)			
PROPANEDIOL (UNII: 5965N8W85T)			
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)			
CHLORPHENESIN (UNII: I670DAL4SZ)			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70712-104-11	100 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/04/2025	
2	NDC:70712-104-12	472 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/04/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/04/2025	

Labeler - BOTANICAL SCIENCE, INC. (783654275)

Revised: 3/2025

BOTANICAL SCIENCE, INC.