

## **LESS DROWSY MOTION SICKNESS RELIEF- meclizine hcl tablet**

### **Rite Aid Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Rite Aid 44-403**

#### ***Active ingredient (in each tablet)***

Meclizine HCl 25 mg

#### ***Purpose***

Antiemetic

#### ***Uses***

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness:

#### ***Warnings***

##### **Do not use**

for children under 12 years of age unless directed by a doctor

##### **Ask a doctor before use if you have**

- glaucoma
- difficulty in urination due to an enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

##### **Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

##### **When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

##### **If pregnant or breast-feeding,**

ask a health professional before use.

##### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### ***Directions***

- to prevent motion sickness, take the first dose one hour before starting activity
- to prevent or treat motion sickness: 1 to 2 tablets once daily for adults and children 12 years and over, or as directed by a doctor

***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

***Inactive ingredients***

corn starch, D&C yellow #10 aluminum lake, lactose, magnesium stearate, silica gel

***Questions of comments?***

**1-800-426-9391**

**Principal Display Panel**

**RITE AID®  
PHARMACY**

\*Compare to the active ingredient in Dramamine® Less Drowsy Formula

**LESS DROWSY FORMULA**

**motion sickness relief**

meclizine HCl 25 mg

antiemetic

helps prevent nausea and dizziness due to  
motion sickness for up to 24 hours

**8 TABLETS**

Actual Size

50844    ORG071540319

**DISTRIBUTED BY: RITE AID  
30 HUNTER LANE, CAMP HILL, PA 17011**

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS  
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

E1027

\* This product is not manufactured or distributed by  
Dramamine® Less Drowsy Formula.  
50844 OR6071540319

#### Questions or comments? 1-800-426-9391

**Inactive ingredients** com starch, D&C yellow #10  
aluminum lake, lactose, magnesium stearate, silica gel

**Other information**  
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS  
OPENED OR BLISTER IS TORN OR BROKEN  
■ store at 25°C (77°F); excursions permitted between  
15°-30°C (59°-86°F)  
■ protect from heat and humidity  
■ see end flap for expiration date and lot number

**Directions**  
■ to prevent motion sickness, take the first dose one hour  
before starting activity  
■ to prevent or treat motion sickness: 1 to 2 tablets once daily  
for adults and children 12 years and over, or as directed by  
a doctor

#### Drug Facts (continued)

**Drug Facts (continued)**  
**Warnings**  
Do not use for children under 12 years of age unless directed  
by a doctor.  
■ Ask a doctor before use if you have ■ glaucoma  
■ difficulty in urination due to enlargement of the prostate  
gland  
■ a breathing problem such as emphysema or chronic  
bronchitis  
Ask a doctor or pharmacist before use if you are taking  
sedatives or tranquilizers.  
**When using this product**  
■ drowsiness may occur ■ avoid alcoholic beverages  
■ alcohol, sedatives, and tranquilizers may increase  
drowsiness  
■ use caution when driving a motor vehicle or operating  
machinery  
If pregnant or breast-feeding, ask a health professional  
before use.  
Keep out of reach of children. In case of overdose, get  
medical help or contact a Poison Control Center  
(1-800-222-1222) right away.

**Drug Facts**  
**KEEP OUTER PACKAGE FOR  
COMPLETE PRODUCT INFORMATION**  
**Active ingredient (in each tablet)**  
Meclizine HCl 25 mg .....Antiemetic  
**Purpose**  
Antiemetic

**Drug Facts (continued)**  
**Uses**  
for the prevention and treatment of nausea, vomiting,  
or dizziness associated with motion sickness

8-1702-403-19-R  
OR6071540319



No print/No varnish  
Lot & Exp date

8 TABLETS



LESS DROWSY FORMULA  
**motion sickness relief**  
meclizine HCl 25 mg  
antiemetic



# LESS DROWSY FORMULA motion sickness relief

meclizine HCl 25 mg  
antiemetic

helps prevent nausea and dizziness  
due to motion sickness for up to 24 hours

ACTUAL  
SIZE



8 TABLETS

TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING

DISTRIBUTED BY: RITE AID  
30 HUNTER LANE  
CAMP HILL, PA 17011



Rite Aid 44-403

**LESS DROWSY MOTION SICKNESS RELIEF**  
meclizine hcl tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0775
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients	
Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics			
Color	YELLOW	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	44;403
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0775-9	1 in 1 CARTON	06/30/2019	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11822-0775-3	10 in 1 VIAL, PLASTIC; Type 0: Not a Combination Product	06/30/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part336	06/30/2019	

**Labeler** - Rite Aid Corporation (014578892)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(11822-0775)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(11822-0775)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(11822-0775)

Revised: 4/2019

Rite Aid Corporation