

**ESOMEPRAZOLE MAGNESIUM DELAYED RELEASE- esomeprazole
magnesium capsule, delayed release
WALGREENS**

718T-Walgreens- Esomeprazole Magnesium 20mg DR

Drug Facts

Drug Facts

Active ingredient (in each capsule)

Esomeprazole 20 mg

(Each delayed-release capsule corresponds to 22.3 mg esomeprazole magnesium trihydrate)

Purpose

Acid reducer

Uses

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

- Do not use if you are allergic to esomeprazole
- Esomeprazole may cause severe skin reactions.

Symptoms include:

- skin reddening - blisters -rash

If an allergic reaction occurs, stop use and seek medical attention right away.

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

- taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)

Inactive ingredients

black iron oxide, eudragit, FD&C blue 1, FD&C red 3, ferric oxide yellow, gelatin, glyceryl monostearate, hydroxypropyl cellulose, hypromellose, magnesium stearate, polysorbate 80, potassium hydroxide, shellac, simethicone, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate.

Questions or comments? 1-877-290-4008

Varnish
Omit

MAY TAKE 1 TO 4 DAYS
FOR FULL EFFECT

Walgreens

Compare to the active
ingredient in Nexium® 24HR*

ACID REDUCER
**Esomeprazole
Magnesium**

DELAYED-RELEASE CAPSULES USP, 20 mg

24 Hour Capsules

• Treats frequent heartburn

14
CAPSULES

ONE 14-DAY COURSE
OF TREATMENT

SEE NEW WARNING INFORMATION



ACTUAL SIZE

RETAIN CARTON FOR COMPLETE
WARNINGS AND PRODUCT INFORMATION

Drug Facts

**Active ingredient
(in each capsule)**

Esomeprazole 20 mg.....Acid reducer
(Each delayed-release capsule corresponds to
22.3 mg esomeprazole magnesium trihydrate)

Purpose

Uses

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

- Do not use if you are allergic to esomeprazole
- Esomeprazole may cause severe skin reactions.

Symptoms include:

- skin reddening ■ blisters ■ rash
- If an allergic reaction occurs, stop use and seek medical attention right away.

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

Drug Facts (continued)

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting ■ stomach pain

Ask a doctor or pharmacist before use if you are

- taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules

Drug Facts (continued)

- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor

- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)

Inactive ingredients

black iron oxide, eudragit, FD&C blue 1, FD&C red 3, ferric oxide yellow, gelatin, glyceryl monostearate, hydroxypropyl cellulose, hypromellose, magnesium stearate, polyisobutyl 80, potassium hydroxide, shellac, simethicone, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate.

Questions or comments? 1-877-290-4008

Tips for Managing Heartburn ■ Avoid foods or drinks that are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some acidic fruits and vegetables ■ Eat slowly and do not eat big meals ■ Do not eat late at night or just before bedtime ■ Do not lie flat or bend over soon after eating ■ Raise the head of your bed ■ Wear loose-fitting clothing around your stomach ■ If you are overweight, lose weight ■ If you smoke, quit smoking

NDC 0363-7810-45

W3ORG0525-F

ITEM 700123 W00000-0000-0



LOT:
EXP.:

Varnish Omit

7181 0425
DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2025 Walgreen Co. MADE IN INDIA
This product is not manufactured or distributed by AstraZeneca AB, owner of the registered trademark Nexium®.
Walgreens Pharmacist Recommended. Our pharmacists recommend the Walgreens brand.

IMPRINTED FOR SEAL UNDER BOTTLE CAP OR CAPSULE IS BROKEN ON MISSING
TAMP-EVIDENT: DO NOT USE IF THE

Varnish/Print Omit Area

Adhesive Area

Drug Facts (continued)

Directions

■ adults 18 years of age and older

■ this product is to be used once a day (every 24 hours), every day for 14 days

■ may take 1 to 4 days for full effect

14-Day Course of Treatment

■ swallow 1 capsule with a glass of water before eating in the morning

■ take every day for 14 days

■ do not take more than 1 capsule a day

■ swallow whole. Do not crush or chew capsules

■ do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

■ you may repeat a 14-day course every 4 months

■ do not take for more than 14 days or more often than every 4 months unless directed by a doctor

■ children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

■ read the directions and warnings before use

■ keep the carton. It contains important information.

■ store at 20-25°C (68-77°F)

Questions or comments?

1-877-280-4008

DISTRIBUTED BY: WALGREEN CO., DEERFIELD IL 60015, 100% SATISFACTION GUARANTEED

walgreens.com ©2025 Walgreen Co. MADE IN INDIA

718T 0425

Walgreens Pharmacist

Recommended. Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

ITEM 700123 NDC 0363-7810-45

W00000-0000-0 W30R0G0525-F

Inside

MAY TAKE 1 TO 4 DAYS FOR FULL EFFECT

Walgreens

ACID REDUCER

Esomeprazole Magnesium

DELAYED-RELEASE CAPSULES USP, 20 mg

24 Hour Capsules

Treats frequent heartburn

14 CAPSULES

ONE 14-DAY COURSE OF TREATMENT

TAMPER EVIDENT: DO NOT USE IF THE IMPRINTED FOIL SEAL UNDER BOTTLE CAP OR BAND AROUND THE CENTER OF EACH CAPSULE IS BROKEN OR MISSING

RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Drug Facts

Active ingredient (in each capsule)

Esomeprazole 20 mg.....Acid reducer

(Each delayed-release capsule corresponds to 22.3 mg esomeprazole magnesium trihydrate)

Uses

■ treats frequent heartburn (occurs 2 or more days a week)

■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

■ Do not use if you are allergic to esomeprazole

■ Esomeprazole may cause severe skin reactions. Symptoms include:

■ skin reddening

■ blisters

■ rash

If an allergic reaction occurs, stop use and seek medical attention right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Drug Facts (continued under label)

LOT: EXP:

Varnish Omit Area

PEEL HERE

Outside

ESOMEPRAZOLE MAGNESIUM DELAYED RELEASE

esomeprazole magnesium capsule, delayed release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-7810
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ESOMEPRAZOLE MAGNESIUM (UNII: R6DXU4WAY9) (ESOMEPRAZOLE - UNII:N3PA6559FT)	ESOMEPRAZOLE	20 mg

Inactive Ingredients

Ingredient Name	Strength
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	

FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
SUCROSE (UNII: C151H8M554)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TALC (UNII: 7SEV7J4R1U)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
SHELLAC (UNII: 46N107B71O)	
GELATIN (UNII: 2G86QN327L)	

Product Characteristics

Color	purple ((golden cap and violet transparent body having light violet to violet colour band)	Score	no score
Shape	CAPSULE	Size	14mm
Flavor		Imprint Code	75
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-7810-45	1 in 1 CARTON	06/03/2025	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:0363-7810-82	2 in 1 CARTON	06/03/2025	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:0363-7810-41	3 in 1 CARTON	06/03/2025	
3		14 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA217264	06/03/2025	

Registrant - TIME CAP LABORATORIES INC (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(0363-7810)

Revised: 4/2025

WALGREENS