CLEAR NICOTINE TRANSDERMAL SYSTEM PATCH- nicotine patch ZheJiang Longmed Medical Technology Co., Ltd.

Clear Nicotine Transdermal System Patch

Nicotine 28mg

Stop smoking

Use reduces withdrawal symptoms, incuding nicotine craving, associated with quitting smoking

If you are pregnant or breast-feeding, only use this medicine on the advice of your health care provider.

Ask a doctor before use if you have

heart disease, recent heart attack, or irregular heartbeat.

Nicotine can increase your heart rate.

high blood pressure not controlled with medication. Nicotine can increase yourblood pressure.

an allergy to adhesive tape or have skin problems, because you are more likelyto get rashes.

stomach ulcer or diabetes.

history of seizures.

if you have vivid dreams or other sleep disturbances remove this patch at bedtime.

skin redness caused by the patch does not go away after four days, or if yourskin swells, or you get a rash.

irregular heartbeat or palpitations occur.

you get symptoms of nicotine overdose, such as persistent nausea, vomiting, dizziness, weakness and rapid heartbeat.

you have symptoms of an allergic reaction (such as difficulty breathing or rash).

Keep out of reach of children and pets.

If you are under 18 years of age, ask a doctor before use.

Before using this product, read the enclosed self-help guide for completedirections and other information.

Begin using the patch on your quit day. If you smoke more than 20 cigarettesper day, use the following schedule below.

Apply one new patch every 24 hours on skin that is dry, clean and hairless.

Wash hands after applying or removing patch. Save pouch to use for patchdisposal. Dispose of the used patches by folding sticky ends together andputting in pouch.

The used patch should be removed and a new one applied to a different skinsite at the same time each day.

If you have vivid dreams, you may remove the patch at bedtime and apply anew one in the moming.

Do not leave patch on for more than 24 hours because it may iritate your skinand loses strength after 24 hours.

To avoid possible burns, remove patch before undergoing any MRI (magneticresonance imaging) procedures.

It is important to complete treatment. If you feel you need to use the patch for alonger period to keep from smoking, talk to your health care provider.

clove oil peppermint powder

Drug Facts Active ingredients Nicotine, 28 mg delivered over 24 hoursStop smoking	directions and other information.			
Use reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking	Begin using the patch on your quit day. If you smoke more than 20 cigar per day, use the following schedule below. Weeks 1-2 Weeks 3-6 Weeks 7-8 Weeks 9-10			
Warnings	3/2 patches~1 patch	3/2 patches~3/4 patches	1/2 patches	1/4 patches
If you are pregnant or breast-feeding, only use this medicine on the advice of your health care provider. Ask a doctor before use if you have heart disease, recent heart attack, or irregular heartbeat.	 Wash hands after disposal. Dispose putting in pouch. The used patch s 	hould be removed and a	patch. Save pouch y folding sticky e	n to use for patch ends together and
Nicotine can increase your heart rate. high blood pressure not controlled with medication. Nicotine can increase your blood pressure. an allergy to adhesive tape or have skin problems, because you are more likely to get rashes. stomach ulcer or diabetes. history of seizures.	new one in the morning. Do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours. To avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures.			
Ask a doctor or pharmacist before use if you are using a non-nicotine stop smoking drug. taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.	store away from light and heat.			
When using this product	Inactive ingredients clove oil, peppermint p	powder		
 if you have vivid dreams or other sleep disturbances remove this patch at bedtime. 	Manufacturer Zhejiang Longmed Medical Technology Co., Ltd.			
Stop use and ask a doctor if skin redness caused by the patch does not go away after four days, or if your skin swells, or you get a rash.	Shelf life 3 years MADE IN CHINA			
 irregular heartbeat or palpitations occur. you get symptoms of nicotine overdose, such as persistent nausea, vomiting, dizziness, weakness and rapid heartbeat. you have symptoms of an allergic reaction (such as difficulty breathing or rash). 	NET CONTENTS: LOT: EXP:			
Keep out of reach of children and pets.				

CLEAR NICOTINE TRANSDERMAL SYSTEM PATCH

nicotine patch

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84534-003	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)	NICOTINE	28 mg		

Inactive Ingredients	
Ingredient Name	Strength

CLOVE OIL (UNII: 578389D6D0)	
PEPPERMINT (UNII: V95R5KMY2B)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84534-003- 01	7 in 1 BOX	03/06/2025	
1		1 in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:84534-003- 02	14 in 1 BOX	03/06/2025	
2		1 in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:84534-003- 03	20 in 1 BOX	03/06/2025	
3		1 in 1 PATCH; Type 0: Not a Combination Product		
4	NDC:84534-003- 04	30 in 1 BOX	03/06/2025	
4		1 in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	03/06/2025	

Labeler - ZheJiang Longmed Medical Technology Co., Ltd. (554468373)

Establishment				
Name	Address	ID/FEI	Business Operations	
ZheJiang Longmed Medical Technology Co., Ltd.		554468373	manufacture(84534-003)	

Revised: 3/2025 ZheJiang Longmed Medical Technology Co., Ltd.