

**GOOD NEIGHBOR PHARMACY TUSSIN DM- dextromethorphan hbr, guaifenesin solution  
Amerisource Bergen**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Amerisource Bergen Tussin DM Drug Facts**

**Active ingredients (in each 10 mL)**

Dextromethorphan HBr, USP 20 mg

Guaifenesin, USP 200 mg

**Purposes**

Cough suppressant

Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if**

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

## Other information

- Phenylketonurics: Contains Phenylalanine 30 mg per 10 mL
- store at 20-25°C (68-77°F).  
Do not refrigerate.

## Inactive ingredients

aspartame, benzoic acid, flavor, glycerin, hydroxyethyl cellulose, menthol, polyethylene glycol, purified water

## Questions or comments?

**1-800-719-9260**

## Principal Display Panel

Compare to Robitussin<sup>®</sup> Sugar-Free Cough + Chest Congestion DM active ingredients

ADULT

Tussin DM

cough suppressant (dextromethorphan HBr)

expectorant (guaifenesin)

Sugar-Free

Cough & Chest Congestion

Specially Formulated For Diabetics

Relieves:

Cough

Mucus


Peak Cold

Non-Drowsy

Alcohol Free – Dye Free

For Ages 12 & Over

4 fl oz (118 mL)



NDC 24385-578-26

Compare to Robitussin®  
Sugar-Free Cough +  
Chest Congestion DM  
active ingredients\*



NDC 24385-578-26

Compare to Robitussin®  
Sugar-Free Cough +  
Chest Congestion DM  
active ingredients\*



▶ ADULT

# Tussin DM

cough suppressant  
(dextromethorphan HBr)  
expectorant (guaifenesin)

**Sugar-Free**

**Cough &  
Chest Congestion**

**Specially Formulated For Diabetics**

Relieves:

- Cough
- Mucus

Peak Cold  
Non-Drowsy

Alcohol Free • Dye Free

For Ages 12 & Over

**4 fl oz  
(118 mL)**



▶ ADULT

# Tussin DM

cough suppressant  
(dextromethorphan HBr)  
expectorant (guaifenesin)

**Sugar-Free**

**Cough &  
Chest Congestion**

**Specially Formulated For Diabetics**

Relieves:

- Cough
- Mucus


Peak Cold  
Non-Drowsy

Alcohol Free • Dye Free

For Ages 12 & Over

**4 fl oz  
(118 mL)**





# Cough & Chest Congestion

Sugar-Free

(dextromethorphan HBr)  
expectorant (guaifenesin)  
cough suppressant

# Tussin DM

ADULT



## Drug Facts

<b>Active ingredients</b> (in each 10 mL) Dextromethorphan HBr, USP 20 mg.....Cough suppressant Guaifenesin, USP 200 mg.....Expectorant	<b>Purposes</b>
---	-----------------

### Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

### Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

## Drug Facts (continued)

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

### Other information

- Phenylketonurics: Contains Phenylalanine 30 mg per 10 mL
- store at 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients** aspartame, benzoic acid, flavor, glycerin, hydroxyethyl cellulose, menthol, polyethylene glycol, purified water

### Questions or comments?

1-800-719-9260

\*Good Neighbor Pharmacy® Tussin DM is not manufactured or distributed by Pfizer, distributor of Robitussin® Sugar-Free Cough + Chest Congestion DM.

**GLUTEN FREE**

Distributed By  
AmerisourceBergen  
1300 Morris Drive  
Chesterbrook, PA 19087

Visit us at  
[www.goodneighborpharmacy.com](http://www.goodneighborpharmacy.com)




**DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING**

# PARENTS:

Learn about teen medicine abuse

[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)



**GOOD NEIGHBOR PHARMACY TUSSIN DM**  
 dextromethorphan hbr, guaifenesin solution

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:24385-578
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

**Inactive Ingredients**

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
GLYCERIN (UNII: PDC6A3C0OX)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24385-578-26	1 in 1 CARTON	09/19/1994	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/19/1994	

**Labeler** - Amerisource Bergen (007914906)

Revised: 11/2019

Amerisource Bergen