

ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE, AND SIMETHICONE-
aluminum hydroxide, magnesium hydroxide, and simethicone suspension
American Health Packaging

Magnesium Hydroxide, Aluminum Hydroxide, and Simethicone Suspension

Drug Facts

Active ingredients
(in each 30 mL cup)

Aluminum hydroxide (equiv. to dried gel, USP)	
1200 mg	Antacid
Magnesium hydroxide 1200 mg	Antacid
Simethicone 120 mg	Antigas

Purpose

Antacid/Antigas

Uses

for the relief of:

- acid indigestion
- heartburn
- sour stomach
- upset stomach due to these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Do not take more than 4 unit dose cups (120 mL) in a 24-hour period or use the maximum dosage for more than 2 weeks except under the advice and supervision of a physician.

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if

symptoms last more than 2 weeks.

Keep out of reach of children

Directions

- shake well before using
- do not take more than 4 unit dose cups (120 mL) in 24 hours or use the maximum dosage for more than 2 weeks

adults and children 12 years and older	Take 30 mL, one unit dose cup, between meals and at bedtime, or as directed by a doctor.
children under 12 years	consult a physician

Other information

- **each 30 mL contains:** magnesium 498 mg, sodium 8.04 mg
- Store at 20° - 25°C (68° - 77°F) [See USP Controlled Room Temperature].
- protect from freezing
- White colored, peppermint flavored liquid supplied in the following oral dosage form:
- 30 mL unit dose cups: 100 cups (10 x 10) NDC 60687-877-76

Inactive ingredients

Butylparaben, hydroxypropyl methylcellulose, flavoring, propylene glycol, propylparaben, purified water, saccharin sodium , and sorbitol solution.

Questions or comments?

Call 1-800-845-8210

DO NOT USE IF SEAL IS BROKEN.

Distributed by:

American Health Packaging

Columbus, OH 43217

R01/25

Principal Display Panel - Tray Label

Case NDC 60687-877-76/Cup NDC 60687-877-45

**Magnesium Hydroxide,
Aluminum Hydroxide, and
Simethicone Suspension
Antacid/Antigas**

1200 mg/1200 mg/120 mg per 30 mL

Sugar Free

SHAKE WELL

USUAL DOSAGE: See attached Drug Facts

Store at 20° - 25°C (68° - 77°F)
[See USP Controlled Room Temperature].
Protect from freezing.

For Institutional Use Only

T1761C300125

R01/25

Case NDC 60687-877-76/Cup NDC 60687-877-45

**Magnesium Hydroxide,
Aluminum Hydroxide, and
Simethicone Suspension
Antacid/Antigas**

1200 mg/1200 mg/120 mg per 30 mL

Sugar Free

SHAKE WELL

USUAL DOSAGE: See attached Drug Facts

Store at 20° to 25°C (68° to 77°F)
[See USP Controlled Room Temperature].
Protect from freezing.

For Institutional Use Only

T1761C300125

R01/25

Principal Display Panel - Cup - 1200 mg/1200 mg/120 mg 30 mL



NDC 60687- **877**-45

**Magnesium Hydroxide,
Aluminum Hydroxide, and
Simethicone Suspension**

Antacid/Anti-Gas

1200 mg/1200 mg/120 mg per 30 mL

Sugar Free

Delivers 30 mL

SHAKE WELL/Protect from freezing

See package Drug Facts insert for full
prescribing information and storage.

For Institutional Use Only.

American Health Packaging
Columbus, OH 43217

F1761C300125

**ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE, AND
SIMETHICONE**

aluminum hydroxide, magnesium hydroxide, and simethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60687-877
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	200 mg in 5 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	200 mg in 5 mL
DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y1O) (DIMETHICONE, UNSPECIFIED - UNII:92RU3N3Y1O)	DIMETHICONE, UNSPECIFIED	20 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
HYPROMELLOSE 2910 (4000 MPA.S) (UNII: RN3152OP35)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor	PEPPERMINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60687-877-76	10 in 1 CASE	06/01/2025	
1	NDC:60687-877-51	10 in 1 TRAY		
1	NDC:60687-877-45	30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	06/01/2025	

Labeler - American Health Packaging (929561009)

