HEARTBURN PREVENTION- famotidine tablet, film coated Praxis, LLC

Kroger Co. Heartburn Prevention Drug Facts

Active ingredient (in each tablet)

Famotidine 20 mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- to **relieve**symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to preventsymptoms, swallow 1 tablet with a glass of water at any time from 10 to 60 minutes before ating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments?

1-800-632-6900

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENT IN MAXIMUM STRENGTH PEPCID [®]AC See New Warnings MAXIMUM STRENGTH Heartburn Prevention Famotidine Tablets, 20 mg Acid Reducer JUST ONE TABLET PREVENTS & RELIEVES HEARTBURN DUE TO ACID INDIGESTION 85 TABLETS

ACTUAL SIZE



194A6 45 C1	For More Product Information, Scan UPC Using Your Kroger App or Call 800-632-6900	JUST ONE TABLET prevents and relieves heartburn due to a cid indigestion brought on by eating and drinking certain foods and bever ages. DO NOT US E IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING	Tips for Managing Heartburn • Do not lie flat or bend over after eating • Do not eat before bedfime • Do not eat before bedfime • Raise the head of your bed • Avcid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables • Eat showly and avoid big meals • If overweight, lose weight • Quit smoking	
ODE AREA	0 4 1260 02195 4	Drug Facts Active ingredient (in each tablet) Purpose (in each tablet) Famotidine 20 mgAcid reducer Uses Acid reducer Uses In the result of the resu	Drug Facts (continued) hear burn with lightheade dness, sweating, or dizziness chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders, or lighthe adedness requent chest pain requent whee zing, particularly with heartburn une xplained weight loss nausea or vornling stomach pain kidney disease Ask a doctor or pharmacist before use if you are	Our Brands. Our Guarantee. Love It or Your Money Back. www.kroger.com
		Allerg y alert: Do not use i you are allergic to famolid or other acid reducers Do not use if you have touble orpain swallowing food, vomitin with blood, or blody or black stools. These may be signs of a serious condition. See your doctor. with other acid reducers Alse a doctor before use if you have had hearburn over 3 months. This may be a sign of more serious condition.	taking a prescription drug. Acid reducers may interact with certain prescription drugs. Stop use and ask a doctor if ■ your heartburn continues or worsens ■ you need to take this product for more than 14 days If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical heb or contact a Poison Control Center right away. (1-800-222-1222)	
		Drug Facts (continued) Directions ■ aduts and children 12 years and over: ■ to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew. ■ to prevent symptoms, swallow 1 tablet with a glass of water at anytime from 10 to 60 min utes before eating food or drinking beverages that cause heartburn ■ do not use more than 2 tablets in 24 hours ■ children under 12 years: ask a doctor	Drug Facts (continued) store at 20°-25°C (68°-77°F) protect from moisture hactive ingredients camauba wax, colloidal silicon do xide, crosc armellose sodium, lactose monohydrate, magnesium stear ate, micro crystalline cellulose, polyethylene glycol, polywinylalcohol, talc, titanium dioxide Questions or comments ? 1-800-632-6900	ϕ
		Other information ■ read the directions and warnings before use ■ keep the carton. It contains important information. ►	Pep di * is a registere di trademark of Kerwue Inc. Kerwue Inc. is not affiliated with The Kroger Co. or this product. DISTRIBUTE BY THE KROGER CO., CIN CINNATI, O HIO 45 202 *OUR PHARMACIST RECOMMENDED	

HEARTBURN PREVENTION

famotidine tablet, film coated

Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source) NDC			C:59368-295	
Route of Administration	ORAL					
Active Ingredient/Active Moiety						
Ingred	ength	Strength				
FAMOTIDINE (UNII: 5QZ015J2Z8) (FAMOTIDINE - UNII:5QZ015J2Z8)FAMOTIDINE					20 mg	
Inactive Ingredients						
	1	Strength				
CARNAUBA WAX (UNII: R12CBM0EIZ)						
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)						
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)						
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)						

	MAGNESIUM STEARATE (UNII: 70097M6I30)							
	MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)							
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)								
РС	DLYVINYL ALCOH	IOL, UNSF	PECIFIED (UN	II: 532B59J990)				
TA	LC (UNII: 7SEV7J4	IR1U)						
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)								
P	roduct Chara	cterist	ics					
			white	Score	Score			
Shape			ROUND	Size		8	8mm	
Flavor				Imprint Code		L	L194	
Co	ontains							
Packaging								
Pa	ackaging							
Pä #	ackaging Item Code		Package [Description		eting Start Date	Marketing End Date	
#		1 in 1 CA	-	Description		Date	-	
#	Item Code NDC:59368-295-	0/ .	RTON	Description D: Not a Combination	l	Date	-	
#	Item Code NDC:59368-295-	50 in 1 B	RTON		l	Date	-	
#	Item Code NDC:59368-295-	50 in 1 B	RTON		l	Date	-	
# 1 1	Item Code NDC:59368-295-	50 in 1 B Product	RTON OTTLE; Type 0		l	Date	-	
# 1 1	Item Code NDC:59368-295- 01	50 in 1 Bo Product	RTON OTTLE; Type 0 nation		02/05/201	Date	-	
# 1 1	Item Code NDC:59368-295- 01	50 in 1 Bo Product	RTON OTTLE; Type (nation lication Num Ci): Not a Combination mber or Monograph	02/05/201	Date	Date Marketing End	

Labeler - Praxis, LLC (016329513)

Establishment					
Name	Address	ID/FEI	Business Operations		
Praxis, LLC		016329513	manufacture(59368-295) , label(59368-295) , pack(59368-295)		

Revised: 1/2023

Praxis, LLC