

**POWERECT BENZOCAINE MALE DELAY GEL- benzocaine gel
SKINS SEXUAL HEALTH LIMITED**

POWERECT Benzocaine Male Delay Gel

DRUG FACTS

ACTIVE INGREDIENT:

Benzocaine 5.00%

Purpose:

Male genital desensitizer

USES:

Helps to temporarily prevent premature ejaculation.

WARNINGS:

Premature ejaculation may be due to a condition requiring medical supervision. If this product, when used as directed, does not provide relief, discontinue use and consult a physician. If you or your partner develop a rash or irritation, such as burning or itching, discontinue use and consult a physician.

FOR EXTERNAL USE ONLY. Avoid contact with eyes.

Keep out of reach of children.

If product is swallowed, get medical attention or contact poison control center immediately.

DIRECTIONS:

Apply product to the head and shaft of the penis prior to intercourse, or as directed by your physician. Wipe away excess product.

INACTIVE INGREDIENTS:

Aqua (deionized Water), Ethylhexylglycerin, Hydroxyethylcellulose, L-Arginine, Lepidium Meyenii (Maca) Extract, Panax Ginseng Root Extract, PEG-8, Phenoxyethanol, Propylene Glycol.

OTHER INFORMATION:

Store in a cool dry place below 30°C (86°F) out of direct sunlight.

QUESTIONS?

Contact us on +44 1636 593943

Package Labeling:3ml

DRUG FACTS
ACTIVE INGREDIENT: Purpose:
Benzocaine 5.00%.....Male genital desensitizer

USES: Helps to temporarily prevent premature ejaculation.

WARNINGS: Premature ejaculation may be due to a condition requiring medical supervision. If this product, when used as directed, does not provide relief, discontinue use and consult a physician.

FOR EXTERNAL USE ONLY.
Avoid contact with eyes. If you or your partner develop a rash or irritation, such as burning or itching, discontinue use and consult a physician. **Keep out of reach of children.** If product is swallowed, get medical attention or contact poison control centre immediately.

DIRECTIONS: Apply product to the head and shaft of the penis prior to intercourse, or as directed by your physician. Wipe away excess product.

INGREDIENTS: Aqua (deionized Water), Ethylhexylglycerin, Glycerin, Hydroxyethylcellulose, L-Arginine, Lepidium Meyenii (Maca) Extract, Panax Ginseng Root Extract, PEG-8, Phenoxyethanol, Propylene Glycol.

OTHER INFORMATION: Water based formulation. Store in a cool dry place below 30°C (86°F) out of direct sunlight.

QUESTIONS? Contact us on +44 1636 593943

POWERECT is a registered Trademark of Skins Sexual Health Ltd, NG24 2AG UK

FOR MORE INFO:

FRAGRANCE FREE • SANS PARFUM • SIN PERFUME
خال من العطور

BENZOCAINE MALE DELAY GEL

Gel retardant à la benzocaïne
Gel retardante con benzocaína
جل بنزوكاين سكينز ديلاي

Powered by Benzocaine

Male Genital Desensitizer
Developed to Delay Ejaculation & Prolong Pleasure

1-2 USES 0.1 fl.oz. (3ml) e

LOT/EXP:

PWBDSFOILL

Package Labeling:15ml

POWERECT

Climax Control
Helps to extend the time between penetration and ejaculation

Rapid Absorption
Fast acting formula, minimizing transfer to partner

Multi Action
Desensitizing without compromising arousal

Increase Pleasure
Added optimisers maintain firmness and responsiveness for total confidence

POWERECT®

BENZOCAINE MALE DELAY GEL

CONTAINS **100+** PUMPS

Gel retardant à la benzocaïne
Gel retardante con benzocaína
جل بنزو كاين مسكن دىلاي

Powered by **Benzocaïne**

Male Genital Desensitizer
Developed to Delay Ejaculation & Prolong Pleasure

FRAGRANCEFREE • SANS PARFUM • SIN PERLUME • جل من الطور

Net Content: 0.5 fl.oz (15ml) e

DRUG FACTS

ACTIVE INGREDIENT: Benzocaine 5.00%.....**Purpose:** Male genital desensitizer

USES: Helps to temporarily prevent premature ejaculation.

WARNINGS: Premature ejaculation may be due to a condition requiring medical supervision. If this product, when used as directed, does not provide relief, **discontinue use and consult a physician.**

FOR EXTERNAL USE ONLY.
Avoid contact with eyes. • If you or your partner develop a rash or irritation, such as burning or itching, discontinue use and consult a physician. • **Keep out of reach of children.** If product is swallowed, get medical attention or contact poison control center immediately. • Do not use on broken or inflamed skin, if partner is pregnant, on large areas of the body, or orally.

DIRECTIONS: Apply 3-5 pumps to the head and shaft of the penis before sexual activity, or as directed by your doctor. Massage the product onto the penis until fully absorbed. You should always use the minimum effective quantity.

INDICATIONS D'UTILISATION : Appliquez 3-5 doses sur la tête et la tige du pénis avant l'activité sexuelle, ou comme indiqué par votre médecin. Massez le produit sur le pénis jusqu'à absorption complète. Vous devez toujours utiliser la quantité minimale efficace.

MODO DE EMPLEO: Presione 3-5 veces y aplique el producto sobre el glande y el cuerpo del pene antes de la actividad sexual, o como lo haya indicado su médico. Masaje el producto sobre el pene hasta que se absorba por completo. Utilice siempre la cantidad mínima efectiva.

تعليمات الاستخدام:
ضع كمية من المنتج بالمنطقة على المنطقة 3-5 مرات على رأس وجسم القضيب قبل ممارسة الجنس أو حسب توجيهات الطبيب. قم بتلك القضيب بالمنتج حتى يمتص بالكامل. يجب دائماً استعمال أقل كمية يمكن أن تعطي نتيجة فعالة.

INACTIVE INGREDIENTS: Aqua (deionized Water), Ethylhexylglycerin, Hydroxyethylcellulose, L-Arginine, Lepidium Meyenii (Maca) Extract, Panax Ginseng Root Extract, PEG-B, Phenoxethanol, Propylene Glycol.

OTHER INFORMATION: Store below 30°C (86°F) in a cool dry place out of direct sunlight.

QUESTIONS? You can contact the Powered team on +44 1636 593943

Made in the USA for Skins Sexual Health Ltd Newark, Notts NG24 2AG, UK. Distributed in the USA & Canada by Creative Conceptions LLC, 42 Reads Way, New Castle DE19720 USA

GEL FOR PRECISE APPLICATION

LOT [] 12M [] 8 47878 00253 4 []

POWERECT BENZOCAINE MALE DELAY GEL

benzocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81923-367
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength

ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
ARGININE (UNII: 94ZLA3W45F)	
ASIAN GINSENG (UNII: CUQ3A77YXI)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81923-367-00	3 mL in 1 PACKET; Type 0: Not a Combination Product	10/03/2022	
2	NDC:81923-367-01	15 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/03/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/03/2022	

Labeler - SKINS SEXUAL HEALTH LIMITED (221947744)

Revised: 7/2024

SKINS SEXUAL HEALTH LIMITED