CURIST HEMORRHOID FISSURE RELIEF- lidocaine cream Little Pharma, Inc

Active Ingredients

Glycerin 14.4% Lidocaine 5% Petrolatum 15% Phenylephrine HCL 0.25%

Drug Facts

Purpose

Hemorrhoidal Cream

Warnings

For external use only

Uses

- for the temporary reliedf of pain, soreness and burning
- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily shrinks hemorrhoidal tissue
- temporarily provides a coating for the relief of anorectal discomforts
- temporarily protects the inflamedm irritated abirectak syrface to help make bowel movements less painful

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficult in urination due to the enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are presently taking a prescripton drug for high blood preassure or depression

When using this product

- avoid contact with eyes
- do not exceed recommended dosage unless directed by a doctor
- do not put his product into rectum by using fingers or any mechanical device or applicator

If pregnant or breastfeeding, ask a health professional before use.

Stop use and ask a doctor if

- rectal bleeding occurs
- condition worsens or does not imporve within seven (7) days

- allergic reaction occurs to ingredients in this product
- symptom being treated does not subside or if redness, irritation, swelling, pain or thor symptons develop or increase

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right sway (1-800-222-1222)

Directions

- children under 12 years of age: consult a doctor
- adults: when practical, cleanse area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth before applying
- apply externally to the affected area up to 4 times daily, especially at night, in the moring or after each bowel movement

Other information

store at 15° - 30°C (59°-86°F)

Inactive Ingredients

aloe barbadensis leaf extract, BHA, cellulose gum, cetyl alcohol, citric acid, disodium EDTA, ethylhexylglycerin, glyceryl stearate, mineral oil, panthenol, phenoxyethanol, propyl gallate, propylene glycol, sorbitan olivate, steareth-21, stearyl alcohol, tocopherol, tocopheryl acetate, water, zanthan gum

Questions? Call 1-844-243-1241 or email hi@curistrelief.com

Made in USA With Globally Sourced Ingedients

NDC 72559-037-08

REV 037-08-01

Distributed by: Little Pharma, Inc.

New York, NY 10023

curist

Hemorrhoid & Fissure Relief

Glycerin 14.%

Lidocaine 5%

Petrolatum 15%

Phenylephrine HCL 0.25%

Hemorrhoidal Cream

Provides a Soothing Protective Layer

Temporary Relief of Pain,

Itching, adn Burning

curist

Hemorrhoid & Fissure Relief

Glycerin 14.4% Lidocaine 5% Petrolatum 15% Phenylephrine HCI 0.25% Hemorrhoidal Cream

Provides a Soothing Protective Layer Temporary Relief of Pain, Itching, and Burning Reduces Swelling TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts Active ingredients Purpose Glycerin 14.4%. .Protectant idocaine 5% Local Anesthetic Petrolatum 15% .Protectant Phenylephrine HCI 0.25%..... .Vasoconstrictor Uses • for the temporary relief of pain, soreness, and burning • helps relieve the local itching and discomfort associated with hemorrhoids temporarily shrinks hemorrhoidal tissue temporarily provides a coating for the relief of anorectal discomforts temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful Warnings For external use only. Ask a doctor before use if you have heart disease • high blood pressure • thyroid disease • diabetes · difficulty in urination due to the enlargement of the prostate gland Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression When using this product . avoid contact with eyes . do not exceed recommended dosage unless directed by a doctor • do not put this product into rectum by using fingers or any mechanical device or applicato Stop use and ask a doctor if . rectal bleeding occurs . condition worsens or does not improve within seven (7) days • allergic reaction occurs to ingredients in this product • symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222) Directions • children under 12 years of age: consult a doctor • adults: when practical, deanse area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth before applying • apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement Other information store at 15° - 30°C (59° - 86°F) Inactive ingredients aloe barbadensis leaf extract, BHA, cellulose gum, cetyl alcohol, citric acid, disodium EDTA, ettylhexykylycerin, glyceryl stearate, mineral oil, panthenol, phenoxyethanol, propyl gallate, propylene glycol, sorbitan olivate, steareth-21, stearyl alcohol, tocopherol, tocopheryl acetate, water, xanthan gum Questions? Call 1-844-243-1241 or email hi@curistrelief.com Made in USA With Globally Sourced Ingredients NDC 72559-037-08 | REV 037-08-01 Distributed by: Little Pharma, Inc.

• 3

New York, NY 10023

Net Wt. 6 oz (170 g)

 CURIST HEMORRHOID FISSURE RELIEF

 lidocaine cream
 Product Information

 Product Type
 HUMAN OTC DRUG
 Item Code (Source)
 NDC:72559-037

 Route of Administration
 TOPICAL
 NDC:72559-037

 Active Ingredient/Active Moiety
 Strength

 Ingredient Name
 Basis of Strength
 Strength

curistrelief.com

PETROLATUM (UNII: 47	T6H12BN9U) (PETROLATUM - I	UNII:4T6H12BN9U)	PETROLATUM	15 g in 100 g
LIDOCAINE (UNII: 98PI2	200987) (LIDOCAINE - UNII:98	PI200987)	LIDOCAINE	5 g in 100
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX) GLYCERIN			GLYCERIN	14.4 g in 100 g
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) PHENYLEPHRINE - HYDROCHLORIDE			0.25 g	
Inactive Ingredie	ents			
	Ingredient I	Name		Strength
EDETATE DISODIUM (
MINERAL OIL (UNII: T5	L8T28FGP)			
BHA (UNII: REK4960K2U	1)			
WATER (UNII: 059QF0K	OOR)			
CITRIC ACID (UNII: 296	8PHW8QP)			
PHENOXYETHANOL (U	INII: HIE492ZZ3T)			
STEARYL ALCOHOL (U	INII: 2KR89I4H1Y)			
CELLULOSE GUM (UNI	I: K679OBS311)			
ALOE BARBADENSIS L	_EAF (UNII: ZY81Z83H0X)			
ETHYLHEXYLGLYCERI	N (UNII: 147D247K3P)			
GLYCERYL STEARATE	(UNII: 2300U9XXE4)			
PROPYLENE GLYCOL	(UNII: 6DC9Q167V3)			
PROPYL GALLATE (UNI	II: 8D4SNN7V92)			
SORBITAN OLIVATE (L	JNII: MDL271E3GR)			
STEARETH-21 (UNII: 53	3J3F32P58)			
TOCOPHEROL (UNII: R				
CETYL ALCOHOL (UNII				
	ACETATE (UNII: 9E8X80D2L0	0)		
XANTHAN GUM (UNII: T		- ,		
PANTHENOL (UNII: WV9				
Product Charact	eristics			
Color	white	Score		
Shape		Size	Size	
Flavor		Imprint Code		
Contains				
contains				
Packaging				
# Item Code Package Description		otion M	arketing Start Date	Marketing End Date
	0 g in 1 TUBE; Type 0: Not a oduct	Combination 05/0	1/2025	
Marketing Inf	formation			
marketing m	ormation			

05/01/2025

Labeler - Little Pharma, Inc (074328189)

Revised: 3/2025

Little Pharma, Inc