

MINERAL SUNSCREEN SPF 40 NON-TINTED- titanium dioxide, zinc oxide cream
Skin Restoration Aesthetics

Active Ingredients:

Titanium Dioxide 8%

Zinc Oxide 3.8%

Purpose:

Sunscreen

Uses:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 am-2 pm
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients:

Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Lauryl PEG/PPG-18/18 Methicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

Other Information:

- Protect this product from excessive heat and direct sun
- PA ++++

Warning:

Keep out of the reach of children.

DRUG FACTS

ACTIVE INGREDIENTS: Titanium Dioxide 8% Zinc Oxide 3.8%	PURPOSE: Sunscreen Sunscreen
--	---

USES:
Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS:
For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 am-2 pm
 - Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:
Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Lauryl PEG/PPG-18/18 Methicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

OTHER INFORMATION:

- Protect this product from excessive heat and direct sun
- PA ++++

MANUFACTURED FOR:
The Skin Restoration
San Jose, CA 95131
www.theskinrestoration.com



3 85296 20250 6



ESTD 2024

Mineral Sunscreen

SPF **40**
non-tinted

spf 40 broad spectrum
water resistant (80 minutes)

Net Wt. 1.8 oz / 53 g

MINERAL SUNSCREEN SPF 40 NON-TINTED

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85296-202
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	38 mg in 1 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
ALUMINA (UNII: LMI26O6933)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)	
DIMETHICONOL (2000 CST) (UNII: T74O12AN6Y)	
LAURYL PEG/PPG-18/18 METHICONE (UNII: ZJ5S27D9NX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85296-202-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	04/18/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/18/2024	

Labeler - Skin Restoration Aesthetics (134407850)

Establishment

Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing Inc.		793406000	manufacture(85296-202)

Establishment

Name	Address	ID/FEI	Business Operations
Custom Analytics LLC		144949372	analysis(85296-202)