

**MAXIMUM STRENGTH MUCUS RELIEF COLD,FLU AND SORE THROAT-  
acetaminophen, dextromethorphan hydrobromide, guaifenesin  
,phenylephrine hcl liquid  
Wal-Mart Stores,Inc.,**

-----  
**equate™ Maximum Strength Mucus Relief Cold, Flu and Sore Throat 9FL OZ**

**Drug Facts**

<b>Active ingredients (in each 20 mL)</b>	<b>Purposes</b>
<b>Acetaminophen 650 mg</b>	<b>Pain reliever/fever reducer</b>
Dextromethorphan HBr 20 mg	Cough suppressant
Guaifenesin 400 mg	Expectorant
Phenylephrine HCl 10 mg	Nasal decongestant

**Uses**

- temporarily relieves these common cold and flu symptoms:
  - nasal congestion
  - sinus congestion and pressure
  - cough due to minor throat and bronchial irritation
  - minor aches and pains
  - sore throat
  - headache
- temporarily reduces fever
- temporarily promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

**Warnings**

**Liver warning:**

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 6 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

**Sore throat warning:**if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- **with any other drug containing acetaminophen**(prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

### **Ask a doctor or pharmacist before use if**

- you are taking the blood thinning drug warfarin

### **When using this product**

- **do not use more than directed**

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse, or lasts more than 7 days
- fever gets worse, or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash, or persistent headache.
- These could be signs of a serious condition.

**If pregnant or breast-feeding,**ask a health professional before use.

**Keep out of reach of children.**

### **Overdose warning**

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you don't notice any signs or symptoms.

### **Directions**

- do not take more than directed (see Overdose Warning) )
- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products

- dose as follows or as directed by a doctor
- mL= milliliter
- **Adults and children 12 years of age and older:**20 mL in dosing cup provided every 4 hours
- **Children under 12 years of age:**Do not use

### **Other information**

- each 20 mL contains: **sodium 8 mg**
- store between 15-30°C (59-86°F)
- do not refrigerate
- dosing cup provided

### **Inactive ingredients**

anhydrous citric acid, edetate disodium, FD&C blue #1, FD&C red #40, flavors, potassium citrate, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

### **Questions or comments?**

**1-888-287-1915**

### **Principal Display Panel**

equate™

NDC 49035-771-09

Compare to Mucinex® Fast-Max® Maximum Strength Cold, Flu & Sore Throat Active Ingredients\*

### **Maximum Strength‡**

#### **Mucus Relief**

#### **Cold, Flu & Sore Throat**

Acetaminophen -Pain Reliever/Fever Reducer  
Dextromethorphan HBr - Cough Suppressant  
Guaifenesin - Expectorant  
Phenylephrine HCl - Nasal Decongestant

- **Relieves headache & fever**
- **Helps control cough**
- **Relieves nasal & chest congestion**
- **Thins & loosens mucus**

### **For Ages 12+**

9FL OZ (266mL)


**Tamper evident: do not use if printed seal under cap is broken or missing.**

# ‡Maximum Strength per 4 hour dose.

Satisfaction guaranteed-Or we'll replace it or give you your money back For questions or comments please call **1-888-287-1915**

Distributed by: Wal-Mart Stores, Inc.,  
Bentonville, AR 72716

\*This product is not manufactured or distributed by Reckitt Benckiser, the distributor of Mucinex® Fast-Max® Maximum Strength Cold, Flu & Sore Throat.



## MAXIMUM STRENGTH MUCUS RELIEF COLD, FLU AND SORE THROAT

acetaminophen, dextromethorphan hydrobromide, guaifenesin, phenylephrine hcl liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49035-771
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg in 20 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 20 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>POTASSIUM CITRATE</b> (UNII: EE90ONI6FF)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYL GALLATE</b> (UNII: 8D45NN7V92)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-771-09	266 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/06/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	09/06/2017	

**Labeler** - Wal-Mart Stores,Inc., (051957769)

Revised: 10/2025

Wal-Mart Stores,Inc.,