

ISOPROPYL ALCOHOL- isopropyl alcohol liquid
Aspen Veterinary

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Isopropyl Alcohol 99%

Antiseptic, Disinfectant, and Rubefacient

FOR ANIMAL USE ONLY

FOR EXTERNAL USE ONLY

Keep Out of Reach of Children

ACTIVE INGREDIENTS:

Isopropyl Alcohol 99%v/v

INACTIVE INGREDIENTS:

Water q.s.

INDICATIONS: For external use only as an antiseptic, disinfectant, and rubefacient.

TO MAKE A STANDARD SOLUTION (70%): Dilute by adding 1 part water to 2 parts of this 99% Isopropyl Alcohol.

WARNING: If taken internally, serious gastric disturbance will result.

FIRST AID: In case of ingestion, call Poison Control 1-800-222-1222.

STORAGE: Store at controlled room temperature between 10°-29°C (50°-85°F)

KEEP CONTAINER CLOSED WHEN NOT IN USE

WARNING! FLAMMABLE!

KEEP AWAY FROM HEAT AND OPEN FLAME

DIRECTIONS: Use full strength as topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION: In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.

PRINCIPAL DISPLAY PANEL

INDICATIONS: For external use only as an antiseptic, disinfectant and rubefacient.

TO MAKE A STANDARD SOLUTION (70%): Dilute by adding 1 part water to 2 parts of this 99% Isopropyl Alcohol.

FOR EXTERNAL USE ONLY

DIRECTIONS: Use full strength as a topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION: In case of deep or puncture wounds or serious burns consult a veterinarian. If redness, irritation or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.

Manufactured for:

Aspen Veterinary Resources®, Ltd.
Liberty, MO 64068, USA
www.aspenveterinaryresources.com

A518C Rev. 01/24



Isopropyl Alcohol 99%

**Antiseptic, Disinfectant,
and Rubefacient**

FOR ANIMAL USE ONLY
Keep Out of Reach of Children

NET CONTENTS:
32 oz (0.68 L)

ACTIVE INGREDIENTS:

Isopropyl Alcohol.....99% v/v

INACTIVE INGREDIENTS:

Water.....q.s.

WARNING: If taken internally, serious gastric disturbance will result.

FIRST AID: In case of ingestion, call Poison Control 1-800-222-1222

STORAGE: Store at controlled room temperature between 10°-29°C (50°-85°F).

KEEP CONTAINER CLOSED WHEN NOT IN USE.

WARNING! FLAMMABLE!
KEEP AWAY FROM HEAT AND OPEN FLAME.



Lot No.:

Exp. Date:

ISOPROPYL ALCOHOL

isopropyl alcohol liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:46066-033
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	99 L in 100 L

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	1 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-033-92	0.68 L in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug			

unapproved drug other		01/01/2010	
--------------------------	--	------------	--

Labeler - Aspen Veterinary (627265361)

Establishment

Name	Address	ID/FEI	Business Operations
Centaur, Inc.		174239087	manufacture, api manufacture

Revised: 9/2024

Aspen Veterinary