

**EQUALACTIN LAXATIVE- calcium polycarbophil tablet**  
**NUMARK BRANDS, INC**

-----  
**Drug Facts**

<b>Active Ingredients</b>	<b>Purpose</b>
Calcium polycarbophil 625 mg (equivalent to 500 mg polycarbophil)	Bulk for mixing Laxative

**Use** for relief of occasional constipation and irregularity

This product generally produces bowel movement in 12 - 72 hours.

**WARNINGS**

**Do not use** this product for more than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

- abdominal pain
- nausea
- vomiting
- a sudden change in bowel habits over a period of 2 weeks

**Ask a doctor or pharmacist before use if you are** taking an antibiotic containing tetracycline as this product contains calcium

**Stop use and ask a doctor if**

- rectal bleeding occurs
- you fail to have bowel movement after use of laxative. These may indicate a serious condition

As with any drug, if you are pregnant or nursing a baby, seek the advice of a health professional before using this product

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- drink a full glass (8 fl. oz.) of liquid with each dose
  - chew tablets thoroughly
  - do not swallow tablets whole
-

adults and children 12 years of age and over	up to 8 tablets daily in divided doses of 2 tablets per dose
children 6 to under 12 years of age	up to 4 tablets daily in divided doses of 1 tablet per dose
children 2 to under 6 years of age	up to 2 tablets daily in divided doses of 1 tablet per dose
children under 2 years of age	consult a doctor

**Other information**

- each tablet contains calcium 125 mg
- store at room temperature
- avoid excessive humidity

**Inactive ingredients** citric acid, crospovidone, dextrose, flavor, magnesium stearate, maltodextrin, microcrystalline cellulose, sucralose

**Questions? 1-800-331-0221**

**PRINCIPAL DISPLAY PANEL**

**Equalactin® Bulk Forming Laxative**

Relieves Symptoms of Nervous Stomach

- Irregularity
- Abdominal Discomfort
- Loose Bowels
- Constipation

**48 CITRUS FLAVORED CHEWABLE TABLETS**

Nervous Stomach (similar to Irritable Bowel), with its symptoms of loose bowels, irregularity, abdominal discomfort and constipation, is caused by water imbalance in the bowel, and afflicts millions. Equalactin provides relief by equalizing the water balance to restore normal bowel movements. When you feel the onset of nervous stomach symptoms, take Equalactin to provide relief and prevent the episode from becoming severe.

Distributed by: Numark Brands, Inc.  
 EDISON, NJ 08818 Rev. 12/18 10001C

# Equalactin®

Equalactin®

# Equalactin®

## Bulk Forming Laxative

**Relieves Symptoms of Nervous Stomach**

- Irregularity
- Loose Bowels
- Abdominal Discomfort
- Constipation

**48** CITRUS FLAVORED CHEWABLE TABLETS



Nervous Stomach (similar to Irritable Bowel), with its symptoms of loose bowels, irregularity, abdominal discomfort and constipation, is caused by water imbalance in the bowel, and afflicts millions. Equalactin provides relief by equalizing the water balance to restore normal bowel movements. When you feel the onset of nervous stomach symptoms, take Equalactin to provide relief and prevent the episode from becoming severe.



Distributed by: Numark Brands, Inc.  
EDISON, NJ 08818 Rev 12/18 10001C

**Drug Facts**

**Active Ingredients**  
Calcium polycarbophil 65mg  
(equivalent to 500mg polycarbophil)  
Bulk forming laxative

**Use** For relief of occasional constipation and irregularity. This product generally produces bowel movement in 12-72 hours.

**Warnings**  
Do not use the product for more than 1 week unless directed by a doctor.

Ask a doctor before use if you have ■ abdominal pain ■ nausea ■ vomiting ■ a sudden change in bowel habits over a period of 2 weeks.  
Ask a doctor or pharmacist before use if you are taking an antibiotic or are taking birth control pills as this product contains calcium.

**Stop use and ask a doctor if:** ■ rectal bleeding occurs ■ you fail to have bowel movement after use of 6 weeks. There may indicate a serious condition. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product.

**Report of death of children:** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ Drink a full glass (8 fl. oz.) of liquid with each dose ■ Chew tablets thoroughly ■ Do not swallow tablets whole ■ up to 2 tablets daily in divided doses of 2 tablets per dose ■ up to 4 tablets daily in divided doses of 1 tablet per dose ■ children 12 to under 17 years of age ■ up to 2 tablets daily in divided doses of 1 tablet per dose ■ children 2 to under 12 years of age ■ up to 2 tablets daily in divided doses of 1 tablet per dose ■ consult a doctor ■ child's number 2 years of age

**Other Information** ■ Each tablet contains calcium 125 mg ■ Store at room temperature ■ Avoid excessive humidity ■ avoid excessive humidity

**Inactive Ingredients** citric acid, polydextrose, dextrose, hydroxypropyl methylcellulose, hydroxypropyl methylcellulose, hydroxypropyl methylcellulose, sucralose

**Questions? 1-800-331-0221**

## EQUALACTIN LAXATIVE

calcium polycarbophil tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69846-000
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Calcium Polycarbophil (UNII: 8F049NKY49) (Polycarbophil - UNII:W25LM17A4W)	Calcium Polycarbophil	625 mg

**Inactive Ingredients**

Ingredient Name	Strength
Citric Acid Monohydrate (UNII: 2968PHW8QP)	
Crospovidone (UNII: 2S7830E561)	
Dextrose, Unspecified Form (UNII: IY9XDZ35W2)	
Magnesium Stearate (UNII: 70097M6I30)	
Maltodextrin (UNII: 7CVR7L4A2D)	
Cellulose, Microcrystalline (UNII: OP1R32D61U)	
Sucralose (UNII: 96K6UQ3ZD4)	

**Product Characteristics**

Color	WHITE	Score	no score
Shape	ROUND	Size	16mm
Flavor	LEMON	Imprint Code	E
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69846-000-26	2 in 1 CARTON	11/21/1986	03/03/2023
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:69846-000-27	4 in 1 CARTON	11/21/1986	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	11/21/1986	

**Labeler** - NUMARK BRANDS, INC (080184668)