OHL O2- allantoin spray AMAROS CO., LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

Active Ingredients: Allantoin 0.5%

INACTIVE INGREDIENT

Inactive Ingredients: Water, Butylene Glycol, Sodium PCA, Alcohol Denat., Sodium Hyaluronate, Sodium Citrate, Portulaca Oleracea Extract, Glycine Soja (Soybean) Seed Extract, Anthemis Nobilis Flower/Leaf Extract, Morus Alba Bark Extract, PEG-60 Hydrogenated Castor Oil, Hydrolyzed Collagen, Tocopheryl Acetate, Caprylyl Glycol, Caprylhydroxamic Acid, Citrus Paradisi (Grapefruit) Fruit Extract, Centella Asiatica Extract, Lavandula Angustifolia (Lavender) Oil, Hamamelis Virginiana (Witch Hazel) Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Disodium EDTA, Spirulina Maxima Extract, Piper Methysticum Leaf/Root/Stem Extract, Lavandula Angustifolia (Lavender) Extract, Human Oligopeptide-1, Copper Tripeptide-1, Ceramide 3.

PURPOSE

Purpose: Skin Protectant

WARNINGS

Warnings: 1. In case of having following symptoms after using this product, you're advised to stop using it immediately. If you keep using it, the symptoms will get worse and need to consult a dermatologist. 1) In case of having problems such as red rash, swollenness, itching, stimulation during usage. 2) In case of having the same symptoms above on the part you put this product on by direct sunlight. 2. You are banned to use it on the part where you have a scar, eczema, or dermatitis. 3. In case of getting it into your eyes, you have to wash it immediately.

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children: Keep out of reach of babies and children.


INDICATIONS AND USAGE

Indication and Usage: 1. Tighten the lid after using it. 2. Don't keep it in the place where the temperature is extremely hot or low and exposed to the direct sunlight. 3. Use it in the morning or evening after washing face.

DOSAGE AND ADMINISTRATION

Dosage and Administration: The above product can be applied at any time when feel dryness, just spray several times the mist over face and feel the freshness. This product contains over than 20 kinds of Oriental Herbal Extracts. Keep moisture of the skin, calming and improve tone of the skin.

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



OHL O2

allantoin spray

Product Informat	ion					
Product T ype		HUMAN OTC DRUG	Item Code	e (Source)	N	DC:60899-040
Route of Administrat	ion	TOPICAL				
Active Ingredient	Active Moi	ety				
Ingredient Name				Basis of Strength		Strength
Allantoin (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)			Allantoin		0.3 mg in 60 mL	
Inactive Ingredie	nts	Ingredient Name				Strength
Water (UNII: 059QF0K0	D0R)					ou ongen
Butylene Glycol (UNII:	3XUS85K0RA)					
Packaging			7	Markating Start D	ato	Marketing End Date
Packaging # Item Code		Package Description	1	Marketing Start D	all	Marketing Lifu Date

Marketing Information						
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
part347	09/01/2013					
	Application Number or Monograph Citation	Application Number or Monograph Citation Marketing Start Date				

Labeler - AMAROS CO., LTD. (690338801)

Registrant - AMAROS CO., LTD. (690338801)

Address D/FEI Business Operations AMAROS CO., LTD. 69033801 manufacture(60899-040)

Revised: 4/2019

AMAROS CO., LTD.