# MINERAL SUNSCREEN TINTED- titanium dioxide, zinc oxide cream Face 5, LLC

-----

## **Active Ingredients:**

Titanium Dioxide 8% Zinc Oxide 3.8%

# **Purpose:**

Sunscreen

#### Uses:

Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings:**

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions:**

Apply liberally 15 minutes before sun exposure.
Reapply:
After 80 minutes of swimming or sweating
Immediately after towel drying
At least every 2 hours
Children under 6 months:
Ask a doctor
Sun Protection Measures:
Spending time in the sun increases your risk of skin cancer and early skin aging.
To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
Limit time in the sun, especially from 10 am-2 pm
Wear long-sleeved shirts, pants, hats, and sunglasses

# **Inactive Ingredients:**

Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Iron Oxide (CI 77491), Lauryl PEG/PPG-18/18 Methicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

#### Other Information:

Protect this product from excessive heat and direct sun

- May stain some fabrics
- Cleanse thoroughly at nighttime
- •PA+++

## **Warning:**

## Keep out of the reach of children

#### DRUG FACTS (cont)

- Sun Protection Measures:
  Spending time in the sun increases your risk of skin cancer and early skin aging.
  To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 am-2 pm
   Wear long-sleeved shirts, pants, hats, and sunglasses

#### INACTIVE INGREDIENTS:

Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone Crosspolymer, Dimethicone Crosspolymer, Dimethicone Crosspolymer, Dimethiconol, Iron Oxide (CI77491), Lauryl PEG/PPG-18/18-Hydrogen Dimethicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

#### OTHER INFORMATION:

- Protect this product from excessive heat and direct sun
- May stain some fabrics
- •Cleanse thoroughly at nighttime  $\bullet PA+++$



# Face 5



# MINERAL SUNSCREEN

tinted

SPF 40
Broad Spectrum
Water Resistant
(80 Min)

3 oz (85 g)

#### DRUG FACTS

ACTIVE INGREDIENTS: Titanium Dioxide 8% Zinc Oxide 3.8% PURPOSE: Sunscree

USES: Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS: For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### DIRECTIONS:

- Apply liberally 15 minutes before sun exposure.
- Reapply:
  - After 80 minutes of swimming or sweating
  - Immediately after towel drying
  - At least every 2 hours
- Children under 6 months: Ask a doctor



#### MINERAL SUNSCREEN TINTED

titanium dioxide, zinc oxide cream

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:85302-201

Route of Administration TOPICAL

# **Active Ingredient/Active Moiety**

richte mgreuiem, richte richet				
Ingredient Name	<b>Basis of Strength</b>	Strength		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 1 g		
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	38 mg in 1 g		

Inactive Ingredients	
Ingredient Name	Strength
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)	
ALUMINA (UNII: LMI26O6933)	
LAURYL PEG/PPG-18/18 METHICONE (UNII: ZJ5S27D9NX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CI 77491 (UNII: 1K09F3G675)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DIMETHICONOL (2000 CST) (UNII: T74O12AN6Y)	

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:85302- 201-85	85 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	09/27/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/27/2019	

# **Labeler -** Face 5, LLC (119613448)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Fragrance Manufacturing Inc.		793406000	manufacture(85302-201)	

Establishment				
Name	Address	ID/FEI	Business Operations	
Custom Analytics LLC		144949372	analysis(85302-201)	

Revised: 3/2025 Face 5, LLC