

ILLUMINATING DAILY SPF40 NON-TINTED- zinc oxide cream
Face 5, LLC

Active Ingredients:

Zinc Oxide 16%

Purpose:

Sunscreen

Uses:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions:

- Apply liberally 15 minutes before sun exposure.
- Reapply: • After 80 minutes of swimming or sweating • Immediately after towel drying • At least every 2 hours •
- Children under 6 months: Ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: •Limit time in the sun, especially from 10 am-2 pm
- Wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients:

Capric/Caprylic Triglyceride, Ceramide 3, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Hydrogen Dimethicone, PEG-10 Dimethicone, Polyhydroxystearic Acid, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

Other Information:

Protect this product from excessive heat and direct sun.

Warning:

Keep out of the reach of children

Face Five
SKINCARE

ILLUMINATING DAILY
SPF 40

Non-Tinted

broad spectrum spf 40

Net wt. 1.75 oz / 50 g

DRUG FACTS

ACTIVE INGREDIENTS:

Zinc Oxide 16%

PURPOSE:

Sunscreen

USES:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- Apply liberally 15 minutes before sun exposure.
- Use water resistant product if swimming or sweating.
- Reapply at least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 am–2 pm
 - Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:

Capric/Caprylic Triglyceride, Ceramide 3, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Hydrogen Dimethicone, PEG-10 Dimethicone, Polyhydroxystearic Acid, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

OTHER INFORMATION:

- Protect this product from excessive heat and direct sun

MANUFACTURED FOR:

Face 5 | Colorado Springs, CO 80918
facefiveacne.com • 719-337-5451



REEF FRIENDLY • CRUELTY FREE
NON-COMEDOGENIC

ILLUMINATING DAILY SPF40 NON-TINTED

zinc oxide cream

Product Information

| | | | |
|-------------------------|----------------|--------------------|------------------------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:85302-226(NDC:58892-226) |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 160 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
|-----------------|----------|

| | |
|--|--|
| CERAMIDE 3 (UNII: 4370DF050B) | |
| PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0) | |
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) | |
| VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR) | |
| HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N) | |
| CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CYCLOPENTASILOXANE (UNII: 0THT5PCI0R) | |
| DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONOL (2000 CST) (UNII: T74O12AN6Y) | |
| TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ) | |
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| CYCLOHEXASILOXANE (UNII: XHK3U310BA) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:85302-226-50 | 50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | 04/17/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 04/17/2024 | |

Labeler - Face 5, LLC (119613448)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------|---------|-----------|---------------------|
| Custom Analytics LLC | | 144949372 | analysis(85302-226) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------------|---------|-----------|------------------------|
| Fragrance Mabnufacturing Inc. | | 793406000 | manufacture(85302-226) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-----------------------------|---------|-----------|---------------------|
| Fallien Cosmeceuticals Ltd. | | 958388357 | relabel(85302-226) |