AUVON LIDOCAINE MENTHOL PAIN RELIEF PATCH- lidocaine and menthol patch SHENZHEN YUWEN E-COMMERCE CO., LTD.

83391-008

AUVON LIDOCAINE MENTHOL Pain Relief Patch

Lidocaine 4%

Menthol 1%

Topical anesthetic

for the temporary pain relief

For external use only

If you are allergic to the listed ingredients

If you are pregnent or breast feeding

If you are under 12 years of age

On wounds, cuts, damaged/broken/irritated skin

On eyes or mucous membranes

With heating pads/devices or wrap with a bandage

With other topical analgesics

If the package arrives damaged or opened.

- Read and follow all directions and warnings on this label
- avoid contact with the eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- a transient burning sensation may occur upon application but generally disappears in several days
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

You are experiencing pain, swelling or blistering

Redness is persent or irritation develops

Symptoms persist for more than 7 days or clear up and occur again within a few days Children under 12 years of age: do not use, consult a doctor.

- Clean and dry the patch application area (no wound or hair), pull to separate the film, peel off one side of the film, apply the exposed patch to the skin, peel off the Do not repeatedly use or repeatedly reapply the patch as far as possible
- Cut first if if used on joints

- Use in te affected area no more than 4 times daily
- Wash hands with cool water after use

Avoid storing patches in direct sunlight

Protect patches from excessive moisture.

Store it at room temperature 20-25°c

Dihydroxyaluminum Aminoacetate

Edetate Disodium

Glycerin

Hydroxyacetophenone

Kaolin

L(+)-Tartaric Acid

Mineral oil

Polysorbate 80

Polyacrylic Acid

Polyvinylpyrrolidone K90

Propylene Glycol

Sodium Polyacrylate

Titanium Dioxide

Water



Drug Facts

Active Ingredients.. Lidocaine 4%..... Menthol 1%....

UseFor the temporary relief of pain.

Do not use

• if you're allorgic to the listed ingredients. • if the package arrives damaged or opened. • on cuts,

• if you're allorgic to the listed ingredients. • if the package arrives damaged or opened. • on cuts,

or in the package arrives damaged broken, evellen, or irritated skin. • on eyes and nucrour membranes.

• more than one patch on your body at a time or with other topical analgesics at the same time. • tightly wrapped or localized heat (e.g. heating pads) in the area of use.

Stop use and ask a doctor if

if symptoms persist for more than 7 days or clear up and occur again within a few days.

if you experience any signs of deterioration or skin injury, such as redness, irritation, swelling, or blistering.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control
Center right away.

Directions

■ Wash hands with cool water after use. ■ Cutting first if used on joints. ■ Do not repeatedly use or reapply the patch as far as possible. ■ Apply to affected areas not more than 3 to 4 times daily. ■ Children under 12 years of age: do not use, consult a doctor.

Other Information

• Avoid storing patches in direct sunlight. • Protect patches from excessive moisture.
• Please store it at room temperature 20-25°C (68-77°F).

Inactive Ingredients
Dihydroxyaluminum Aminoaetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin,
L(+)-Tartaric Acid, Mineral oil, Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene
Glycol, Sodium Polyacrylate, Titanium Dioxide, Water

Questions or Comments? ♦ +1(678)829-7256 ⊠ support@iauvon.com









AUVON LIDOCAINE MENTHOL PAIN RELIEF PATCH

lidocaine and menthol patch

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:83391-008

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LEVOMENTHOL (UNII: BZ1R15MTK7) (LEVOMENTHOL - UNII:BZ1R15MTK7)	LEVOMENTHOL	100 mg
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	400 mg

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7I6W)	

WATER (UNII: 059QF0KO0R)	
KAOLIN (UNII: 24H4NWX5CO)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05115JN12J)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TARTARIC ACID (UNII: W4888I119H)	
POVIDONE K90 (UNII: RDH86HJV5Z)	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:83391-008- 01	1 in 1 BAG; Type 0: Not a Combination Product	03/11/2025		
2	NDC:83391-008- 02	10 in 1 BOX; Type 0: Not a Combination Product	03/11/2025		
3	NDC:83391-008- 03	30 in 1 BOX; Type 0: Not a Combination Product	03/11/2025		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	03/11/2025		

Labeler - SHENZHEN YUWEN E-COMMERCE CO., LTD. (544559614)

Revised: 3/2025 SHENZHEN YUWEN E-COMMERCE CO., LTD.