HEALSURE CLOTRIMAZOLE- clotrimazole 1%, miconazole 1%clotrimazole cream Jiangxi Hemei Pharmaceutical Co., Ltd

84010-085

Active Ingredient

Clotrimazole 1%

Miconazole1%

Purpose

Antifungal

Use

- ·cures most athlete's foot between the toes. Effectiveness on the bottom or sides of foot is unknown
- ·cures most jock itch and ringworm
- ·relieves itching.burning, cracking, and scaling which accompany these conditions

Warnings

For external use only

Do not use

- on nails or scalp
- \cdot in or nearthe mouth or the eyes
- · for vaginal yeast infections

When Using

When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

Stop Use

Stop use and ask a doctor if too much irritation occurs or irritation gets worse

Ask Doctor

for jock itch and ringworm: apply once a day to affected skin for 2 weeks or asdirected

by a doctor

- ·wash hands after each use
- ·children under 12 years: ask a doctor

Keep Oot Of Reach Of Children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- ·adults and children 12 years and older: · use the tip of the cap to break the seal and open the tube
- ·wash the affected skin with soap and water and dry completely before applying
- · for athlete's foot between the toes:apply to affected skin between and around the toes twice a day for 1 week(morning and night), or once a day for 4 weeks, or as directed by a doctor. Wearwell-fitting, ventilated shoes. Change shoes and socks at least once daily. for jock itch and ringworm: apply once a day to affected skin for 2 weeks or asdirected by a doctor
- ·wash hands after each use ·children under 12 years: ask a doctor

Other information

·Do not use if seal on tube is broken or not visible.·store between 20° to 25°°C(68° to 77°F)

Inactive ingredients


Camphor (SYNTHETIC), Gentiana, Glycerin, Methylpareben, Peppermint, Propylene Glycol, Silicone Oil, Triethanolamine.


PRINCIPAL DISPLAY PANEL



Manufacturer: Jiangxi Hemei Pharmaceutical

Address:4th Floor, Building 1956, Phase III, Zhangjiashan Medical Incubation Park,Zhangshu, Yichun City, Jiangxi 331208, China(CHN)














DIRECTIONS • adults and children 12 years and older:

• Use the tip of the cap to break the tube seal and open the tube.

• wash the affected skin with soap and water and forly completely before applying

• for athlete's foot between the loss: apply to affected skin between and

around the lose kivice a day for 1 week (morning and night), or nose a day for

4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change

shoes and socks at least once daily.

• for jook tich and ringworm: apply once a day to affected skin for 2 weeks

or as directed by a doctor

• wash hands after each use

• whitten under 12 years: ask a doctor. ■ wash hards after each dase

children under 12 years: ask a doctor

OTHER INFORMATION ■ Do not use if seal on the tube is broken or not visible

store between 20° to 25°C (68° to 77°F)

INACTIVE INGREDIENTS
Camphor (SYNTHETIC), Gentiana, Glycerin, Methylpareben, Peppermint,

Propylene Glycol, Silicone Oil, Triethanolamine

HEALSURE PRESCRIPTION STRENGTH

HEALSURE ®

Clotrimazole Cream **ANTIFUNGAL**

Relieves: ✓ Itching ✓ Burning ✓ Cracking (NET WT: 20 g(0.7 OZ)

Manufacturer: Jiangxi Hemei Pharmaceutical

Address:4th Floor, Building 1956, Phase III, Zhangiiashan Medical Incubation Park, Zhangshu, Yichun City, Jiangxi 331208, China(CHN)

SUCCESS COURIER SL, CALLE RIO TORMES NUM.1,PLANTA 1,DERECHA,OFICINA 3, Fuenlabrada,Madrid,28947 Spain +34 910602659 UK REP

SUATOST CONSULTING LTD,
Office 10132 Threadneedle Street,London, United Kingdom
EC2R 8AY +442076494690 contact@evatost.com MADE IN CHINA



Drug Facts ACTIVE INGREDIENT PURPOSE Clotrimazole 1%..... ...Antifungal burning, cracking, and scaling which accompany these conditions

WARNINGS For external use only Do not use ■ on nails or scalp
■ in or near the mouth or the eyes ■ for vaginal yeast infections When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water. Stop use and ask a doctor if too much irritation occurs or irritation gets worse Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS • adults and children 12 years and older:

DIRECTIONS • adults and children 12 years and older:

• Use the tip of the cap to break the tube seal and open the tube.

• Wash the affected skin with scap and water and dy completely before applying

• for athlete's foot between the toes apply to affected skin between and

around the toes where a day for tweek (morning and night), or once a day for

4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change

shoes and socks a least once day.

• for jook tich and fingworm: apply once a day to affected skin for 2 weeks

or as directed by a doctor

• wash hands after each use

• children under 12 years: ask a doctor

OTHER INFORMATION • Do not use if seal on the tube is broken or not visible.

• store between 20 to 25° (68° to 77°F)

INACTIVE INGREDIENTS

Camphor (SYNTHETIC), Gentlana, Glycerin, Methylpareben, Peppermint,

Propylene Glycol, Silicone Oil, Triethanolamine.

SHELF LIFE: 3 years

HEALSURE CLOTRIMAZOLE

clotrimazole 1%, miconazole 1%clotrimazole cream

Product Information

HUMAN OTC DRUG NDC:84010-085 **Product Type** Item Code (Source)

TOPICAL **Route of Administration**

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)	CLOTRIMAZOLE	1 g in 100 g
MICONAZOLE (UNII: 7NNO0D7S5M) (MICONAZOLE - UNII:7NNO0D7S5M)	MICONAZOLE	1 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
PEPPERMINT (UNII: V95R5KMY2B)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TROLAMINE (UNII: 903K93S3TK)	
GENTIANA MANSHURICA ROOT (UNII: C1F2NZ8U3L)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:84010-085- 01	20 g in 1 BOTTLE; Type 0: Not a Combination Product	03/11/2025		
2	NDC:84010-085- 02	30 g in 1 BOTTLE; Type 0: Not a Combination Product	03/11/2025		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M005	03/11/2025		

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment					
Name	Address	ID/FEI	Business Operations		
liangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-085)		

Revised: 3/2025 Jiangxi Hemei Pharmaceutical Co., Ltd