

HEALSURE WART REMOVER- salicylic acid 17% wart remover cream
Jiangxi Hemei Pharmaceutical Co., Ltd

84010-086

Active Ingredient

Salicylic acid 17%

Purpose

Wart remover

Use

For the removal of common warts, which have a rough,cauliflower-like appearance.

Warnings

For external use only- Avoid contact with eyes. If the product gets into eyes, rinse with water for 15 minutes. Avoid inhaling vapors.

Do not use

Don't use on irritated or infected skin, or reddened areas.If you are diabetic or have poor blood circulation, consult a doctor before use.Don't use on birthmarks, warts with hair growth or moles.

When Using

If pregnant or breast feeding, consult a health professional before use.

Stop Use

Stop use and ask a doctor if discomfort persists.

Ask Doctor

Stop use and ask a doctor if discomfort persists.

Keep Out Of Reach Of Children

If swallowed, seek immediate medical help or contact a Poison Control Center.

Directions

1. Wash the affected area.
(Soaking in warm water for 5 minutes may help.)
2. Dry thoroughly.
3. Apply a small amount to cover each wart. Let it dry.
4. Repeat twice daily as needed, for up to 12 weeks.

Inactive ingredients

Water, Polyethylene Glycol, Glycerin, Borneol, Podofilox, Methylparaben, Chlorhexidine

PRINCIPAL DISPLAY PANEL

HEALSURE[®] WART REMOVER CREAM		<ul style="list-style-type: none">• Remove Common Warts• Remove Skin Tags & Corns• Repair Safely			
HEALSURE[®] WART REMOVER CREAM		 NET WT: 20 g(0.7 OZ)			
<ul style="list-style-type: none">• PROMOTE HEALTH• IMPROVE APPEARANCE• GENTLE HERBAL INGREDIENTS					
<table border="1"><tr><td>Manufacturer: Jiangxi Hemei Pharmaceutical Co., Ltd. Address: 4th Floor, Building 1956, Phase III, Zhangjiashan Medical Incubation Park, Zhangshu, Yichun City, Jiangxi 331208, China(CHN)</td><td><div>EC REP SUCCESSION COURIER SL CALLE RIO TORMES NUM.1, PLANTA 1, DERECHA, OFICINA 3, Fuenlabrada, Madrid, 28947 Spain +34 910602659 successservice2@hotmail.com</div><div>UK REP EVATOST CONSULTING LTD, Office 10132 Threadneedle Street, London, United Kingdom, EC2R 8AY +442076494690 contact@evalost.com</div><div></div><div>MADE IN CHINA SHELF LIFE: 3 years</div></td><td><div>FR ELEMENTS D'EMBALLAGE A SEPARER ET A DEPOSER DANS LE BAC DE TRI</div></td></tr></table>			Manufacturer: Jiangxi Hemei Pharmaceutical Co., Ltd. Address: 4th Floor, Building 1956, Phase III, Zhangjiashan Medical Incubation Park, Zhangshu, Yichun City, Jiangxi 331208, China(CHN)	<div>EC REP SUCCESSION COURIER SL CALLE RIO TORMES NUM.1, PLANTA 1, DERECHA, OFICINA 3, Fuenlabrada, Madrid, 28947 Spain +34 910602659 successservice2@hotmail.com</div> <div>UK REP EVATOST CONSULTING LTD, Office 10132 Threadneedle Street, London, United Kingdom, EC2R 8AY +442076494690 contact@evalost.com</div> <div></div> <div>MADE IN CHINA SHELF LIFE: 3 years</div>	<div>FR ELEMENTS D'EMBALLAGE A SEPARER ET A DEPOSER DANS LE BAC DE TRI</div> 
Manufacturer: Jiangxi Hemei Pharmaceutical Co., Ltd. Address: 4th Floor, Building 1956, Phase III, Zhangjiashan Medical Incubation Park, Zhangshu, Yichun City, Jiangxi 331208, China(CHN)	<div>EC REP SUCCESSION COURIER SL CALLE RIO TORMES NUM.1, PLANTA 1, DERECHA, OFICINA 3, Fuenlabrada, Madrid, 28947 Spain +34 910602659 successservice2@hotmail.com</div> <div>UK REP EVATOST CONSULTING LTD, Office 10132 Threadneedle Street, London, United Kingdom, EC2R 8AY +442076494690 contact@evalost.com</div> <div></div> <div>MADE IN CHINA SHELF LIFE: 3 years</div>	<div>FR ELEMENTS D'EMBALLAGE A SEPARER ET A DEPOSER DANS LE BAC DE TRI</div> 			
<table border="1"><tr><td>Drug Facts Active Ingredient.....purpose Salicylic acid 17%..... Wart remover Use For the removal of common warts, which have a rough, cauliflower-like appearance. Warnings For external use only-Avoid contact with eyes. If the product gets into the eyes, rinse with water for 15 minutes. Avoid inhaling vapors. Do not use: Don't use on irritated or infected skin, or reddened areas. If you are diabetic or have poor blood circulation, consult a doctor before use. Don't use on birthmarks, warts with hair growth or moles. When Using If pregnant or breast feeding, consult a health professional before use.</td><td>Keep out of reach of children. If swallowed, seek immediate medical help or contact a Poison Control Center. Stop use and ask a doctor if discomfort persists. Directions 1. Wash the affected area. (Soaking in warm water for 5 minutes may help.) 2. Dry thoroughly. 3. Apply a small amount to cover each wart. Let it dry. 4. Repeat twice daily as needed, for up to 12 weeks. Inactive Ingredients Water, Polyethylene Glycol, Glycerin, Borneol, Podofilox, Methylparaben, Chlorhexidine</td></tr></table>			Drug Facts Active Ingredient.....purpose Salicylic acid 17%..... Wart remover Use For the removal of common warts, which have a rough, cauliflower-like appearance. Warnings For external use only-Avoid contact with eyes. If the product gets into the eyes, rinse with water for 15 minutes. Avoid inhaling vapors. Do not use: Don't use on irritated or infected skin, or reddened areas. If you are diabetic or have poor blood circulation, consult a doctor before use. Don't use on birthmarks, warts with hair growth or moles. When Using If pregnant or breast feeding, consult a health professional before use.	Keep out of reach of children. If swallowed, seek immediate medical help or contact a Poison Control Center. Stop use and ask a doctor if discomfort persists. Directions 1. Wash the affected area. (Soaking in warm water for 5 minutes may help.) 2. Dry thoroughly. 3. Apply a small amount to cover each wart. Let it dry. 4. Repeat twice daily as needed, for up to 12 weeks. Inactive Ingredients Water, Polyethylene Glycol, Glycerin, Borneol, Podofilox, Methylparaben, Chlorhexidine	
Drug Facts Active Ingredient.....purpose Salicylic acid 17%..... Wart remover Use For the removal of common warts, which have a rough, cauliflower-like appearance. Warnings For external use only-Avoid contact with eyes. If the product gets into the eyes, rinse with water for 15 minutes. Avoid inhaling vapors. Do not use: Don't use on irritated or infected skin, or reddened areas. If you are diabetic or have poor blood circulation, consult a doctor before use. Don't use on birthmarks, warts with hair growth or moles. When Using If pregnant or breast feeding, consult a health professional before use.	Keep out of reach of children. If swallowed, seek immediate medical help or contact a Poison Control Center. Stop use and ask a doctor if discomfort persists. Directions 1. Wash the affected area. (Soaking in warm water for 5 minutes may help.) 2. Dry thoroughly. 3. Apply a small amount to cover each wart. Let it dry. 4. Repeat twice daily as needed, for up to 12 weeks. Inactive Ingredients Water, Polyethylene Glycol, Glycerin, Borneol, Podofilox, Methylparaben, Chlorhexidine				

HEALSURE WART REMOVER

salicylic acid 17% wart remover cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84010-086
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BORNEOL (UNII: M89NIB437X)	
CHLORHEXIDINE (UNII: R4KO0DY52L)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
WATER (UNII: 059QF0KO0R)	
PODOFILOX (UNII: L36H50F353)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84010-086-01	20 g in 1 TUBE; Type 0: Not a Combination Product	03/11/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	03/11/2025	

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)**Establishment**

Name	Address	ID/FEI	Business Operations
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-086)

Revised: 3/2025

Jiangxi Hemei Pharmaceutical Co., Ltd