H.E.B SOLUTIONS SUNSCREEN- sport spf 100 continuous spray aerosol, spray H.E.B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

H.E.B Solutions Sunscreen Sport SPF 100 Continuous Spray

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 10.0%, Oxybenzone 6.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- · do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

Stop use and ask a doctor if

• rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

□Directions

- apply liberally 15 minutes before sun exposure
- hold can 4-6 inches away from body, spray evenly to ensure complete coverage
- do not spray into face. Spray into hand and apply to face.
- use in well ventilated, but not windy areas
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

SD alcohol 40-B, butyloctyl salicylate, butylated PVP, polyester-10, propylene glycol dibenzoate, glycerin, caprylic/capric triglyceride, tocopherol, aloe barbadensis leaf juice, saccharomyces/podophyllum peltatum ferment filtrate, fragrance, butylene glycol

Label



Sport Sunscreen

Sweat & Water Resistant (80 minutes) **UVA/UVB Protection** Paraben Free*

BROAD SPECTRUM SPF 100





SUNSCREEN NET WT. 9.1 0Z (258 g)

Oil Free & PABA Free Contains Vitamin E · Dermatologist Tested · Hypoallergenic

Drug Facts Active ingredients Avobenzone 3% Homosalate 15% Octisalate 5% Octocrylene 10%

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings For external use only

do not use near heat, flame or while smoking
 avoid long term storage above 104°F (40°C)

Do not use . on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if . rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Unrections

 Soray Iberally and spread evenly by hand 15 minutes before sun exposure

 Hold can 4–6 inches away from the skin to apply

 Do not spray directly into face. Spray into hands then apply to face

 Do not apply in windy conditions

 Use in a well-ventilated area

- Use in a well-ventilated area reapply:
 after 80 minutes of swimming or sweating
 immediately after towel drying
 at least every 2 hours
 children under 6 months of age: Ask a doctor
 Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 imit time in the sun, especially from 10 a.m. 2 p.m.
- · wear long-sleeved shirts, pants, hats, and sungla

Other information

protect the product in this container from excessive heat and direct sun
 may stain or damage some fabrics, materials or surfaces

Inactive ingredients SD alcohol 40-8, butyloctyl salicylate, butylated PVP, polyester-10, propylene glycol dibenzoate, glycerin, caprylic/capric triglyceride, tocopherol, aloe barbadensis leaf Juice, saccharomyces/podophyllum peltatum ferment filtrate, fragrance, butylene glycol

Questions or Comments? Call to free 1-800-527-7731

*NO PARABENS SEPARATELY ADDED TO PRESERVE THIS PRODUCT

MADE WITH PRIDE AND CARE FOR H-E-B°, SAN ANTONIO, TEXAS 78204











SPORT

Sport Sunscreen

UVA/UVB Protection

Sweat and Water Resistant (80 minutes)

Paraben Free*

BROAD SPECTRUM SPF 100





2 - 5.5 OZ (156g) CANS NET WT. 11 OZ (312g)

Dermatologist Tested Oil Free · PABA Free · Hypoallergenic Contains Aloe and Vitamin E

Drug Facts ctive ingredi Avobenzone 3% Homosalate 15% Octisalate 5% Octocrylene 10% Oxybenzone 6%

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Flammable:

• On not use near heat, flame or while emoking

• and on our use near heat, flame or while emoking

• avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin

When the storage is to be storage to the skin skin

breathing it. • On ord puncture or incinerate, Contents under pressure. • do not store at temperatures above 120°F.

Stop use and ask a declare if * rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children. If availowed, get medical help or contact a Poson Control Center right away.

Directions syray liberally and spread evenly by hand 15 minutes before sun exposure * hold container * de inches away from the skin to apply * do not spray directly into face. Spray into hands then apply to face * do not apply in windy conditions * use in a well-vertibilited area * reapply** - after 80 minutes of swimming or sweating * immediately after towed dyring * at least every 2 hours * children under 6 months of age; Ask a doctor * Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin adjain; To docrease this risk; regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including * limit time in the sun, especially from 10 a.m. * 2 p.m. * wear long-steeved shirts, pants, hats, and sunglasses

Other information • protect the product in this container from excessive heat and direct sun • may stair damage some fabrics, materials or surfaces

Inactive ingredients also barbadensis leaf juice, bufylated PPP, bufylene glycol, bufylochyl salicytate caprylicitagric trighcentie, fragrance, glycerin, polyestar-10, propylene glycol dibenzoate, saccharomyces/podophyl-lum petiatum ferment filtrate, 50 alcohol 40-8, bocopheral.

Questions or Comments? Call toll free 1-800-527-7731





*NO PARABENS SEPARATELY ADDED TO PRESERVE THIS PRODUCT



Dermatologist tested Oil Free · PABA Free · Hypoallergenic Contains Aloe and Vitamin E

Drug Facts	
Active ingredients	Purpose
Avobenzone 3% Homosalate 15% Octicalate 5% Octocrylene 10%	Sunscreen

Uses . helps prevent sunburn . if used as directed with other sur protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings For external use only

Flammable:

- · do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breatting it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if . rash occurs.

Keep out of reach of children. If swallowed, get medical help or confact a Poison Control Center-right away,

Directions • spray berally and spread evenly by hand 15 minutes before sun exposure • hold container 4-6 inches away from the skin to apply • do not spray directly into face. Spray into hands then apply to face . do not apply in windy conditions . use in a well-ventilated area reapply! • after 80 minutes of swimming or sweating • immediately after towel drying . at least every 2 hours . children under 6 months of age: Ask a doctor . Sun Protection Measures, Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: . Imit time in the sun, especially from 10 a.m. - 2 p.m. . wear long-sleeved shirts, pants, hats, and sunglasses

Other information


O protect this product from excessive heat and direct sun

· may stain or damage some fabrics, materials or surfaces

Inactive ingredients also barbadensis leaf juice, butylated PVP, butylene glycolpolyester-10, butyloctyl salicylate, caprylic/ capric triglyceride, fragrance, glycerin, propylene glycol dibenzoate, saccharomyces/ podophyllum peltatum ferment filtrate, SD alcohol 40-B, tocopheral

Questions or Comments? Call toll free 1-800-527-7731

*NO PARABENS SEPARATELY ADDED TO PRESERVE THIS PRODUCT









Sport

UVA/UVB Protection

Sweat and Water Resistant (80 minutes)

Paraben Free*

Backgrounds Bleed Outside Dimension

Copy Limit

Height: 123 mm

Width: 157 mm

BROAD SPECTRUM SPF 100





NET WT. 5.5 OZ (156 g)

H.E.B SOLUTIONS SUNSCREEN

sport spf 100 continuous spray aerosol, spray

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37808-981

Route of Administration TOPICAL

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 g			
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 g			
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g			
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g			
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZONE	60 mg in 1 g			

Inactive Ingredients			
Ingredient Name	Strength		
ALCOHOL (UNII: 3K9958V90M)			
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)			
ALOE VERA LEAF (UNII: ZY81Z83H0X)			
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)			
GLYCERIN (UNII: PDC6A3C0OX)			
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
POLYESTER-10 (UNII: 212N9O2MMZ)			
PROPYLENE GLYCOL DIBENZOATE (UNII: EQY32Z1AN4)			
PODOPHYLLUM (UNII: 2S713A4VP3)			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
NDC:37808-981- 63	2 in 1 PACKAGE	02/17/2012	
NDC:37808-981- 37	156 g in 1 CAN; Type 0: Not a Combination Product		
NDC:37808-981- 48	258 g in 1 CAN; Type 0: Not a Combination Product	02/17/2012	
	# Item Code NDC:37808-981- 63 NDC:37808-981- 37 NDC:37808-981-	# Item Code Package Description NDC:37808-981- 63	# Item Code

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	02/17/2012		

Labeler - H.E.B (007924756)

Revised: 12/2022 H.E.B