

TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment
Medline Industries, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Curad Triple Antibiotic Ointment

Active Ingredient (in each gram)

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg (Equivalent to 3.5 mg. Neomycin)

Polymyxin B Sulfate 5000 units

Purpose

First Aid Antibiotic

First Aid Antibiotic

First Aid Antibiotic

Uses

First aid to help prevent infection in

- minor cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- in the eyes
- if you are allergic to any of the ingredients
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

KEEP OUT OF REACH OF CHILDREN.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area.
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

Other information

- Store at controlled room temperature 59°-86°F (15°-30°C).
- use only if packaging is intact.

Inactive ingredients

mineral oil, petrolatum



©2017 Curad and Medline are registered trademarks of Medline Industries, Inc.

Manufactured for Medline Industries, Inc. Three Lakes Drive, Northfield, IL 60093

Made in USA of domestic and imported materials.

1-800-633-5463

Package/Label Principal Display Panel





TRIPLE ANTIBIOTIC OINTMENT FIRST AID ANTIBIOTIC

Not made with Natural Rubber Latex

144 PACKETS

NET WT.
0.03 OZ (0.9 g)

Drug Facts

Active ingredients (in each gram)

Active ingredients (in each gram)	Purpose
Bacitracin Zinc 400 units	First Aid Antibiotic
Neomycin Sulfate 5 mg (Equivalent to 3.5 mg Neomycin)	First Aid Antibiotic
Polymyxin B 5000 units	First Aid Antibiotic

Uses ■ First aid to help prevent infection in ■ minor cuts ■ scrapes ■ burns

Warnings

For external use only.

Do not use ■ in the eyes ■ if you are allergic to any of the ingredients ■ over large areas of the body

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if ■ you need to use longer than 1 week ■ condition persists or gets worse ■ rash or other allergic reaction develops

KEEP OUT OF REACH OF CHILDREN. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage.

Other information Store at controlled room temperature 59°-86°F (15°-30°C). ■ use only if packaging is intact.

Inactive ingredients mineral oil, petrolatum



TRIPLE ANTIBIOTIC OINTMENT FIRST AID ANTIBIOTIC

1 TUBE Not made with Natural Rubber Latex

NET WT. 1 OZ (28.4 g)

Drug Facts

Active ingredients (in each gram)

Active ingredients (in each gram)	Purpose
Bacitracin Zinc 400 Units	First Aid Antibiotic
Neomycin Sulfate 5mg (Equivalent to 3.5mg Neomycin)	First Aid Antibiotic
Polymyxin B Sulfate 5,000 Units	First Aid Antibiotic

Uses ■ First aid to help prevent infection in ■ minor cuts ■ scrapes ■ burns

Warnings ■ For external use only

Do not use ■ in the eyes ■ if you are allergic to any of the ingredients, due to the possibility of anaphylactic shock ■ over large areas of the body ■ longer than 1 week unless directed by a doctor

Stop use and ask a doctor ■ in cases of deep or puncture wounds, animal bites or serious burns ■ if the condition persists or gets worse ■ if a rash or other allergic reaction develops

Drug Facts (continued)

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area.
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

Other information

- Store at controlled room temperature 68°-77°F (20°-25°C).
- Use only if packaging is intact.

Inactive ingredient mineral oil, petrolatum

TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-087
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89 Y4M234ES) (BACITRACIN - UNII:58 H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-087-01	1 in 1 BOX	01/01/2018	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:53329-087-96	144 in 1 BOX	01/01/2018	
2	NDC:53329-087-87	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	01/01/2018	

Labeler - Medline Industries, Inc. (025460908)

Revised: 12/2019

Medline Industries, Inc.