

SOLARIUM DAILY ESSENTIALS SKIN PERFECTING PRIMER- zinc oxide lotion
Solarium Brands LLC

Solarium Daily Essentials Skin Perfecting Primer

Solarium Daily Essentials Skin Perfecting Primer

DRUG FACTS

ACTIVE INGREDIENTS

Zinc Oxide 15%

PURPOSE
Sunscreen

USES - Helps prevent sunburn - If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS For external use only - Do not use on damaged or broken skin - When using this product keep out of eyes. Rinse with water to remove - Stop use and seek a doctor if skin rash occurs - Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS Apply liberally and evenly 15 minutes before sun exposure - Reapply at least every 2 hours - Use a water resistant sunscreen if swimming
(continued on next page)

WARNINGS (continued)

Use with caution - Children under 6 months of age do not use - Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To help reduce this risk, regularly use sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limiting time in the sun, especially from 10 a.m. - 4 p.m.; wearing shade clothes, pants, hats, and sunglasses

OTHER INFORMATION - Protect the product in this container from excessive heat and direct sun

(continued on next page)

INACTIVE INGREDIENTS BHT, Butylene/Ethylene/Styrene Copolymer, Butylcetyl Salicylate, Caprylic/Capric Triglyceride, Citrus Aurantium Dulcis (Orange) Peel Extract, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Nobilis (Mandarin Orange) Peel Oil, Cocos Nucifera (Coconut) Fruit Extract, Dimethicone Vinyl Dimethicone Crosspolymer, Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer, Ethylene/Propylene/Styrene Copolymer, Ethylhexylglycerin, Heptylchium Spicatum Extract, Isoceteth-10, Isododecane, Lecithin, Phenoxylethanol, Silica, Squalane, Vanilla Planifolia Fruit Extract

DRUG FACTS

ACTIVE INGREDIENTS

Zinc Oxide 15%

PURPOSE
Sunscreen

USES - Helps prevent sunburn • If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if skin rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours • Use a water resistant sunscreen if swimming
Continued on next page >

CAUTIONS (continued)
or sensitive. Children under 6 months: ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use sunscreen with a broad spectrum SPF of 30 or higher and other sun protection measures including: Limit time in the sun especially from 10 a.m. to 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses.

OTHER INFORMATION • Protect the product in this container from excessive heat and direct sun
Continued on next page >

INACTIVE INGREDIENTS BHT, Butylene/Ethylene Styrene Copolymer, Butyloctyl Salicylate, Caprylic/Capric Triglyceride, Citrus Aurantium Dulcis (Orange) Peel Extract, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Nobilis (Mandarin Orange) Peel Oil, Cocos Nucifera (Coconut) Fruit Extract, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer, Ethylene/Styrene Copolymer, Ethylhexylglycerin, Hedychium Spicatum Extract, Isoceteth-10, Isododecane, Lecithin, Phenoxyethanol, Silica, Squalane, Vanilla Planifolia Fruit Extract

DRUG FACTS

ACTIVE INGREDIENTS

Zinc Oxide 15%

PURPOSE

Sunscreen

USES - Helps prevent sunburn - If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS For external use only - Do not use on damaged or broken skin - When using this product keep out of eyes. Rinse with water to remove - Stop use and seek a doctor if skin rash occurs - Keep out of reach of children, if product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS Apply liberally and evenly 15 minutes before sun exposure - Reapply at least every 2 hours - Use a water resistant sunscreen if swimming
(continued on next page)

DIRECTIONS (continued)
or sweating - Children under 6 months: ask a doctor - Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use sun protection with a broad spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10am - 2pm - Wear long-sleeved shirts, pants, hats, and sunglasses

OTHER INFORMATION - Protect the product in this container from excessive heat and direct sun
(continued on next page)

INACTIVE INGREDIENTS - BHT, Butylene/Ethylene/Styrene Copolymer, Butylacetyl Salicylate, Caprylic/Capric Triglyceride, Citrus Aurantium Dulcis (Orange) Peel Extract, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Nobilis (Mandarin Orange) Peel Oil, Cocos Nucifera (Coconut) Fruit Extract, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol/Propylisesequioxane Silicate Crosspolymer, Ethylene/Propylene/Styrene Copolymer, Ethylhexylglycerin, Hedychium Spicatum Extract, Isoceteareth-10, Isododecane, Lecithin, Phenoxyethanol, Silica, Squalane, Vanilla Planifolia Fruit Extract

Solarium Daily Essentials Skin Perfecting Primer

DRUG FACTS

ACTIVE INGREDIENTS

Zinc Oxide 15%

PURPOSE
Sunscreen

USES - Helps prevent sunburn • If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if skin rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a poison control center right away.

DIRECTIONS Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours • Use a water resistant sunscreen if swimming
Continued on next page >

DIRECTIONS (continued)

or sensitive children under 6 months, ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use sunscreens with a broad spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10am-2pm • Wear long-sleeved shirts, pants, hats, and sunglasses

OTHER INFORMATION • Protect the product in this container from excessive heat and direct sun

Continued on next page >

INACTIVE INGREDIENTS

BHT, Butylene/Styrene Copolymer, Butylacrylate, Caprylic/Capric Triglyceride, Citrus Aurantium Dulcis (Orange) Peel Extract, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Nobilis (Mandarin Orange) Peel Oil, Cocos Nucifera (Coconut) Fruit Extract, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer, Ethylene/Styrene Copolymer, Ethylhexylglycerin, Hedychium Spicatum Extract, Isoceteth-10, Isododecane, Lecithin, Phenoxethanol, Silica, Squalane, Vanilla Planifolia Fruit Extract

Solarium Daily Essentials Skin Perfecting Primer

DRUG FACTS

ACTIVE INGREDIENTS

Zinc Oxide 15%

PURPOSE

Sunscreen

USES - Help prevent sunburn - If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS For external use only - Do not use on damaged or broken skin - When using this product keep out of eyes. Rinse with water to remove - Stop use and ask a doctor if skin rash occurs - Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS Apply liberally and evenly 15 minutes before sun exposure - Reapply at least every 2 hours - Use a water resistant sunscreen if swimming
(Continued on next page)

PRECAUTIONS (continued)
exacerbating. Do not use if you are pregnant or breastfeeding. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To help measure this risk, regularly use a sunscreen with the broad spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 4 p.m. - Wear long-sleeved shirts, pants, hats, and sunglasses

OTHER INFORMATION - Protect the product in this container from excessive heat and direct sun
(Continued on next page)

INACTIVE INGREDIENTS BHT, Butylene/Ethylene/Styrene Copolymer, Butylacrylate, Caprylic/Capric Triglyceride, Citrus Aurantium Dulcis (Orange) Peel Extract, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Nobilis (Mandarin Orange) Peel Oil, Cocos Nucifera (Coconut) Fruit Extract, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer, Ethylene/Propylene/Styrene Copolymer, Ethylhexylglycerin, Heptylchium Spicatum Extract, Isoceteth-10, Isododecane, Lecithin, Phenoxylethanol, Silica, Squalene, Vanilla Planifolia Fruit Extract

Solarium Daily Essentials Skin Perfecting Primer

DRUG FACTS

ACTIVE INGREDIENTS

Zinc Oxide 15%

PURPOSE

Sunscreen

USES - Helps prevent sunburn • If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if skin rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours - Use a water resistant sunscreen if swimming. *(Continued on next page)*

DIRECTIONS (continued)
or sensitive skin under 6 months asks a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use sunscreen with a broad spectrum SPF of 30 or higher and other sun protection measures including: Limit time in the sun especially from 10am-2pm • Wear long-sleeved shirts, pants, hats, and sunglasses.

OTHER INFORMATION - Protect the product in this container from excessive heat and direct sun. *(Continued on next page)*

INACTIVE INGREDIENTS BIT, Butylene/Ethylene/Styrene Copolymer, Butyloctyl Salicylate, Caprylic/Capric Triglyceride, Citrus Aurantium Dulcis (Orange) Peel Extract, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Nobilis (Mandarin Orange) Peel Oil, Cocos Nucifera (Coconut) Fruit Extract, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer, Ethylene/Propylene/Styrene Copolymer, Ethylhexylglycerin, Hedychium Spicatum Extract, Isoceteth-10, Isododecane, Lecithin, Phenoxyethanol, Silica, Squalane, Vanilla Planifolia Fruit Extract.

Solarium Daily Essentials Skin Perfecting Primer

DRUG FACTS

ACTIVE INGREDIENTS

Zinc Oxide 15%

PURPOSE

Sunscreen

USES - Helps prevent sunburn - If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS For external use only - Do not use on damaged or broken skin - When using this product keep out of eyes. Rinse with water to remove - Stop use and seek a doctor if skin rash occurs - Keep out of reach of children, if product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS Apply liberally and evenly 15 minutes before sun exposure - Reapply at least every 2 hours - Use a water resistant sunscreen if swimming
(continued on next page)

DIRECTIONS (continued)
or sweating - Wash under running water - Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, use this product as sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. to 4 p.m. - Wear long-sleeved shirts, pants, hats, and sunglasses

OTHER INFORMATION - Protect the product in this container from excessive heat and direct sun
(continued on next page)

INACTIVE INGREDIENTS - BHT, Butylene/Ethylene/Styrene Copolymer, Butylacetyl Salicylate, Caprylic/Capric Triglyceride, Citrus Aurantium Dulcis (Orange) Peel Extract, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Nobilis (Mandarin Orange) Peel Oil, Cocos Nucifera (Coconut) Fruit Extract, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol/Propylsilsesquioxane Silicate Crosspolymer, Ethylene/Propylene/Styrene Copolymer, Ethylhexylglycerin, Hedychium Spicatum Extract, Isoceteareth-10, Isododecane, Lecithin, Phenoxyethanol, Silica, Squalane, Vanilla Planifolia Fruit Extract

SOLARIUM DAILY ESSENTIALS SKIN PERFECTING PRIMER

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84891-2188
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	165 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CITRUS AURANTIUM DULCIS (ORANGE) PEEL OIL (UNII: AKN3KSD11B)	
BHT (UNII: 1P9D0Z171K)	
VANILLA PLANIFOLIA OIL (UNII: 0A3F415158)	
COCOS NUCIFERA (COCONUT) OIL (UNII: Q9L0O73W7L)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SQUALANE (UNII: GW89575KF9)	
ISODODECANE (UNII: A8289P68Y2)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEDYCHIUM SPICATUM WHOLE (UNII: V88105URGI)	
CITRUS AURANTIUM DULCIS (ORANGE) PEEL WAX (UNII: 0U715N387C)	
DIMETHICONOL/PROPYLSILSESQUIOXANE/SILICATE CROSSPOLYMER (45000000 MW) (UNII: 9KB5R958PB)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ISOCETETH-10 (UNII: 1K92T9919H)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CITRUS NOBILIS (MANDARIN ORANGE) PEEL OIL (UNII: NJO720F72R)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84891-2188-1	30 mL in 1 TUBE; Type 0: Not a Combination Product	11/21/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/21/2024	

Labeler - Solarium Brands LLC (119371676)

Revised: 11/2025

Solarium Brands LLC