SANIISWAB- isopropyl alcohol swab POLLEY MED LLC

Isopropyl alcohol 70%. Purpose: Antiseptic

Antiseptic

Two-step method to clean and sanitize the skin of the lower inner nostrils

■ cleans ■ sanitizes

Flammable, keep away from fire and flames For external use only

Do Not Use:

- In eyes or mouth
- More than twice a day
- If product is opened or damaged
- If you are allergic to any ingredients
- If you have a history of nasal irritation or bleeding

Stop use and ask a doctor if redness, pain, or irritation appear and lasts more than 24 hours. Keep out of reach of children.

Adults and children over 12 years of age

Step 1. Cleaning. Open Step 1 packet and hold handle, inserting one swab tip into each nostril. Swab lower interior skin inside the nose in a circular motion 7 times. Handle guard protects against insertion of swab tip beyond the nostrils. Discard. Step 2. Sanitizing. Repeat Step 1 with Step 2 packet. Discard.

- Adults and children 12 years and over- Use once a day
- Children under 12 years of age- Use under adult supervision
- Children under 5 years- Ask a doctor

Protect from excessive moisture

Avoid freezing and excessive heat above 40 °C (104 °F)

water, glycerin, sodium chloride, sodium benzoate, PEG-60 hydrogenated castor oil, cocamidopropyl betaine, lavender oil

Keep out of reach of children.









SANITIZE





WASSH AWAY IRRITANTS & ALLERGEN

Open Step 1 packet. Remove and hold

anilifewab** hand do between thumb and

index finger.

Insert both swabs—one into each

nostril—placing swebs against nostril

skin. Rotate awabs in a circular motion

7 times. (Hondrie gover protects against

inserting sweb (pis see fur.)

WIPE OUT BACTERIA & VIRUSES

Open Step 2 packet. Remove and hold
SaniiSwab** handle between thumb and
index finger.
Insert both swabs into cleansed nostrils,
sloping swabs against the nostril skin.

Rotate swabs in circular motion 7 times. Discard sanitizing swabs. Sanii Swab"
Anytime Anywhere Nasal Care

PATENTED* PROCESS

Drug Facts
Active ingredients Purpos
Sap 2 isoprop) elected 70% Antesepte
Uses be-stap method to deen and sonitize the skie of the inner notifies

• clean # confident*

Warnings
Flammable, keep away from fire and flame
For external use only
Do Not Uses

more than twice a day
 if product is opened or damaged
 if you are allergic to any ingredients

Stop use and ask a doctor if redness, pain, or irritation appear and lasts more than 72 hours. **Keep out of reach of children**

Step 1. Clearing. Open Step 1 quotet and hold handle, inserting on easilb join took on north. Salva blower instair is largely inside the noise in a circular motion if times. Handle guard predicts against insection of sevel to playour den noise. Size of the section of sevel to playour den noise. Discourt
Step 2. Samitteing, Repeat Step 1 with Step 2 packet. Discourd.
Adults and drillow 12 years and over Use cross a day

Multis and shiften 12 years and over Use once a day
Children under 12 years of age Use under adult eupenhilion
Children under 5 years Asia a disolor

■ avoid freezing and excessive heat above 40° C (104° F)

Inactive Ingredients
Step 1: Water Gloratin, Sodium Chloride, Sodium Recognit

Step 1: Water, Glycerin, Bodium Chloride, Sedium Berzoot PEG-09 Hydrogenated Castor OI, Cocamidopropyl Betains Laverded (1) Step 2: Water

Manufactured for MedSchenker 493 Old Trenton Road | East Windoor, New Jersey 085

1



SANIISWAB

isopropyl alcohol swab

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:84456-026

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	

SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
COCAMIDOPROPYL BETAINE (UNII: 50CF3011KX)	
WATER (UNII: 059QF0KO0R)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:84456-026- 02	100 in 1 BOX	03/20/2025		
1	NDC:84456-026- 01	0.3 g in 1 PACKET; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M003	03/20/2025		

Labeler - POLLEY MED LLC (125097794)

Revised: 3/2025 POLLEY MED LLC