

TIZO2- titanium dioxide, zinc oxide cream
Fallien Cosmeceuticals, LTD.

DRUG FACTS

Active Ingredients:

Titanium Dioxide 8%

Zinc Oxide 3.8%

Purpose

Sunscreen

Sunscreen

Uses:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product, keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10:00 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients:

Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Lauryl PEG/PPG 18/18 Methicone, Methicone, PEG-10 Dimethicone

Other Information:

- Protect this product from excessive heat and direct sun
- May stain some fabrics

Principal Display Panel – Carton Label

NDC 58892-336-45

**SOLAR
PROTECTION
FORMULA®**


TiO₂® protection

Facial Mineral Fusion

for Light Skin Tones

SPF 40
Broad Spectrum
Water Resistant
(80 minutes)

1.5 Fl. Oz./ 44.4 ml



TIZO2

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58892-336
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	85.4 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	40.7 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Aluminum Oxide (UNII: LMI26O6933)	
Cyclomethicone 5 (UNII: 0THT5PCI0R)	
Dimethicone (UNII: 92RU3N3Y1O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58892-336-45	1 in 1 CARTON	03/01/2009	12/31/2024
1		44.4 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/01/2009	

Labeler - Fallien Cosmeceuticals, LTD. (958388357)**Establishment**

Name	Address	ID/FEI	Business Operations
Custom Analytics LLC		144949372	ANALYSIS(58892-336)

Establishment

Name	Address	ID/FEI	Business Operations
Process Technologies & Packaging		809172885	MANUFACTURE(58892-336) , PACK(58892-336)

Revised: 12/2010

Fallien Cosmeceuticals, LTD.