

TXTK NUMB- procaine ointment
USA MINGER Inc.

TXTK NUMB

Procaine 5%

Topical anesthetic

Tattoo, waxing and hair removal etc.

For external use only.

on open skin wounds.in ornear the eyes. In case ofcontact, rinse eyes thoroughlywith water and stop using.

keep out of eyes, ears, andmouth.Incase of contact witheyes, rinse eyes thoroughlywith water.

and ask a doctor if irritationor rash occurs. These maybe signs of allergy.

If swallowed, get medicalhelp or contact a PoisonControl Center right away.

1. Unscrew the cap and tear off the seal before using. Tighten the cap in time after use.
2. Wash the skin with soap and warm water making sure it's clean and free of bacteria
3. Put the cream evenly on the skin/(1 mm thick), and cover it with a plastic wrap for 50-60 minsto achieve 4-6 hours of numbness.
4. Before starting the operation, remove the cream and let the skin breathe for 5-10 mins. Whenapplying this cream, Please keep the skin warm for faster absorption.

AQUA

1,2-HEXANEDIOL

PROPYLENE GLYCOL

MENTHA ARVENSIS LEAF EXTRACT

CARBOMER

CHRYSANTHELLUM INDICUM EXTRACT

GLYCERIN

PORTULACA OLERACEA EXTRACT


DISODIUM EDTA

PEG-40 HYDROGENATED CASTOR

HYDROXYACETOPHENONE

A new Generation of enhanced
epidermal topical anesthetic
cream with prolonged effect.

TKTX NUMB



New Anesthetic Cream Lasting 4-6 Hours

TKTX NUMB
MAXIMUM STRENGTH PAIN RELIEVER

Tattoo Maximum Strength ★★★★★

External Use

10g

+Extra 3.5g

80%

Uses

Local anesthesia of the skin, such as: Tattoo, Piercing, Permanent Makeup, Microdermabrasion, IPL Treatment, Fractional Co2 Laser, Laser Tattoo Removal, Mole Wart Removal, Derraroller, Hair Removal, As well as pain relief during various small epidermal surgeries.

Drug Facts

Active Ingredients.....Purpose
Procaine 5%Topical anesthetic

Uses

Tattoo, waxing and hair removal etc.

Warnings

For external use only.

Do not use

on open skin wounds, in or near the eyes. In case of contact, rinse eyes thoroughly with water and stop using.

When using this product

keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use

and ask a doctor if irritation or rash occurs. These may be signs of allergy.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Inactive ingredients

Water, Propylene Glycol, Carbomer, Glycerin, Disodium Edta, Hydroxyacetophenone, 1,2-Hexanediol, Mentha Arvensis Leaf Extract, Chrysanthellum Indicum Extract, Portulaca Oleracea Extract, Peg-40 Hydrogenated Castor.

Distributed by:

USA MINGER Inc.
908 Industry Dr
Tukwila WA
98188
United States

Usage

1. Unscrew the cap and tear off the seal before using. Tighten the cap in time after use.
2. Wash the skin with soap and warm water making sure it's clean and free of bacteria.
3. Put the cream evenly on the skin (1mm thick), and cover it with a plastic wrap for 50-60 mins to achieve 4-6 hours of numbness.
4. Before starting the operation, remove the cream and let the skin breathe for 5-10 mins. When applying this cream, Please keep the skin warm for faster absorption.



TKTX NUMB

A new Generation of enhanced
epidermal topical anesthetic
cream with prolonged effect.

procaine ointment

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84353-003
Route of Administration	TOPICAL		

Ingredient Name	Basis of Strength	Strength
PROCAINE (UNII: 4Z8Y51M438) (PROCAINE - UNII:4Z8Y51M438)	PROCAINE	0.05 g in 1 g

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
AQUA (UNII: 059QF0KO0R)	
MENTHA ARVENSIS LEAF (UNII: A4IWO4DDZ9)	
CARBOMER (UNII: 0A5MM307FC)	
CHRYSANTHELLUM INDICUM TOP (UNII: STJ856D1Z0)	
GLYCERIN (UNII: PDC6A3C0OX)	
PURSLANE (UNII: M6S840WXG5)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PEG-40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84353-003-01	1 in 1 BOX	03/14/2025	
1		10 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/14/2025	

Labeler - USA MINGER Inc. (123952552)

Establishment

Name	Address	ID/FEI	Business Operations
USA MINGER Inc.		123952552	manufacture(84353-003)

Revised: 3/2025

USA MINGER Inc.