

WALGREENS ANORECTAL LIDOCAINE CREAM- 5% lidocaine cream
Walgreens Company

Drug Fact

Active Ingredient

Lidocaine 5% W/W

Purpose

Local Anesthetic

Uses

Helps relieve the pain, itching, and burning associated with hemorrhoids and other anorectal disorders.

Warnings

For external use only.

When using this product

- avoid contact with eyes
- do not exceed recommended dosage unless directed by a doctor
- do not put this product into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- rectal bleeding occurs
- condition worsens or does not improve within 7 days
- allergic reaction occurs to ingredients in this product
- symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase
- symptoms clear up and return within a few days

**If pregnant or breastfeeding,
ask a health professional before use.**

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- When practical, clean area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth before applying.
- Adults and children 12 years and older: apply externally to the affected area up to 6 times a day.
- Children under 12 years of age: consult a doctor.
- To use finger cots: Roll one finger cot over finger. Gently squeeze cream onto finger cot. Smooth a layer of the cream over affected area.

Other Information

Store at controlled room temperature 68-77° F (20-25 °C)

Inactive ingredient

Benzyl Alcohol, Carbomer, Cholesterol, Hydrogenated Lecithin, Isopropyl Myristate, Polysorbate 80, Propylene Glycol, Purified Water, Trolamine, Vitamin E Acetate

Questions ? 1- 800-222-1087

Principal Primary panel -Tube

Walgreens NDC 0363-5722-28

Anorectal

Lidocaine Cream 5%

NET WT 1 OZ (28.3g)



Principal Primary Panel - Carton

Walgreens NDC 0363-5722-28

Anorectal

Lidocaine Cream 5%
NET WT 1 OZ (28.3g)



NDC 0363-5722-28

NET WT 1 OZ (28.3 g)

NDC 0363-5722-28

Walgreens

Compare to the active ingredient in RectiCare[®] Anorectal Cream[†]

**ANORECTAL
Lidocaine
Cream**

LIDOCAINE 5% /
HEMORRHOIDAL
LOCAL ANESTHETIC

+ 10 Finger Cots*

- For the temporary relief of anorectal itching & discomfort associated with hemorrhoids
- Helps relieve pain, soreness & burning
- Highest lidocaine strength available over the counter

Read and keep outside carton for complete product information.

Child resistant and tamper evident: Do not use if the tube is damaged or tampered with.

Close cap tightly after each use.

+ 10 Finger Cots*

- For the temporary relief of anorectal itching & discomfort associated with hemorrhoids
- Helps relieve pain, soreness & burning
- Highest lidocaine strength available over the counter

Lidocaine Cream
LIDOCAINE 5% / HEMORRHOIDAL LOCAL ANESTHETIC

Walgreens
Compare to the active ingredient in RectiCare[®] Anorectal Cream[†]



*CAUTION: The finger cot contains natural rubber latex, which may cause allergic reaction.



[†]Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
[‡]This product is not manufactured or distributed by ©Ferndale Healthcare[®] Inc., owner of the registered trademark RectiCare[®] Anorectal Cream.

DISTRIBUTED BY:
WALGREEN CO.
200 WILMOT RD.,
DEERFIELD, IL 60015
100% SATISFACTION
GUARANTEED
walgreens.com
©2022 Walgreen Co.
MADE IN THE U.S.A.
OF U.S. AND IMPORTED
INGREDIENTS AND
COMPONENTS

*CAUTION: The finger cot contains natural rubber latex, which may cause allergic reaction.

NET WT 1 OZ (28.3 g)

Drug Facts

Active ingredient Purpose
Lidocaine 5% w/w, Local anesthetic

Uses Helps relieve the pain, itching, and burning associated with hemorrhoids and other anorectal disorders.

Warnings
For external use only
When using this product
• avoid contact with eyes
• do not exceed recommended dosage unless directed by a doctor
• do not put this product into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if
• rectal bleeding occurs
• condition worsens or does not improve within 7 days
• allergic reaction occurs to ingredients in this product
• symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase
• symptoms clear up and return within a few days

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• When practical, clean area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth before applying.
• Adults and children 12 years and older: apply externally to the affected area up to 6 times a day.
• Children under 12 years of age: consult a doctor.
• To use finger cots: Roll one finger cot over finger. Gently squeeze cream onto finger cot. Smooth a layer of the cream over affected area.

Other information
Store at controlled room temperature 68-77°F (20-25°C).

Inactive ingredients
Benzyl Alcohol, Carbomer, Cholesterol, Hydrogenated Lecithin, Isopropyl Myristate, Polysorbate 80, Propylene Glycol, Purified Water, Triethylamine, Vitamin E Acetate

Questions? 1-800-222-1087

ITEM XXXXXX W00000-0000-0



W30RGMYY-F

WALGREENS ANORECTAL LIDOCAINE CREAM

5% lidocaine cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-5722 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|--------------|
| LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE | 50 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N) | |
| TROLAMINE (UNII: 9O3K93S3TK) | |
| ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS) | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | |
| CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC) | |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| CHOLESTEROL (UNII: 97C5T2UQ7J) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0363-5722-28 | 1 in 1 CARTON | 04/30/2022 | |
| 1 | | 28.3 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M015 | 04/30/2022 | |

Labeler - Walgreens Company (008965063)