

MAXIMUM STRENGTH 4% LIDOCAINE PATCH- lidocaine patch
Solis Pharmaceuticals Inc.

Maximum Strength 4% Lidocaine Patch

Active Ingredient

Lidocaine 4%

Purpose

Topical Anesthetic

Uses

for temporary relief of pain

Warnings

For external use only

Do Not Use

- more than one patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product

When Using This Product

- use only as directed rashes
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

Stop Use and Ask a Doctor if

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling or blistering
- conditions worsen
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

If Pregnant or Breast Feeding

ask a health professional before use.

Keep Out of Reach of Children and Pets

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and over:

- clean and dry affected area
- remove backing layer from patch and apply to the affected area (see pictorial representation)
- remove patch from the skin after at most 8-hour application
- apply to affected area not more than 3 to 4 times daily

children under 12 years of age: consult a doctor

Other information

- store at 20-25°C (68-77°F)
- protect product from direct sunlight and excessive moisture

Inactive Ingredients

dihydroxyaluminum aminoacetate, edetate disodium, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, polyvinylpyrrolidone K90, propylene glycol, propylparaben, sodium polyacrylate, tartaric acid, titanium dioxide, water.

Questions and Comments

Call 1-855-314-1850

Bulk Package Label

MAXIMUM STRENGTH

Pansolix® Pain Relieving Patch

4% Lidocaine

ODORFREE

NUMBS SENSITIVE NERVES FOR TEMPORARY RELIEF OF PAIN

- BACK NECK
- KNEES
- ELBOWS
- SHOULDERS

30 PATCHES 3-15/16" x 5-1/2" (10 cm x 14 cm)



MAXIMUM STRENGTH

Pansolix[®]

Pain Relieving Patch

4% Lidocaine

ODORFREE

NUMBS SENSITIVE NERVES FOR TEMPORARY RELIEF OF PAIN

- BACK • NECK
- KNEES • ELBOWS
- SHOULDERS

1 PATCH
3-15/16" x 5-1/2"
(10 cm x 14 cm)



MAXIMUM STRENGTH

Pansolix[®]

Pain Relieving Patch

4% Lidocaine

ODORFREE

NUMBS SENSITIVE NERVES FOR TEMPORARY RELIEF OF PAIN

- BACK • NECK
- KNEES • ELBOWS
- SHOULDERS

30 PATCHES
3-15/16" x 5-1/2"
(10 cm x 14 cm) Each

APPLYING YOUR PATCH



Peel off one side of the backing layer & apply exposed portion to affected area.



Peel off the remaining backing layer and press the patch in place.



Drug Facts

Active ingredient	Purpose
Lidocaine 4%	Topical anesthetic.

Uses for temporary relief of pain

Warnings for external use only

Do not use ■ more than one patch at a time ■ on wounds or damaged skin ■ with a heating pad ■ if you are allergic to any ingredients of this product

When using this product ■ use only as directed ■ avoid contact with the eyes, mucous membranes or rashes ■ do not bandage tightly

Stop use and ask a doctor if ■ localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling or blistering ■ conditions worsen ■ symptoms persist for more than 7 days ■ symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Adults and children 12 years of age and over: ■ clean and dry affected area ■ remove backing layer from patch and apply to the affected area (see pictorial representation) ■ remove patch from the skin after at most 8-hour application ■ apply to affected area not more than 3 to 4 times daily
children under 12 years of age: ■ consult a doctor

Other information ■ store at 20-25°C (68-77°F) ■ protect product from direct sunlight and excessive moisture

Inactive ingredients
dihydroxyaluminum aminoacetate, edetate disodium, glycerin, kaolin, methylparaben, polyacrylic acid, polyisobutyl methacrylate, polyvinylpyrrolidone K90, propylene glycol, propylparaben, sodium polyacrylate, tartaric acid, titanium dioxide, water.

Questions and Comments: Call 1-855-314-1850

Blank area for Lot No. & Exp Date

Distributed by:
SOLIS PHARMACEUTICALS INC.
20 Broadhollow Road, Suite 3011, Melville, NY 11747
MADE IN CHINA

MAXIMUM STRENGTH 4% LIDOCAINE PATCH

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85185-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg

Inactive Ingredients

Ingredient Name	Strength
POVIDONE K90 (UNII: RDH86HJV5Z)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
GLYCERIN (UNII: PDC6A3C0OX)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
KAOLIN (UNII: 24H4NWX5CO)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85185-001-30	30 in 1 BOX	03/01/2025	
1		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/01/2025	

Labeler - Solis Pharmaceuticals Inc. (119380963)

Revised: 4/2025

Solis Pharmaceuticals Inc.