STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

• take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over
take 1-3 softgels daily
children 2 to under 12 years of age
children under 2 yearstake 1 softgel daily
ask a doctor

Other information

- each softgel contains:sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

black iron oxide, D&C red #33, edible ink, FD&C blue #1*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, hypromellose, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?

Call 1-888-309-9030

Principal Display Panel

Compare to the active ingredient in Colace® Regular Strength Stool Softener†

Stool Softener

Docusate sodium 100 mg

stool softener laxative

- gentle
- dependable
- stimulant-free

Softgels

†This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace Regular Strength Stool Softener.


TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

Product Label



Questions or comments? Call 1-888-309-9030	Inactive ingredients black iron oxide, D&C #33, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, glycerin, hypromellose, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide	Other information ■ each softgel contains: sodium 6 mg ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)	children under 2 years	children 2 to under 12 years of age	adults and children 12 years and over	 Directions take only by mouth. Doses may be taken as a single daily dose or in divided doses. 	If pregnant or breast-feeding, ask a health pr before use. Keep out of reach of children. In case of oven medical help or contact a Poison Control Center (1-800-222-1222) right away.	 Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could t of a serious condition. you need to use a laxative for more than 1 wee 	Drug Facts (continued)
ents?	black iron oxide, D&C red id #40, FD&C yellow #6, se, polyethylene glycol, ater, sorbitan, sorbitol,	odium 6 mg ursions permitted between	ask a doctor	take 1 softgel daily	take 1-3 softgels daily	s may be taken as a single xses.	If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	op use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition. you need to use a laxative for more than 1 week	(be

DOLLAR GENERAL HEALTH Stool Softener Laxative

STOOL SOFTENER L						
docusate sodium capsule, li						
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (So	urce)	NDC:559	10-853	
Route of Administration	ORAL					
Active Ingredient/Active Moiety						
Ing	redient Name		Basis of Str	ength	Strength	
DOCUSATE SODIUM (UNII: F05Q	2T2JA0) (DOCUSATE - UNII:N	47P27195AG)	DOCUSATE SOD	NUM	100 mg	
Inactive Ingredients						
Ingredient Name					trength	
D&C RED NO. 33 (UNII: 9DBA0SE	BBOL)					
FD&C BLUE NO. 1 (UNII: H3R47k	(3TBD)					
FD&C RED NO. 40 (UNII: WZ B91	27XOA)					

I DGC ILLEOW NO.	6 (UNII: H77VEI93A8)		
GELATIN (UNII: 2G86	QN327L)		
GLYCERIN (UNII: PDC	6A3C0OX)		
POLYETHYLENE GLY	(UNCOL, UNSPECIFIED (UN	NII: 3MJQOSDW1A)	
PROPYLENE GLYCO	L (UNII: 6DC9Q167V3)		
WATER (UNII: 059QFC)KO0R)		
SORBITAN (UNII: 609	2ICV9RU)		
SORBITOL (UNII: 506	T60A25R)		
TITANIUM DIOXIDE	(UNII: 15FIX9V2JP)		
HYPROMELLOSE, U	NSPECIFIED (UNII: 3NXW	29V3WO)	
FERROSOFERRIC O	KIDE (UNII: XM0M87F357)		
Product Charac	teristics		
Product Charac Color	red, white	Score	no score
		Score Size	no score 12mm
Color	red, white		

Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date
	BOTTLE, PLASTIC; Type 0: Not a ion Product	04/30/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	04/30/2021	
5 1 5			

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 3/2024

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)