

VALUMEDS ALL DAY ALLERGY CETIRIZINE HYDROCHLORIDE- cetirizine hydrochloride tablet
Cabinet Health P.B.C.

ValuMeds All Day Allergy, Cetirizine Hydrochloride

Drug Facts

Active ingredient (in each tablet)

Cetirizine HCl 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies • runny nose • sneezing • itchy watery eyes • itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

• drowsiness may occur • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness • be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20°-25°C (68°-77°F)

Inactive ingredients

hypromellose, lactose, magnesium stearate, maize starch, polyethylene glycol, povidone, titanium dioxide

Questions or comments?

Call **1-908-242-6108** Mon-Fri 8:00 AM to 5:00 PM EST

Package Labeling: 82725-1103-3

NDC 82725-1103-3
TALUMEDS[®]

ALL DAY ALLERGY
Cetirizine Hydrochloride tablets
10 mg / Antihistamine

Compare to the active ingredient in Zyrtec[®]

24 Hour Relief of:
✓ Sneezing ✓ Runny Nose
✓ Itchy Watery Eyes
✓ Itching of the Nose or Throat

100
Capslets

24
hour

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE

Drug Facts				
<table border="1"> <thead> <tr> <th>Active ingredient (in each tablet)</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Cetirizine HCl 10 mg.....</td> <td>Antihistamine</td> </tr> </tbody> </table> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: <input type="checkbox"/> runny nose <input type="checkbox"/> sneezing <input type="checkbox"/> itchy, watery eyes <input type="checkbox"/> itching of the nose or throat</p> <p>Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.</p>	Active ingredient (in each tablet)	Purpose	Cetirizine HCl 10 mg.....	Antihistamine
Active ingredient (in each tablet)	Purpose			
Cetirizine HCl 10 mg.....	Antihistamine			

†This product is not manufactured or distributed by McNeil Consumer Healthcare Division of McNEIL-PPC, Inc., owner of the registered trademark Zyrtec[®]. (Continued on back of the label)

ITEM # 10003-05

Distributed By:
Cabinet Health P.B.C
Brooklyn, NY 11222
ORG 06/2025

Made in India

8 50069 92815 5

LOT: _____
EXP: _____

4.75" Width

FRONT

Drug Facts (continued)

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product
 drowsiness may occur avoid alcoholic drinks
 alcohol, sedatives, and tranquilizers may increase drowsiness
 be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:
 if breast-feeding: not recommended
 if pregnant: ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information
 store between 20° to 25°C (68° to 77°F)

Inactive ingredients
hypromellose, lactose, magnesium stearate, maize starch, polyethylene glycol, povidone, titanium dioxide

Questions or comments?
call 1-908-242-6108 Mon-Fri 8:00 AM to 5:00 PM EST

10003-05-DF

4.75" Width

BACK

Package Labeling: 82725-1103-1

- 24 hour relief of:
- sneezing
 - itchy, watery eyes
 - runny nose
 - itching of the nose or throat

300 tablets

Actual Size



VALUMEDS
Compare to the active ingredient in Zyrtec®†

ALLERGY RELIEF

Cetirizine hydrochloride tablets, 10 mg / antihistamine

indoor & outdoor allergies

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE

Drug Facts

Active ingredient (in each tablet) Purpose
Cetirizine HCl 10 mg.....Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

(Continued on back of the label)

†This product is not manufactured or distributed by McNeil Consumer Healthcare Division of McNEIL-PPC, Inc., owner of the registered trademark Zyrtec®.

Distributed By: Cabinet Health P.B.C
Brooklyn, NY 11222 REV 03/2025
ITEM # 10003-03 Made in India



LOT:

EXP:

NON VARNISH



Drug Facts (continued)

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

hypromellose, lactose, magnesium stearate, maize starch, polyethylene glycol, povidone, titanium dioxide

Questions or comments?

call 1-908-242-6108 Mon-Fri 8:00 AM to 5:00 PM EST

10003-03 - []

24 hour relief of:
 • sneezing • runny nose
 • itchy, watery eyes
 • itching of the nose or throat

500 tablets



NDC 82725-1103-2
VALUMEDS
 Compare to the active ingredient in Zyrtec®†
ALLERGY RELIEF
 Cetirizine hydrochloride tablets, 10 mg / antihistamine
 indoor & outdoor allergies

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE

Drug Facts

Active ingredient (in each tablet) Purpose
 Cetirizine HCl 10 mg.....Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ sneezing ■ itchy, watery eyes
 ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

(Continued on back of the label)

†This product is not manufactured or distributed by McNeil Consumer Healthcare Division of McNEIL-PPC, Inc., owner of the registered trademark Zyrtec®.

Distributed By: Cabinet Health P.B.C
 Brooklyn, NY 11222 ORG 3/2025
 ITEM # 10003-04 Made in India



LOT:

EXP:

NON VARNISH



Drug Facts (continued)

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

hypromellose, lactose, magnesium stearate, maize starch, polyethylene glycol, povidone, titanium dioxide

Questions or comments?

call 1-908-242-6108 Mon-Fri 8:00 AM to 5:00 PM EST

VALUMEDS ALL DAY ALLERGY CETIRIZINE HYDROCHLORIDE

cetirizine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82725-1103
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	BULLET	Size	8mm
Flavor		Imprint Code	CTN;10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82725-1103-3	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2025	
2	NDC:82725-1103-2	500 in 1 BOTTLE; Type 0: Not a Combination Product	05/25/2025	
3	NDC:82725-1103-1	300 in 1 BOTTLE; Type 0: Not a Combination Product	05/25/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077829	05/25/2025	

Labeler - Cabinet Health P.B.C. (117102391)

Revised: 10/2025

Cabinet Health P.B.C.