

**MOTION SICKNESS RELIEF- meclizine hcl tablet**  
**Topco Associates, LLC**

-----  
**Topcare 44-403**

***Active ingredient (in each tablet)***

Meclizine HCl 25 mg

***Purpose***

Antiemetic

***Uses***

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

***Warnings***

**Do not use**

for children under 12 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **do not take more than directed**
- take first dose ½ to 1 hour before starting activity
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

### ***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

### ***Inactive ingredients***

colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

### ***Questions or comments?***

**1-888-423-0139**

### ***Principal display panel***

**+TopCare®**

health

NDC 36800-943-19

**COMPARE TO  
DRAMAMINE® LESS DROWSY  
ACTIVE INGREDIENT\***

LESS DROWSY FORMULA

**Motion Sickness Relief**

MECLIZINE HCl, 25 mg - ANTIEMETIC

**LONG LASTING:**

- Up to 24 Hours of Protection
- Prevents Nausea,  
Dizziness and Vomiting

Ages 12 Years and Over

**UP TO  
24  
HOURS**

**8 TABLETS**

**actual size**

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE, IL 60007  
©TOPCO LNKA0521 QUESTIONS? 1-888-423-0139  
topcare@topco.com www.topcarebrand.com

\*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® Less Drowsy.

50844      ORG042340319

**QUALITY  
GUARANTEED**

**UP TO 24 HOURS** **LONG LASTING:**  
• Up to 24 Hours of Protection  
• Prevents Nausea, Dizziness and Vomiting

**+TopCare.**  
health

**8 TABLETS**

**LESS DROWSY FORMULA**

**Motion Sickness Relief**  
MECLIZINE HCl, 25 mg - ANTIEMETIC

NDC 36800-943-19

**+TopCare.**  
health

**COMPARE TO  
DRAMAMINE® LESS DROWSY  
ACTIVE INGREDIENT\***

**LESS DROWSY FORMULA**

**Motion Sickness Relief**  
MECLIZINE HCl, 25 mg - ANTIEMETIC

**UP TO 24 HOURS** **LONG LASTING:**  
• Up to 24 Hours of Protection  
• Prevents Nausea, Dizziness and Vomiting

Ages 12 Years and Over

**8 TABLETS**

actual size

E1044

8-1910-08004


1-888-423-0139

50844 ORG042340319

\*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® Less Drowsy.

GUARANTEED

DISTRI BUTED BY TOPCO ASSOCIATES LLC  
 ELK GROVE VILLAGE, IL 60007  
 ©TOPCO UNK/A05 21 QUESTIONS? 1-888-423-0139  
 topcare@topco.com www.topcarebrand.com

Scan here for more information  


QUALITY

-4034-194  
 2340319

TAMPER EVIDENT: DO NOT USE IF  
 PACKAGE IS OPENED OR IF BLISTER  
 UNIT IS TORN, BROKEN OR SHOWS  
 ANY SIGNS OF TAMPERING

No print/No varnish  
 Lot & Exp date

036800770270

Drug Facts  
 (in each tablet)  
 Meclizine HCl 25 mg  
 Antiemetic

Purpose  
 Antiemetic

Uses  
 for the prevention and treatment of nausea,  
 vomiting, or dizziness associated with motion sickness

Warnings  
 Do not use for children under 12 years of age unless  
 directed by a doctor.  
 Ask a doctor before use if you have  
 difficulty in urination due to enlargement of the  
 prostate gland  
 glaucoma  
 a breathing problem such as emphysema or chronic  
 bronchitis  
 Ask a doctor or pharmacist before use if you are  
 taking sedatives or tranquilizers.  
 When using this product  
 drowsiness may occur  
 avoid alcoholic beverages  
 alcohol, sedatives, and tranquilizers may increase  
 drowsiness  
 use caution when driving a motor vehicle or  
 operating machinery

Other information  
 TAMPER EVIDENT: DO NOT USE IF OUTER  
 PACKAGE IS OPENED OR BLISTER IS TORN OR  
 BROKEN  
 store at 25°C (77°F); excursions permitted between  
 15°-30°C (59°-86°F)  
 protect from heat and humidity  
 see end flap for expiration date and lot number

Directions  
 do not take more than directed  
 take first dose ½ to 1 hour before starting activity  
 adults and children 12 years and over: 1 to 2 tablets  
 once daily, or as directed by a doctor

Inactive ingredients  
 D&C yellow #10 aluminum lake, lactose monohydrate,  
 magnesium stearate, pregelatinized starch

Questions or comments? 1-888-423-0139

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

## TopCare 44-403

### MOTION SICKNESS RELIEF

meclizine hcl tablet

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-943
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

#### Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

### Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	44;403
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-943-19	1 in 1 CARTON	05/30/2019	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	05/30/2019	

**Labeler** - Topco Associates, LLC (006935977)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(36800-943)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(36800-943) , pack(36800-943)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(36800-943)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(36800-943)