

OURUI ONE WART COMPLETE CARE KIT CORN WART REMOVER- salicylic acid 17% wart complete care kit corn wart remover liquid
OURUI ONE WART COMPLETE CARE KIT WART REMOVER- salicylic acid 17% wart complete care kit wart remover cream
Jiangxi Hemei Pharmaceutical Co., Ltd

84010-089 84010-090

Active Ingredient

CORN & WART REMOVER 30Ml
Salicylic acid 17%

WART REMOVER CREAM 20g
Salicylic acid 17%

Purpose

CORN & WART REMOVER
Wart remover

WART REMOVER CREAM
Wart remover

Use

CORN & WART REMOVER
For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

WART REMOVER CREAM
For the removal of common warts, which have a rough, cauliflower-like appearance.

Warnings

CORN & WART REMOVER
For external use only. Flammable.
Keep away from fire and flame.

WART REMOVER CREAM
For external use only. Avoid contact with eyes. If the product gets into eyes, rinse with water for 15 minutes. Avoid inhaling vapors.

Do not use

CORN & WART REMOVER
on irritated skin or on any

area that is infected or reddened on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

WART REMOVER CREAM

On irritated or infected skin, or reddened areas. If you are diabetic or have poor blood circulation. On birthmarks, warts with hair growth, or moles.

When Using

CORN & WART REMOVER

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.

WART REMOVER CREAM

If pregnant or breastfeeding, consult a health professional before use.

Stop Use

CORN & WART REMOVER

Stop use and ask a doctor if discomfort persists.

WART REMOVER CREAM

Stop use and ask a doctor if discomfort persists.

Ask Doctor

CORN & WART REMOVER

Stop use and ask a doctor if discomfort persists.

WART REMOVER CREAM

Stop use and ask a doctor if discomfort persists.

Keep Out Of Reach Of Children

CORN & WART REMOVER

If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

WART REMOVER CREAM

If swallowed, get medical help immediately or contact a Poison Control Center.

Directions

CORN & WART REMOVER□

Wash the affected area. May soak wart in warm water for 5 minutes. Dry area thoroughly.

Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

WART REMOVER CREAM□

1. Wash the affected area.

(Soaking in warm water for 5 minutes may help.)

2. Dry thoroughly.

3. Apply a small amount to cover each wart. Let it dry.

4. Repeat twice daily as needed, for up to 12 weeks.

Other information

CORN & WART REMOVER□

Store at room temperature. Avoid excessive heat (37°C/ 99°F). Skin discoloration may occur during or after use

Inactive ingredients

CORN & WART REMOVER□

Water□Polyethylene Glycol□Glycerin□Borneol□Podofilox

WART REMOVER CREAM□

Water, Polyethylene Glycol, Glycerin, Borneol□Podofilox, Methylparaben□Chlorhexidine

PRINCIPAL DISPLAY PANEL

OURUI ONE™

OURUI ONE™

WART COMPLETE
Care Kit

CLINICALLY PROVEN WART TREATMENT



WART REMOVER CREAM	CORN & WART REMOVER
NET 0.7 oz (20g)	NET : 1 f oz (30mL)



WART COMPLETE
Care Kit

WART COMPLETE Care Kit

CORN & WART REMOVER

Drug Facts
Active ingredient: Salicylic acid 17%
Purpose Wart remover
Uses For the removal of common warts and plantar warts.
Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings For external use only. Flammable. Keep away from fire and flame.

Do not use on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When using this product Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible.
Cap tightly and store at room temperature, away from heat.

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

Directions Wash the affected area. May soak wart in warm water for 5 minutes. Dry area thoroughly.

Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information Store at room temperature. Avoid excessive heat (37°C / 99°F). Skin discoloration may occur during or after use.

Inactive ingredients:
Water 52.5%
Polyethylene Glycol 16%
Glycerin 8%
Borneol 6%
Podoflox 0.5%

WART REMOVER CREAM

Drug Facts
Active ingredient: Salicylic acid 17%
Purpose Wart remover
Uses For the removal of common warts, which have a rough, cauliflower-like appearance.

Warnings For external use only. Avoid contact with eyes. If the product gets into eyes, rinse with water for 15 minutes. Avoid inhaling vapors.

Do not use: On irritated or infected skin, or reddened areas. If you are diabetic or have poor blood circulation. On birthmarks, warts with hair growth, or moles.

When using: If pregnant or breastfeeding, consult a health professional before use.

Keep out of reach of children. If swallowed, get medical help immediately or contact a Poison Control Center.

Stop use and ask a doctor if discomfort persists.

Directions 1. Wash the affected area. (Soaking in warm water for 5 minutes may help.)

2. Dry thoroughly.

3. Apply a small amount to cover each wart. Let it dry.

4. Repeat twice daily as needed, for up to 12 weeks.

Inactive Ingredients Water; Polyethylene Glycol; Glycerin; Borneol; Podoflox; Methylparaben; Chlorhexidine



JIANGXI HEMEI PHARMACEUTICAL CO., LTD
4TH FLOOR, BUILDING 195A, PHASE II,
ZHANGJIASHAN MEDICAL INCUBATION PARK,
ZHANGSHU, YICHUN, JIANGXI 332208,
CHINA (CHN)



PRINCIPAL DISPLAY PANEL

OURUI ONE™

OURUI ONE™

WART COMPLETE
Care Kit

CLINICALLY PROVEN WART TREATMENT

WART COMPLETE
Care Kit

GRADUALLY REMOVES WARTS OVER TIME

FORMS A PROTECTIVE LAYER

WART REMOVER CREAM
NET 0.7 oz (20g)

CORN & WART REMOVER
NET 1 f oz (30mL)

WART COMPLETE
Care Kit

CORN & WART REMOVER

Drug Facts

Active Ingredient: Salicylic acid 17% Purpose Wart remover

Uses For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings For external use only. Flammable. Keep away from fire and flame.

Do not use on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When using this product Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

Directions Wash the affected area. May soak wart in warm water for 5 minutes. Dry area thoroughly. Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information Store at room temperature. Avoid excessive heat (37°C / 99°F). Skin discoloration may occur during or after use.

Inactive ingredients: Water 52.5%, Polyethylene Glycol 16%, Glycerin 8%, Borneol 6%, Podofilox 0.5%

WART REMOVER CREAM

Drug Facts

Active Ingredient: Salicylic acid 17% Purpose Wart remover

Use For the removal of common warts, which have a rough, cauliflower-like appearance.

Warnings For external use only. Avoid contact with eyes. If the product gets into eyes, rinse with water for 15 minutes. Avoid inhaling vapors.

Do not use: On irritated or infected skin, or reddened areas. If you are diabetic or have poor blood circulation. On birthmarks, warts with hair growth, or moles.

When using If pregnant or breastfeeding, consult a health professional before use.

Keep out of reach of children. If swallowed, get medical help immediately or contact a Poison Control Center.

Stop use and ask a doctor if discomfort persists.

Directions 1. Wash the affected area. (Soaking in warm water for 5 minutes may help.) 2. Dry thoroughly. 3. Apply a small amount to cover each wart. Let it dry. 4. Repeat twice daily as needed, for up to 12 weeks.

Inactive Ingredients Water, Polyethylene Glycol, Glycerin, Borneol, Podofilox, Methylparaben, Chlorhexidine

6 1974603 693751

OURUI ONE WART COMPLETE CARE KIT CORN WART REMOVER

salicylic acid 17% wart complete care kit corn wart remover liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84010-090
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)		SALICYLIC ACID	17 g in 100 mL
Inactive Ingredients			
Ingredient Name			Strength
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDWL1A)			
PODOFILOX (UNII: L36H50F353)			
WATER (UNII: 059QF0KO0R)			
BORNEOL (UNII: M89NIB437X)			
GLYCERIN (UNII: PDC6A3C0OX)			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84010-090-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/17/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	03/17/2025	

OURUI ONE WART COMPLETE CARE KIT WART REMOVER

salicylic acid 17% wart complete care kit wart remover cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84010-089
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
BORNEOL (UNII: M89NIB437X)	
PODOFILOX (UNII: L36H50F353)	
CHLORHEXIDINE (UNII: R4KO0DY52L)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84010-089-01	20 g in 1 TUBE; Type 0: Not a Combination Product	03/17/2025	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M028	03/17/2025	

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment

Name	Address	ID/FEI	Business Operations
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-089, 84010-090)

Revised: 3/2025

Jiangxi Hemei Pharmaceutical Co., Ltd