

**LORATADINE- loratadine tablet**  
**Amerisource Bergen**

-----  
**Drug Facts**

**ACTIVE INGREDIENT (IN EACH TABLET)**

Loratadine USP, 10 mg

**PURPOSE**

Antihistamine

**USES**

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**WARNINGS**

**Do not use**

If you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have**

Liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

Do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if**

An allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding**

Ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

## **OTHER INFORMATION**

- store between 20 and 25° C (68 and 77° F)
- protect from excessive moisture
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**

## **INACTIVE INGREDIENTS**

Corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

## **QUESTIONS?**

Call **1-800-406-7984**

## **PRINCIPAL DISPLAY PANEL**

**GOOD NEIGHBOR PHARMACY®**

**Compare to Claritin® Tablets active ingredient†**

**NDC 46122-0158-65**

**Original Prescription Strength**

**Loratadine Tablets USP, 10 mg**

**24 HOUR**

**Non-Drowsy\***

**Antihistamine**

**Indoor & Outdoor Allergies**

**Relief of:**

- **Sneezing**
- **Runny Nose**
- **Itchy, Watery Eyes**
- **Itchy Throat or Nose**

**30 tablets**

**\*When taken as directed.**

**See Drug Facts Panel.**

**Distributed By AmerisourceBergen**

**5096598/0612**

**Drug Facts**


**Active ingredient (in each tablet)** Loratadine USP, 10 mg.....Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

**Warnings**  
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.  
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.  
 When using this product do not take more than directed. Taking more than directed may cause drowsiness.  
 Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.  
 If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 adults and children 6 years and over 1 tablet daily; not more than 1 tablet in 24 hours  
 children under 6 years of age ask a doctor  
 consumers with liver or kidney disease ask a doctor

**Other Information**  
 ■ store between 20 and 25° C (68 and 77° F) ■ protect from excessive moisture  
 ■ TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.



**Loratadine** Tablets USP, 10 mg  
**Antihistamine**  
 Indoor & Outdoor Allergies



Compare to Claritin® Tablets active ingredient†

NDC 46122-0158-65  
 Original Prescription Strength

**Loratadine**  
 Tablets USP, 10 mg  
**Antihistamine**  
 Indoor & Outdoor Allergies

▶ **24 HOUR**  
 Non-Drowsy\*

Relief of:  
 • Sneezing  
 • Runny Nose  
 • Itchy, Watery Eyes  
 • Itchy Throat or Nose

**30 tablets**

\*When taken as directed.  
 See Drug Facts Panel.



Distributed By  
 Amersourcebergen  
 1300 Morris Drive  
 Chesterbrook, PA 19087  
 Visit us at  
[www.goodneighborpharmacy.com](http://www.goodneighborpharmacy.com)



ABC# 183-222

0612

†This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc. CLARITIN® is a registered trademark of Schering Corporation.

Expiration Date:

Batch No.



**Non Varnish Area**

**Drug Facts (continued)**  
**Inactive ingredients** corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

**Questions?** Call 1-800-406-7984

Keep the carton. It contains important information.  
 See end panel for expiration date.

# LORATADINE

loratadine tablet

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46 122-158
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg

## Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	

## Product Characteristics

Color	white (White to Off-White)	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	RX526
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46 122-158-65	30 in 1 BLISTER PACK		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076134	08/19/2003	

**Labeler** - Amerisource Bergen (007914906)

**Registrant** - Ranbaxy Pharmaceuticals Inc. (937890044)

**Establishment**

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		051565745	manufacture(46122-158)

Revised: 10/2012

Amerisource Bergen