TOPCARE MAX GAS ANTACID PLUS ANTI-GAS CHEWS- simethicone tablet, chewable TopCo

Calcium Carbonate 750 mg Simethicone 250 mg

Active ingredients (in each chewable tablet)

Calcium carbonate 750 mg

Simethicone 250 mg

Purpose

Antacid

Anti-gas

Uses Relieves

- Heartburn
- Sour stomach
- Acid indigestion
- Upset stomach due to these symptoms
- Bloating, pressure or stuffed feeling commonly referred to as gas

Warnings

Do not use if you have ever had a allergic reaction to the product or any of its ingredients.

Do not take more than 2 chewable tablets in a 24-hour period, or use the maximum dosage for this product for more than 2 weeks, except under the advice and supervision of a physician.

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product constipation may occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions: Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets as symptoms occur. Children under 12 years consult a doctor.

Other information

- Each chewable tablets contains: Calcium 300 mg
- Contains soy
- Contains FD&C yellow No. 5 (tartrazine) as a color additive
- Store between 20° to 25°C (68° to 77°F) in a dry place

Inactive ingredients: Beeswax, carmine, carnauba wax, corn starch, corn syrup, dextrin, ethyl acetate, FD&C bleu no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 aluminum lake,

glycerin, gum arabic, hydrogenated coconut oil, maltodextrin, medium chain triglycerides, natural and artificial flavors, phosphoric acid, propylene glycol, shellac, sodium benzoate, sorbitol, soy lecithin, soybean oil, sucrose, titanium dioxide, water.

Questions? Call 1-800-245-2898 M - F, 9AM - 4PM EST



TOPCARE MAX GAS ANTACID PLUS ANTI-GAS CHEWS

simethicone tablet, chewable

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76162-407	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10)	DIMETHICONE	250 mg		
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII: 2M83C4R6ZB)	CALCIUM CARBONATE	750 mg		

Inactive Ingredients		
	Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)		

Product Characteristics			
Color	red (Red and Purple)	Score	no score
Shape	ROUND	Size	17mm

Flavor	STRAWBERRY (Strawberry and Mixed Berry)	Imprint Code	SR
Contains			

ı	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:76162-407	- 30 in 1 BOTTLE; Type 0: Not a Combination Product	03/18/2025	



Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	03/18/2025	

Labeler - TopCo (006935977)

Registrant - Bestco (002149136)

Establishment

Name	Address	ID/FEI	Business Operations
Bestco		002149136	manufacture(76162-407)

Revised: 3/2025 TopCo