

TOPCARE CHERRY BERRY LIME ANTACID HBG- calcium carbonate tablet, chewable

TopCo

Calcium carbonate 750 mg

Simethicone 80 mg

Active ingredients (in each chewable tablet)

Calcium carbonate 750 mg

Simethicone 80 mg

Purpose

Antacid

Anti-gas

Uses Relieves

- Heartburn
- Sour stomach
- Acid indigestion
- Upset stomach due to these symptoms
- Bloating, pressure or stuffed feeling commonly referred to as gas

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Do not take more than maximum dosage in a 24-hour period, or use the maximum dosage for this product for more than 2 weeks, except under the advice and supervision of a physician.

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product constipation may occur

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children.

Directions Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24 hours. Children under 12 years consult a doctor.

Other information

- **Each chewable tablet contains:** Calcium 300 mg
- Contains FD&C yellow No. 5 (tartrazine) as a color additive
- Contains soy
- Store between 20° to 25°C (68° to 77°F) in a dry place

Inactive ingredients: Beeswax, carmine, carnauba wax, corn starch, corn syrup, dextrin, ethyl acetate, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, FD&C

red #40 aluminum lake, FD&C yellow #5 aluminum lake, FD&C yellow #6 aluminum lake, glycerin, gum arabic, hydrogenated coconut oil, maltodextrin, medium chain triglycerides, natural and artificial flavors, phosphoric acid,

polyvinylpyrrolidone, propylene glycol, shellac, sodium benzoate, sorbitol, soy lecithin, soybean oil, sucrose, titanium dioxide, water.

Questions? Call 1-800-245-2898 Monday - Friday, 9AM - 4PM EST

Drug Facts (continued)

Other information ■ Each chewable tablet contains: Calcium 300 mg
 ■ Contains FD&C yellow No. 5 (tartrazine) as a color additive
 ■ Contains soy ■ Store between 20° to 25°C (68° to 77°F) in a dry place

Inactive ingredients Beeswax, carmine, carnauba wax, corn starch, corn syrup, dextrin, ethyl acetate, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, FD&C yellow #5 aluminum lake, FD&C yellow #6 aluminum lake, glycerin, gum arabic, hydrogenated coconut oil, maltodextrin, medium chain triglycerides, natural & artificial flavors, phosphoric acid, polyvinylpyrrolidone, propylene glycol, shellac, sodium benzoate, sorbitol, soy lecithin, soybean oil, sucrose, titanium dioxide, water.

Questions? Call 1-800-245-2898 Monday - Friday, 9AM - 4PM EST

This product is not manufactured or distributed by the owner of the registered trademark TUMS®. **Chewy Not Chalky is a trademark of Besto, LLC.

NO INK OR VARNISH

DISTRIBUTED BY TOPCO ASSOCIATES LLC
 ITASCA, IL 60143 ©TOPCO B5TA0125
 QUESTIONS? 1-888-423-0139
 topcare@topco.com www.topcarebrand.com
 Visit here for more information:
 http://topbrnds.com/4910DL
 QUALITY GUARANTEED

TopCare
health

EXTRA STRENGTH

Heartburn & Gas

Antacid + Anti-Gas Chews

750 mg CALCIUM CARBONATE/ANTACID
 80 mg SIMETHICONE/ANTI-GAS

Chewy Not Chalky™


DIGESTIVE RELIEF OF:

- Heartburn
- Sour stomach
- Gas, pressure and bloating

gluten-free

54 CHEWABLE TABLETS

BERRY & LIME FLAVOR



Drug Facts

Active ingredients (in each chewable tablet) Purpose
 Calcium carbonate 750 mg.....Antacid
 Simethicone 80 mg.....Anti-gas

Uses Relieves ■ Heartburn ■ Sour stomach ■ Acid indigestion
 ■ Upset stomach due to these symptoms ■ Bloating, pressure or
 stuffed feeling commonly referred to as gas

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
 Do not take more than maximum dosage in a 24-hour period, or use the maximum dosage for this product for more than 2 weeks, except under the advice and supervision of a physician

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product constipation may occur

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Directions Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24 hours. Children under 12 years consult a doctor.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING. PN 60002598

TOPCARE CHERRY BERRY LIME ANTACID HBG

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76162-408
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6Z B)	CALCIUM CARBONATE	750 mg

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	pink (Pink and Green)	Score	no score
Shape	ROUND	Size	17mm
Flavor	LIME (Cherry Berry and Lime)	Imprint Code	BR
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76162-408-54	54 in 1 BOTTLE; Type 0: Not a Combination Product	03/18/2025	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	03/18/2025	

Labeler - TopCo (006935977)

Registrant - Bestco (002149136)

Establishment

Name	Address	ID/FEI	Business Operations
Bestco		002149136	manufacture(76162-408)

