# MINERAL OIL- mineral oil solution Kesin Pharma Corporation

-----

Mineral Oil, USP 30 mL

#### **Drug Facts**

# **Active Ingredient**

Mineral Oil (100%)

Lubricant Laxative

There are no other inactive ingredients.

# **Purpose**

**Lubricant Laxative** 

#### Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 8 hours

# Warnings

#### Do not use

#### Do not use

- if you have difficulty swallowing
- in children under 6 years of age
- if you are pregnant
- for a period longer than 1 week
- if you are bedridden or aged

#### Ask a doctor before use

# Ask a doctor before use if you have

- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks

# Ask a doctor or pharmacist before use

# Ask a doctor or pharmacist before use if you are

- presently taking a stool softener laxative
- taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

# When using

#### When using this product

- do not take with meals
- take only at bedtime

#### Stop use and ask a doctor

**Stop use and ask a doctor** if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

# If pregnant or breastfeeding

If pregnant or breastfeeding, ask a health professional before use.

#### Keep out of reach of children.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- do not take with meals
- take only at bedtime
- may be taken as a single dose or as directed by a doctor

Age	Dose
adults and children 12 years of age and over	1 to 3 Tablespoons (15 mL to 45 mL) maximum 3 Tablespoons (45 mL) in 24 hours
children 6 to under 12 years of age	1 to 3 teaspoons (5 mL to 15 mL) maximum 3 teaspoons (15 mL) in 24 hours
children under 6 years	do not use. consult a doctor.

#### Other information

- store at 20°C to 25°C (68°F to 77°F)
- protect from direct light
- NDC 81033-042-30: 30 mL unit dose cup
- NDC 81033-042-50: Carton containing 50 30 mL unit dose cups

#### Questions or comments?

Call 1-833-537-4679

Packaged by:

**Kesin Pharma** 

Oldsmar, FL 34677

Rev. 03/2025




NDC 81033-042-50

Mineral Oil, USP 30 mL

Delivers 30 mL


#### FOR INSTITUTIONAL ONLY

50 x 30 mL Unit Dose Cups Store at 68°F to 77°F (20°C to 25°C)



Mineral Oil, USP 30 mL

50 x 30mL Unit Dose Cups



#### MINERAL OIL

mineral oil solution

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:81033-042(NDC:48433-202)

Route of Administration ORAL

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength MINERAL OIL (UNII: T5L8T28FGP) (MINERAL OIL - UNII:T5L8T28FGP) MINERAL OIL 1000 mg in 1 mL

Ш	Packaging						
	# Item	Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:81 042-50		50 in 1 CARTON	03/01/2025			
	NDC:81 042-30		30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product				

Marketing Information				
Marketing	Application Number or Monograph	Marketing Start	Marketing End	

Category	Citation	Date	Date
OTC Monograph Drug	M007	03/01/2025	

# Labeler - Kesin Pharma Corporation (117447816)

Revised: 3/2025 Kesin Pharma Corporation