

**WART REMOVER PADS- salicylic acid patch**  
**Hengyang Chuangjiujia Trading Co., Ltd.**

-----  
**Wart Remover Pads**

Salicylic acid 40%

Corn Remover

For softening and removing corns

For external use only

Do not use on genital warts and warts on the face

Avoid contact with healthy skin, open wounds, or infected areas

Consult doctor if:

Poor blood circulation

Diabetic, pregnant, or breastfeeding

Keep out of reach of children

Do not use on genital warts and warts on the face

Avoid contact with healthy skin, open wounds, or infected areas

For external use only

Do not use on genital warts and warts on the face

Avoid contact with healthy skin, open wounds, or infected areas

Consult doctor if:

Poor blood circulation

Diabetic, pregnant, or breastfeeding

Keep out of reach of children

Keep out of reach of children

1□ Wash affected area and dry thoroughly.

2□ Place firmly the medicated round part over the center of corn adhesive next to skin. (If necessary, cut the medicated patch to fit corn.)

3□ Repeat the treatment daily as needed for up to 14 days (until corn is removed)

4□ May soak corn in warm water for 5 minutes to assist in removal

Store between 59°F to 86°F

SAFFLOWER

PETROLATUM

LANOLIN

ARTEMISIA PRINCEPS LEAF

# WART REMOVER PADS

## 40% SALICYLIC ACID

### FAST & PAINLESS SOLUTION

- 24H Continuous Action
- Hypoallergenic Formula

# 30

Patches Per Box



Works Anywhere – Feet, Hands, Toes, Palms  
360° Full Coverage for Stubborn Corns & Calluses

Drug Facts	
Active Ingredient Salicylic acid 40%	Purpose Corn Remover
Inactive Ingredients: Safflower, Petrolatum, Lanolin, Artemisia Princeps Leaf	
Uses: For softening and removing corns	
<b>Directions:</b> 1. Wash affected area and dry thoroughly. 2. Place firmly the medicated round part over the center of corn, adhesive next to skin. (If necessary, cut the medicated patch to fit corn.) 3. Repeat the treatment daily as needed for up to 14 days (until corn is removed) 4. May soak corn in warm water for 5 minutes to assist in the removal	
<b>Warning:</b> ▲ For external use only ▲ Do not use on genital warts and warts on the face ▲ Avoid contact with healthy skin, open wounds, or infected areas ▲ Consult doctor if: ▶ Poor blood circulation ▶ Diabetic, pregnant, or breastfeeding ▲ Keep out of reach of children	
<b>Other Information:</b> • Store between 59°F to 86°F	
Manufacturer: Hengyang Chuangjiujia Trading Co., Ltd	
Wanshe Building, No.13 Sandong Dadadong, Huashan Town, Huadu District, Guangzhou, Guangdong	

# WART REMOVER PADS

## 40% SALICYLIC ACID

### FAST & PAINLESS SOLUTION

- 24H Continuous Action
- Hypoallergenic Formula

# 30

Patches Per Box



Works Anywhere – Feet, Hands, Toes, Palms  
360° Full Coverage for Stubborn Corns & Calluses

Drug Facts	
Active Ingredient Salicylic acid 40%	Purpose Corn Remover
Inactive Ingredients: Safflower, Petrolatum, Lanolin, Artemisia Princeps Leaf	
Uses: For softening and removing corns	
<b>Directions:</b> 1. Wash affected area and dry thoroughly. 2. Place firmly the medicated round part over the center of corn, adhesive next to skin. (If necessary, cut the medicated patch to fit corn.) 3. Repeat the treatment daily as needed for up to 14 days (until corn is removed) 4. May soak corn in warm water for 5 minutes to assist in the removal	
<b>Warning:</b> ▲ For external use only ▲ Do not use on genital warts and warts on the face ▲ Avoid contact with healthy skin, open wounds, or infected areas ▲ Consult doctor if: ▶ Poor blood circulation ▶ Diabetic, pregnant, or breastfeeding ▲ Keep out of reach of children	
<b>Other Information:</b> • Store between 59°F to 86°F	
Manufacturer: Hengyang Chuangjiujia Trading Co., Ltd	
Wanshe Building, No.13 Sandong Dadadong, Huashan Town, Huadu District, Guangzhou, Guangdong	

## WART REMOVER PADS

salicylic acid patch

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84735-005
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	0.4 g

## Inactive Ingredients

Ingredient Name	Strength
<b>SAFFLOWER</b> (UNII: 4VBL71TY4Y)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>ARTEMISIA PRINCEPS LEAF</b> (UNII: SY077EW02G)	
<b>LANOLIN</b> (UNII: 7EV65EAW6H)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84735-005-01	30 in 1 BOX; Type 0: Not a Combination Product	03/19/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	03/19/2025	

**Labeler** - Hengyang Chuangjiujia Trading Co., Ltd. (977292157)

## Establishment

Name	Address	ID/FEI	Business Operations
Hengyang Chuangjiujia Trading Co., Ltd.		977292157	manufacture(84735-005)

Revised: 3/2025

Hengyang Chuangjiujia Trading Co., Ltd.