

**TOPCARE DAY TIME COLD AND FLU- acetaminophen, dextromethorphan hbr,  
phenylephrine hcl capsule, liquid filled  
Topco Associates LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Topco Associates LLC. Day Time Cold & Flu Drug Facts**

**Active ingredients (in each liquid cap)**

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

**Purpose**

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

**Uses**

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, lasts for more than 2 days, is accompanied or followed by

fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

### **When using this product**

do not use more than directed

### **Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do

not notice any signs or symptoms.

### **Directions**

- take only as directed – see overdose warning
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	2 liquid caps with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

### **Inactive ingredients**

edible dye-free ink\*, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution \*may contain this ingredient

### **Questions or comments?**

1-888-423-0139

### **Package/Label Principal Display Panel**

COMPARE TO VICKS® DAYQUIL® COLD & FLU ACTIVE INGREDIENTS  
MULTI-SYMPTOM RELIEF

Day Time

Cold & Flu Relief

OUR PHARMACISTS RECOMMEND

PAIN RELIEVER – FEVER REDUCER - ACETAMINOPHEN

COUGH SUPPRESSANT – DEXTROMETHORPHAN HBr • NASAL DECONGESTANT –  
PHENYLEPHRINE HCl

DYE-FREE

Free of Artificial Dyes and Preservatives

Alcohol Free

Antihistamine Free

Non-Drowsy

Headache, Fever, Sore Throat, Minor Aches & Pains

Nasal Congestion • Cough

16 LIQUID CAPS

actual size



GLUTEN FREE

Serial 20-25 C (88-77) B

Questions or comments? 1-888-423-0139

Drug Facts (continued)

**Directions** ■ Take only as directed - see overdose warning  
 ■ Do not exceed 4 doses per 24 hrs  
 adults & children 12 yrs & over 2 liquid caps with water every 4 hrs  
 children 4 to under 12 yrs ask a doctor  
 children under 4 yrs do not use

**Inactive ingredients** edible dye-free ink, gelatin, glycerin, polyethylene glycol, polydioxane, propylene glycol, purified water, sodium polyacrylate, titanium dioxide, yellow 6, yellow 10

CONVENIENT RECLOSING TAB

**DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN**

**Drug Facts**

**Active ingredients (in each liquid cap)**  
 Acetaminophen 325 mg.....Pain reliever/fever reducer  
 Dextromethorphan HBr 10 mg.....Cough suppressant  
 Phenylephrine HCl 5 mg.....Nasal decongestant

**Uses** temporarily relieves common cold/flu symptoms:  
 ■ nasal congestion ■ cough due to minor throat and bronchial irritation  
 ■ sore throat ■ headache ■ minor aches and pains ■ fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take  
 ■ more than 4,000 mg of acetaminophen in 24 hours  
 ■ with other drugs containing acetaminophen  
 ■ 3 or more alcoholic drinks every day while using this product  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
 ■ skin redness ■ hives ■ rash  
 ■ a skin reaction occurs, stop use and seek medical help right away.  
**Sore throat warning:** If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription).  
 ■ if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
 ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
 ■ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have** ■ liver disease ■ heart disease ■ diabetes  
 ■ high blood pressure ■ thyroid disease ■ trouble urinating due to an enlarged prostate gland  
 ■ cough that occurs with too much phlegm (mucus)  
 ■ persistent or chronic cough as occurs with smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

When using this product do not use more than directed

**Stop use and ask a doctor if** ■ you get nervous, dizzy or drowsy ■ new symptoms occur  
 ■ pain, nasal congestion or cough gets worse or lasts more than 7 days  
 ■ redness or swelling is present ■ fever gets worse or lasts more than 3 days  
 ■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

OPEN OTHER END

7G173 88 C2

\*This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® DayQuil® Cold & Flu.

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE, IL 60007  
©TOPCO PER817  
QUESTIONS? 1-888-423-0139  
topcare@topco.com  
www.topcarebrand.com  
MADE IN CANADA

**PARENTS:**  
Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)



This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.



NDC 36800-593-73

**TopCare** health™

MULTI-SYMPTOM RELIEF

# Day Time Cold & Flu Relief

PAIN RELIEVER-FEVER REDUCER - ACETAMINOPHEN  
COUGH SUPPRESSANT - DEXTROMETHORPHAN HBr • NASAL DECONGESTANT - PHENYLEPHRINE HCl

**DYE-FREE**

- Headache, Fever, Sore Throat, Minor Aches & Pains
- Nasal Congestion • Cough

COMPARE TO VICKS® DAYQUIL® COLD & FLU ACTIVE INGREDIENTS\*\*



Free of Artificial Dyes and Preservatives  
Alcohol Free  
Antihistamine Free  
Non-Drowsy

16 LIQUID CAPS

actual size



# TOPCARE DAY TIME COLD AND FLU

acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-593
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

## Inactive Ingredients

Ingredient Name	Strength
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	

## Product Characteristics

Color	YELLOW (clear)	Score	no score
Shape	OVAL	Size	21mm
Flavor		Imprint Code	7G1
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-593-73	8 in 1 CARTON	07/25/2017	
1		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/25/2017	

---

**Labeler** - Topco Associates LLC (006935977)

Revised: 12/2019

Topco Associates LLC