

REVASOL TUSSIN DM MAX WITH HONEY- dextromethorphan hbr and guaifenesin liquid
Rnv LLC

Revasol Tussin DM Max with Honey

Active ingredients (in each dose, 20 mL) Purpose

Dextromethorphan HBr 20 mg.....Cough Suppressant

Guaifenesin 400 mg.....Expectorant

Cough Suppressant

Expectorant

Uses

- temporarily relieves cough as may occur with the common cold • helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus.

Warnings

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson’s disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that is accompanied by excessive phlegm (mucus) • a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

- cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed more than 6 doses in any 24-hour period
- shake well before use
- measure only with dosing cup provided
- keep dosing cup with product
- mL=milliliter • TSP=teaspoonful
- this adult product is not intended for use in children

Age	Dose
-----	------

adults and children 12 years of age and over	20 mL every 4 hours
children under 12 years of age	do not use

Other information

- each 20 mL contains: sodium 12 mg
- store at room temperature 15-30°C (59-86°F). Do not refrigerate

TAMPER-EVIDENT FEATURE: Do not use if printed safety seal is torn, broken or missing.

Inactive ingredients

citric acid, FD&C Yellow #6, flavors, glycerin, honey, purified water, propylene glycol, sodium benzoate, sorbitol solution, sucralose.

Questions or comments 1-888-446-4753

Monday - Friday (9 AM - 5 PM EST)

Drug Facts

Active ingredients (in each dose, 20 mL)

Dextromethorphan HBr 20 mg..... Cough Suppressant

Guaifenesin 400 mg..... Expectorant

Uses • temporarily relieves cough as may occur with the common cold • helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus.

Warnings

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • a cough that is accompanied by excessive phlegm (mucus) • a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if • cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed more than 6 doses in any 24-hour period
- shake well before use
- measure only with dosing cup provided
- keep dosing cup with product
- mL=milliliter • TSP=teaspoonful
- this adult product is not intended for use in children

Drug Facts (continued)

Age	Dose
adults and children 12 years of age and over	20 mL every 4 hours
children under 12 years of age	do not use

Other information

- each 20 mL contains: sodium 12 mg
- store at room temperature 15-30°C (59-86°F). Do not refrigerate

TAMPER-EVIDENT FEATURE: Do not use if printed safety seal is torn, broken or missing.

Inactive ingredients citric acid, FD&C Yellow #6, flavors, glycerin, honey, purified water, propylene glycol, sodium benzoate, sorbitol solution, sucralose.

Questions or comments 1-888-446-4753
Monday - Friday (9 AM - 5 PM EST)

Made in USA
Distributed by:
RNV LLC
14501 NW 60 Ave,
Miami Lakes, FL 33014

8 60012 31357 0

*This product is not manufactured or distributed by Haleon, distributor of Robitussin® Honey Chest Cough + Chest Congestion DM MAX.

Rev. 1 Lot: Exp:

REVASOL TUSSIN DM MAX WITH HONEY

dextromethorphan hbr and guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84379-274
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
HONEY (UNII: Y9H1V576FH)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84379-274-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/03/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/03/2025	

Labeler - Rnv LLC (118917568)

Registrant - Rnv LLC (118917568)

Establishment

Name	Address	ID/FEI	Business Operations
Rnv LLC		118917568	manufacture(84379-274)

Revised: 3/2025

Rnv LLC