

**TINTED PHYSICAL BLOCK SUNSCREEN- titanium dioxide, zinc oxide cream**  
**Tucson Acne Clinic**

-----

**Active Ingredients:**

Titanium Dioxide 8% Zinc Oxide 3.8%

**Purpose:**

Sunscreen

**Uses:**

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings:**

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a poison control center right away.

**Directions:**

- Apply liberally 15 minutes before sun exposure.
- Reapply: • After 80 minutes of swimming or sweating • Immediately after towel drying • At least every 2 hours •
- Children under 6 months: Ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: •Limit time in the sun, especially from 10 am-2 pm
- Wear long-sleeved shirts, pants, hats, and sunglasses

**Inactive Ingredients:**

Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Iron Oxide (CI 77491), Lauryl PEG/PPG-18/18 Methicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

**Other Information:**

- Protect this product from excessive heat and direct sun
- May stain some fabrics
- Cleanse thoroughly at nighttime

- PA+++

**Warnings:**

Keep out of reach of children

**DRUG FACTS (cont)**

• **Sun Protection Measures:**  
 Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 am-2 pm
- Wear long-sleeved shirts, pants, hats, and sunglasses

**INACTIVE INGREDIENTS:** Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Iron Oxide (CI77491), Lauryl PEG/PPG-18/18-Hydrogen Dimethicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

**OTHER INFORMATION:**

- Protect this product from excessive heat and direct sun
- May stain some fabrics
- PA+++

Tucson AZ, 85719  
 tucsonacneclinic.com

**NDC 85301-201-85**

BACKBAR NOT FOR RESALE

**TUCSON  
 ACNE CLINIC**

**TINTED  
 PHYSICAL BLOCK  
 SUNSCREEN**

**ANTIOXIDANTS C & E  
 SPF 40 BROAD SPECTRUM  
 WATER RESISTANT (80 MINS)**

**NET WT. 3 OZ / 85 G**

DRI  
 ACT  
 Titar  
 Zinc  
 USE  
 as di  
 mea  
 the i  
 agin  
 WAF  
 Do r  
 skin.  
 occl  
 keep  
 rem  
 chilc  
 help  
 Cent  
 DIRI  
 • Ap  
 sur  
 • Re  
 •  
 •  
 •  
 • Chi  
 Asi

**TINTED PHYSICAL BLOCK SUNSCREEN**

titanium dioxide, zinc oxide cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85301-201(NDC:58892-201)
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	38 mg in 1 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>DIMETHICONE CROSSPOLYMER</b> (UNII: UF7620L1W6)	
<b>LAURYL PEG/PPG-18/18 METHICONE</b> (UNII: ZJ5S27D9NX)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONOL (2000 CST)</b> (UNII: T74O12AN6Y)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>HYDROGEN DIMETHICONE (20 CST)</b> (UNII: 12Z59IF64N)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>CI 77491</b> (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85301-201-85	85 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/22/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/22/2024	

**Labeler** - Tucson Acne Clinic (089299711)

### Establishment

Name	Address	ID/FEI	Business Operations
Custom Analytics LLC		144949372	analysis(85301-201)

### Establishment

Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing Inc.		793406000	manufacture(85301-201)

### Establishment

Name	Address	ID/FEI	Business Operations
Fallien Cosmeceuticals Ltd.		958388357	relabel(85301-201)