

**DIPHENHYDRAMINE HCL- diphenhydramine hcl capsule**  
**Cardinal Health 107, LLC**

-----  
**Diphenhydramine HCl Capsules 25 mg**

**Active ingredient (in each banded capsule)**

Diphenhydramine Hydrochloride 25 mg

**Purpose**

Antihistamine

**Keep Out of Reach of Children**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Uses-**

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies and common cold- sneezing - runny nose - itchy, watery eyes - itchy throat and nose.

When using this product:

- Marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Warnings**

Do not use - to make a child sleepy - with any other products containing diphenhydramine, including one applied topically

Ask a doctor before use if you have -glaucoma -a breathing problem such as emphysema or chronic bronchitis -difficulty in urination due to enlargement of the prostate gland

This unit dose package is not child resistant and is intended for institutional use only. Keep out of the reach of children.

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

If pregnant or breast-feeding, ask a health professional before use. In case of overdose, get medical help or contact a Poison Control Center right away.

DO NOT USE IF BLISTER UNIT IS BROKEN

**Directions**

**-Take every 4 to 6 hours - do not take more than 6 doses in 24 hours**

adults and children 12 years of age and over	1 to 2 capsules
children 6 years to under 12 years of age	1 capsule
children under 6 years of age	Do not use

**Inactive ingredients**

D&C Red No. 28, FD&C Blue No. 1, FD&C Red No. 40, Gelatin, Lactose and Starch

**Storage**

Store at 20-25 C (68-77 F); excursions permitted to 15-30 C (59-86 F). [See USP Controlled Room Temperature].

-protect from moisture

-contains lactose

Questions or comments? (800) 616-2471

Distributed by

MAJOR® PHARMACEUTICALS

17177 N Laurel Park Drive, Suite 233

Livonia, MI 48152

MFGD By CPC, NY 11788

Distributed By:

Cardinal Health

Dublin, OH 43017

L36150280122

**Principal Display Panel**

Diphenhydramine HCl

Capsules 25 mg

10 Capsules



# F40

NDC 55154-0683-0

<b>DIPHENHYDRAMINE HCl</b> <b>CAPSULES 25 mg.</b>	<b>10 CAPSULES</b>
--	--------------------

**ANTI-HISTAMINE**

**Drug Facts**

Active Ingredient (in each banded capsule)	Purpose
Diphenhydramine Hydrochloride 25 mg.	Antihistamine
Inactive Ingredients D&C red #28, FD&C blue #1, FD&C red #40, gelatin, lactose and starch	

**Uses** - temporarily relieves these symptoms due to hay fever or other upper respiratory allergies and common cold - sneezing - runny nose - itchy, watery eyes - itchy throat and nose

**When using this product** - marked drowsiness may occur - avoid alcoholic drinks - alcohol, sedatives and tranquilizers may increase drowsiness - use caution when driving a motor vehicle or operating machinery - excitability may occur, especially in children

<b>Directions</b>	
- Take every 4 to 6 hours - do not take more than 6 doses in 24 hours	
adults and children 12 years of age and over	1 to 2 capsules
children 6 years to under 12 years of age	1 capsule
children under 6 years of age	do not use

**STORAGE:** Store at 20° - 25° C (68° - 77° F); excursions permitted to 15° - 30° C (59° - 86° F) [See USP Controlled Room Temperature]

- protect from moisture - contains lactose

**Warnings**

**Do not use** - to make a child sleepy - with any other products containing diphenhydramine, including one applied topically

**Ask a doctor before use** if you have - glaucoma - a breathing problem such as emphysema or chronic bronchitis - difficulty in urination due to enlargement of the prostate gland

This Unit Dose package is not child resistant and is intended for Institutional Use Only. Keep out of reach of children.

**Ask a doctor or pharmacist before use** if you are taking sedatives or tranquilizers if pregnant or breast-feeding, ask a health professional before use. In case of overdose, get medical help or contact a Poison Control Center right away.

**DO NOT USE IF BLISTER UNIT IS BROKEN**

Distributed by:

MAJOR® PHARMACEUTICALS  
 17177 N Laurel Park Drive, Suite 233  
 Livonia, MI 48152  
 MFGD By CPC, NY 11788  
 Questions or Comments? (800) 616-2471  
 Distributed by Cardinal Health  
 Dublin, OH 43017  
 L36150280122

**LOT #: XXXXXXXXXX    EXP. DATE: XX/XX/XX**

## DIPHENHYDRAMINE HCL

diphenhydramine hcl capsule

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55154-0683(NDC:0904-5306)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
--	----------------------------------	-------

### Inactive Ingredients

Ingredient Name	Strength
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GELATIN, UNSPECIFIED</b> (UNII: 2G86QN327L)	
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

### Product Characteristics

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	14mm
<b>Flavor</b>		<b>Imprint Code</b>	CPC;835
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55154-0683-0	10 in 1 BAG	06/03/2011	07/31/2025
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/03/2011	07/31/2025

**Labeler** - Cardinal Health 107, LLC (118546603)

Revised: 11/2023

Cardinal Health 107, LLC