

KISS NEW YORK TINTED MOISTURIZER- zinc oxide cream
IVY ENTERPRISES, INC.

Kiss New York Tinted Moisturizer KTM335 CAPPUCCINO

Active ingredient

Drug Facts	
Active Ingredient	Purpose
Zinc Oxide 3.5%	Sunscreen

Stop use and ask doctor if

Stop use and ask a doctor if
■ rash occurs.

Do not use :

Warnings
Do not use
■ on damaged or broken skin

Keep out of reach of children

Keep out of reach of children.

Uses - Helps prevent sunburn

Uses

- Helps prevent sunburn

Questions contact

Manufactured for/Fabricado para
©2025 Ivy Enterprises, Inc.
Port Washington, NY 11050
All Rights Reserved
Todos los derechos reservados
Designed in U.S.A./Diseñado en EE.
UU.



ivyusa.com

KTM050

Warnings - stop use section

Warnings

- Do not use**
- on damaged or broken skin
- When using this product**
- keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if**
- rash occurs.

When using

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **DIRECTIONS**), decrease the risk of skin cancer and early skin aging cause by the sun

Inactive ingredients

Inactive Ingredients

Water (Aqua), Glycerin, Methyl Trimethicone, Phenyl Trimethicone, Ethylhexyl Methoxycinnamate, Cetyl PEG/PPG-10/1 Dimethicone, Sorbitan Sesquioleate, Lauryl PEG-10 Tris(trimethylsiloxy)silyl ethyl Dimethicone, Caprylic/Capric Triglyceride, Dimethicone, Sodium Chloride, Stearalkonium Hectorite, Dimethicone/Polyglycerin-3 Crosspolymer, Caprylyl Glycol, Triethoxycaprylylsilane, Pentylene Glycol, Ethylhexylglycerin, Dipropylene Glycol,

Drug Facts (Continued)

Butylene Glycol, Sodium Citrate, Tocopherol, Camellia Sinensis Leaf Extract, 1,2-Hexanediol, Sodium Hyaluronate, Polyglyceryl-10 Laurate, Hydroxypropyltrimonium Hyaluronate, Hydrolyzed Hyaluronic Acid, Palmitoyl Pentapeptide-4, Acetyl Hexapeptide-8, Copper Tripeptide-1, Hexapeptide-9, Tripeptide-1, Sodium Acetylated Hyaluronate, Hyaluronic Acid, Hydrolyzed Sodium Hyaluronate, Sodium Hyaluronate Crosspolymer, Potassium Hyaluronate, Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891)

Directions

Directions

- Apply generously and evenly 15 minutes before sun exposure

Warning and precautions

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

■ Reapply at least every 2 hours

■ Use a water resistant sunscreen if swimming or sweating

Usage and indications

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***DIRECTIONS***), decrease the risk of skin cancer and early skin aging caused by the sun


Front label - 335 Cappuccino



Package barcode



Package outer box carton



Sampler KTM335XS080



KISS NEW YORK TINTED MOISTURIZER
zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79906-335
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	3.5 g in 100 g

Inactive Ingredients		
Ingredient Name	Strength	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)		
ACETYL HEXAPEPTIDE-8 (UNII: L4EL31FWL)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)		
PENTYLENE GLYCOL (UNII: 50C1307PZG)		
1,2-HEXANEDIOL (UNII: TR046Y3K1G)		
PALMITOYL PENTAPEPTIDE-4 (UNII: KK181SM5JG)		
TRIPEPTIDE-1 (UNII: 39TG2H631E)		
TOCOPHEROL (UNII: R0ZB2556P8)		
ETHYLHEXYL METHOXYCINNAMATE (UNII: 4Y5P7MUD51)		
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
SODIUM HYALURONATE (UNII: YSE9PPT4TH)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)		
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)		
CI 77492 (UNII: EX438O2MRT)		
CI 77491 (UNII: 1K09F3G675)		
POLYGLYCERYL-10 LAURATE (UNII: MPJ2Q8W8G)		
CAMELLIA SINENSIS LEAF (UNII: W2ZU1RY8B0)		
CI 77499 (UNII: XM0M87F357)		
WATER (UNII: 059QF0KO0R)		
DIMETHICONE/POLYGLYCERIN-3 CROSSPOLYMER (UNII: 2P2G24V6T9)		
DIPROPYLENE GLYCOL (UNII: E107L85C40)		
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)		
COPPER TRIPEPTIDE-1 (UNII: 6BJQ43T1I9)		
GLYCERIN (UNII: PDC6A3C0OX)		
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)		
HYALURONIC ACID (UNII: S270N0TRQY)		
HEXAPEPTIDE-9 (UNII: L25414IE41)		
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)		
PEG-9 DIGLYCIDYL ETHER/SODIUM HYALURONATE CROSSPOLYMER (UNII: 788QAG3W8A)		
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)		
CAPRYLYL GLYCOL (UNII: 00YIU5438U)		
DIMETHYLSILANOL HYALURONATE (UNII: Z853O1D4TE)		

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79906-335-00	1 in 1 CARTON	03/24/2025	
1	NDC:79906-335-01	30 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:79906-335-03	2 g in 1 POUCH; Type 0: Not a Combination Product	03/24/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/24/2025	

Labeler -

IVY ENTERPRISES, INC. (832145606)