

MINOXIDIL FOR MEN EXTRA STRENGTH- minoxidil solution
Atlantic Coast Media Group, LLC

Minoxidil Topical Solution for Men

Drug Facts

Active ingredient

Minoxidil, USP 5% w/v

Purpose

Hair regrowth treatment for men

Use

to regrow hair on the top of the scalp (vertex only, see pictures on side of carton)

Warnings

For external use only. For use by men only.

Flammable: Keep away from fire or flame

Do not use if

- you are a woman
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have

heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage.

For some men, you may need to use this product for at least 4 months before you see results.

- the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with minoxidil topical solution 5% for men
- In clinical studies with mostly white men aged 18 to 49 years with moderate degrees of hair loss, minoxidil topical solution 5% for men provided more hair regrowth than minoxidil topical solution 2%
- store at controlled room temperature 20° to 25°C (68° to 77°F)

Inactive ingredients

alcohol (30% v/v), propylene glycol (50% v/v), purified water

Questions?

1-888-838-2872 between 9 am and 5 pm ET, Monday-Friday.

Principal Display Panel

Compare to the active ingredient in MEN'S Rogaine® Extra Strength*

NDC# 70550-503-01

THICK
HEAD
GET AHEAD OF IT

EXTRA STRENGTH
FOR MEN
MINOXIDIL TOPICAL
SOLUTION, USP 5%

HAIR REGROWTH TREATMENT

Not For Use by Women

Reactivates Hair Follicles To Stimulate
Regrowth

Clinically Proven To Help Regrow Hair

Unscented

FOR BEST RESULTS
APPLY DIRECTLY TO SCALP TWICE DAILY

One Month Supply
One 60 mL (2 fl oz) Bottle

GET AHEAD OF IT

EXTRA STRENGTH
FOR MEN

MINOXIDIL TOPICAL
SOLUTION, USP 5%

HAIR REGROWTH TREATMENT

Compare to the active ingredient
in Men's Rogaine® Extra Strength*
NDC# 70550-503-01

**THICK
HEAD**

GET AHEAD OF IT

EXTRA STRENGTH
FOR MEN

MINOXIDIL TOPICAL
SOLUTION, USP 5%

HAIR REGROWTH TREATMENT

Not For Use by Women


Reactivates Hair Follicles To Stimulate
Regrowth

Clinically Proven To Help Regrow Hair
Unscented

FOR BEST RESULTS
APPLY DIRECTLY TO SCALP TWICE DAILY

One Month Supply
One 60 mL (2 fl oz) Bottle

MEN



90022-4000-01

90022





2008259

Lot :
Exp :

Drug Facts

Active ingredient

Minoxidil, USP 5% w/v Hair regrowth treatment for men

Purpose

Use to regrow hair on the top of the scalp (vertex only, see pictures on side of carton)

Warnings

For external use only. For use by men only.

Flammable: Keep away from fire or flame

Do not use if

- you are a woman
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with minoxidil topical solution 5% for men
- In clinical studies with mostly white men aged 18 to 49 years with moderate degrees of hair loss, minoxidil topical solution 5% for men provided more hair regrowth than minoxidil topical solution 2%
- store at controlled room temperature 20° to 25°C (68° to 77°F)

Inactive ingredients alcohol (30% v/v), propylene glycol (50% v/v), purified water

Questions? 1-888-838-2872 between 9 am and 5 pm ET, Monday-Friday.

Not For Use By Women:

May grow facial hair. May be harmful if used during pregnancy or breast-feeding.

Minoxidil Topical Solution 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil Topical Solution 5% for men has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, Minoxidil Topical Solution 5% for men may not work.

This Package Contains:

- One 60 mL (2 fl oz) Bottle of Minoxidil Topical Solution 5% (one month supply).
- One child-resistant dropper applicator
- Information leaflet with complete directions on how to use and obtain best results



Made in Canada

Distributed by:


THICK HEAD, LLC.

Jersey City, NJ-07310

Visit Website: www.thickhead.com

00941118 R1118 2008259

*This product is not affiliated with, manufactured by, or produced by the makers or owners of Rogaine®.



MINOXIDIL FOR MEN EXTRA STRENGTH

minoxidil solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70550-503
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70550-503-01	1 in 1 CARTON	04/04/2020	
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

ANDA	ANDA075518	04/04/2020	
------	------------	------------	--

Labeler - Atlantic Coast Media Group, LLC (800337946)

Revised: 12/2021

Atlantic Coast Media Group, LLC