# FAST ACTING WART REMOVER- fast acting wart remover liquid Shenzhen Yangan Technology Co., Ltd.

-----

### **FAST ACTING WART REMOVER LIQUID**

Salicylic Acid.....1.0%

To remove warts such as plantar wart, flat wart, common wart and corns, calluses.

- ·On damaged skin(cuts, abrasions, eczema, sunburn).
- ·If you are allergic to any of the ingredients in this product.
- ·If you are pregnant or breastfeeding.

Keep out of reach of children.

·You become pregnant, or are planning to become pregnant, while using the product.

### WARNINGS

- ·For external use only, don't contact with eyes or swallow. Children should use it under the supervision of adults.
- ·The liquid can get easily volatilized & crystallized, tighten the cap after use.
- ·Avoid long-term contact with air while using.


### **NOTICE**

- ·If warts or com are big, you should use it for alonger time.
- ·If swallowed, get medical help or contact apoison controlcenter right away.

Prunus Mume Whole. Sophora flavescens Whole, Crocus Sativus Whole. Cnidium Monnieri Whole, Saffron Oil, Gleditsia sinensis Whole, Borneol.

#### DIRECTION

- 1. Wash the comps or warts with warm water.
- 2. Take out the inner plug from the bottle, install the brush into the bottle cap. press the brush tightly: and tighten the cap on the bottle.
- 3. Dry the skin, then open the cap, dip the liquid with the brush and apply it on the wart or corn, after the liquid dries and forms to be a mask, apply the liquid again. Apply it in the day and night, and twice in each time.
- 4. Applying it for 2 weeks until the skin recovers to a healthy situation.
- 1. Wash the corns or warts with warm water.
- 2. Take out the inner plug from the bottle, install the brush into the bottle cap. press the brush tightly: and tighten the cap on the bottle.
- 3. Dry the skin, then open the cap, dip the liquid with the brush and apply it on the wart or corn, after the liquid dries and forms to be a mask, apply the liquid again. Apply it in the day and night, and twice in each time.
- 4. Applying it for 2 weeks until the skin recovers to a healthy situation.



### **FAST ACTING WART REMOVER**

fast acting wart remover liquid

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:84023-115

### **Route of Administration**

**TOPICAL** 

### **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	1 mg in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
BORNEOL (UNII: M89NIB437X)	
PRUNUS MUME WHOLE (UNII: 3RSQ38B1JI)	
CROCUS SATIVUS WHOLE (UNII: Z5C927G4XF)	
SOPHORA FLAVESCENS WHOLE (UNII: X8KX602M5L)	
CNIDIUM MONNIERI WHOLE (UNII: GYR30735RE)	
GLEDITSIA SINENSIS WHOLE (UNII: FS3UB95UTG)	
SAFFRON OIL (UNII: 56H35HBB69)	

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:84023-115- 01	15 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/24/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	03/24/2025	

## **Labeler -** Shenzhen Yangan Technology Co., Ltd. (419283765)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Shenzhen Yangan Technology Co., Ltd.		419283765	manufacture(84023-115)	

Revised: 3/2025 Shenzhen Yangan Technology Co., Ltd.