

LIDOCAINE PAIN RELIEVING PATCH- lidocaine 4% patch

BluePoint Laboratories

Lidocaine Pain Relieving Patch - Lidocaine 4%

Active ingredient

Lidocaine 4%

Purpose

Topical anesthetic

Uses

For the temporary relief of pain

Warnings:

For external use only.

Do not Use

- On wounds or damaged skin
- With a heating pad
- If you are allergic to any ingredients of this product

When Using This Product

- Use only as directed
- Do not bandage tightly
- Avoid contact with the eyes, mucous membranes or rashes
- Do not apply to open wounds or damaged skin

Stop Use and Ask a Doctor if

- Condition worsens
- Symptoms persist for more than 7 days or clears up and occurs again within a few days
- Severe burning sensation, redness or irritation develops
- You experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding, ask a health professional before use.

Keep Out of Reach of Children and Pets. If swallowed, get medical help or contact

a Poison Control Center right away.

Directions:

Adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily.

Children under 12 years of age: do not use, consult a physician.

- Clean and dry affected area
- Remove the film from the patch and apply to the affected area
- Use 1 patch at a time and not more than 3 to 4 times daily
- Remove patch from the skin after at most 8 hours application

Other information

- Do not use if the pouch is opened or damaged
- Tightly reseal the pouch containing unused patches
- Store at room temperature
- Do not freeze
- This package is child-resistant

Inactive ingredients

Carboxymethylcellulose sodium, Dihydroxyaluminum aminoacetate, Edetate sodium, Glycerin, Methyl parahydroxybenzoate (Methylparaben), Partially neutralized Sodium Polyacrylate, Polyacrylic acid, Polysorbate 80, Propyl parahydroxybenzoate (Propylparaben), Propylene glycol, Sodium Polyacrylate, Tartaric acid, Titanium dioxide, Water.

Questions or comments?

Call toll-free 1-800-655-0252 or email: wooshinlabo-us@wooshinmed.com

Principal Display Panel

CUT OPEN HERE

NDC 68001-625-89

Lidocaine Pain Relieving Patch

Topical Anesthetic 4%

Reduces Muscle Pain

- Maximum strength pain relief
- Easy to apply
- Stretchable
- Lasts up to 8 hours

BluePoint
LABORATORIES

1 Patch
3.93" x 5.11" (10 x 14 cm)

CUT OPEN HERE



Drug Facts

Active ingredient
Lidocaine 4% **Purpose**
Topical anesthetic

Uses For the temporary relief of pain

Warnings :

For external use only.

Do not use ■ On wounds or damaged skin ■ With a heating pad ■ If you are allergic to any ingredients of this product

When Using This Product ■ Use only as directed ■ Do not bandage tightly

■ Avoid contact with the eyes, mucous membranes or nares

■ Do not apply to open wounds or damaged skin

Stop use and ask a doctor if ■ Condition worsens

■ Symptoms persist for more than 7 days or clears up and occurs again within a few days

■ Severe burning, stinging, redness or irritation develops

■ You experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily.

Children under 12 years of age: do not use, consult a physician.

■ Clean and dry affected area

■ Remove the film from the patch and apply to the affected area

■ Use 1 patch at a time and not more than 3 to 4 times daily

■ Remove patch from the skin after at most 8 hours application

Other Information

■ Do not use if the pouch is opened or damaged ■ Tightly reseal the pouch containing unused patches

■ Store at room temperature ■ Do not freeze ■ This package is child-resistant

Inactive ingredients

Carboxymethylcellulose sodium, Dihydroxyaluminum aminoacetate, Edetate sodium, Glycerin, Methyl parahydroxybenzoate, Partially neutralized Sodium polyacrylate, Polyacrylic acid, Polysorbate 80, Propyl parahydroxybenzoate, Propylene glycol, Sodium Polyacrylate, Tartaric acid, Titanium dioxide, Water

Questions or comments? Call toll-free 1-800-855-4022 or email woosh@blue-usa@wooshinmed.com

Manufactured by:
Lapache O.O.O.
Industrijska cesta 11, 1250 Grosuplje, Slovenia
For BluePoint Laboratories

Rev 01/2025

LOT

3 68001 62589 0



NDC 68001-625-95

Lidocaine Pain Relieving Patch

Topical Anesthetic 4%

BluePoint
LABORATORIES

NDC 68001-625-95

Lidocaine Pain Relieving Patch

Topical Anesthetic 4%

Reduces Muscle Pain
• Maximum strength pain relief
• Easy to apply
• Stretchable
• Lasts up to 8 hours

BluePoint
LABORATORIES

30 Patches
3.93" x 5.11" (10 x 14 cm)

NDC 68001-625-95

Lidocaine Pain Relieving Patch

Topical Anesthetic 4%

BluePoint
LABORATORIES

Topical Anesthetic 4%

Lidocaine Pain Relieving Patch

NDC 68001-625-95



Drug Facts	
Active ingredient Lidocaine 4%	Purpose Topical anesthetic
Uses For the temporary relief of pain	
Warnings :	
For external use only.	
Do not use ■ On wounds or damaged skin ■ With a heating pad ■ If you are allergic to any ingredients of this product	
When Using This Product ■ Use only as directed ■ Do not bandage tightly	
■ Avoid contact with the eyes, mucous membranes or nares	
■ Do not apply to open wounds or damaged skin	
Stop use and ask a doctor if ■ Condition worsens	
■ Symptoms persist for more than 7 days or clears up and occurs again within a few days	
■ Severe burning, stinging, redness or irritation develops	
■ You experience signs of skin injury, such as pain, swelling, or blistering where the product was applied	
If pregnant or breast-feeding , ask a health professional before use.	
Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
Adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily.	
Children under 12 years of age: do not use, consult a physician.	
■ Clean and dry affected area	
■ Remove the film from the patch and apply to the affected area	
■ Use 1 patch at a time and not more than 3 to 4 times daily	
■ Remove patch from the skin after at most 8 hours application	
Other Information	
■ Do not use if the pouch is opened or damaged ■ Tightly reseal the pouch containing unused patches	
■ Store at room temperature ■ Do not freeze ■ This package is child-resistant	
Inactive ingredients	
Carboxymethylcellulose sodium, Dihydroxyaluminum aminoacetate, Edetate sodium, Glycerin, Methyl parahydroxybenzoate, Partially neutralized Sodium polyacrylate, Polyacrylic acid, Polysorbate 80, Propyl parahydroxybenzoate, Propylene glycol, Sodium Polyacrylate, Tartaric acid, Titanium dioxide, Water	
Questions or comments? Call toll-free 1-800-855-4022 or email woosh@blue-usa@wooshinmed.com	

Manufactured by:
Lapache O.O.O.
Industrijska cesta 11, 1250 Grosuplje, Slovenia
For BluePoint Laboratories

Rev 01/2025

LOT

3 68001 62589 0

3 68001 62589 0



LIDOCAINE PAIN RELIEVING PATCH

lidocaine 4% patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68001-625
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
TARTARIC ACID (UNII: W4888I119H)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

EDETATE SODIUM (UNII: MP1J8420LU)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
WATER (UNII: 059QF0KO0R)				
GLYCERIN (UNII: PDC6A3C0OX)				
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68001-625-93	5 in 1 BOX	07/01/2025	
1	NDC:68001-625-89	1 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:68001-625-95	30 in 1 BOX	07/01/2025	
2	NDC:68001-625-89	1 g in 1 PATCH; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M017	07/01/2025	

Labeler - BluePoint Laboratories (985523874)

Establishment

Name	Address	ID/FEI	Business Operations
WOOSHIN LAPACHE d.o.o.		507385209	manufacture(68001-625)

Revised: 6/2025

BluePoint Laboratories